



# LEADERSHIP FOR LITERACY

## *Codebook for dataset:*

*gr6\_feb\_oct\_clean.dta*

*The related instruments are*

- *gr6\_oraltest\_instrument\_all.pdf*
- *gr6\_writtentest\_feb\_instrument.pdf*
- *gr6\_writtentest\_oct\_instrument.pdf*

### *Name of study:*

Leadership for literacy or officially “Succeeding Against the Odds: Understanding resilience and exceptionalism in high-functioning township and rural primary schools in South Africa”.

### **Funder:**

Economic and Social Research Council [grant ES/N01023X/1]

### **Principal Investigator:**

Servaas van der Berg

### **Study period:**

May 2016 - November 2018

### **Data submission:**

February 2019




---

<b>studentid</b>	<b>UNIQUE STUDENT IDENTIFIER</b>				
------------------	----------------------------------	--	--	--	--

---

```

      type:  numeric (int)
      range:  [1,2819]
unique values: 2,818
      units:  1
      missing.: 0/2,818

      mean:   1409.93
      std. dev: 814.055

percentiles:      10%      25%      50%      75%      90%
                  282      705      1409.5    2115    2538

```

---

<b>oldstudentid</b>	<b>(unlabeled)</b>
---------------------	--------------------

---

```

      type:  string (str6)
unique values: 2,818
      missing "": 0/2,818

examples:  "1514"
           "204"
           "2547"
           "489"

```

---

<b>schoolid</b>	<b>UNIQUE school identifier</b>
-----------------	---------------------------------

---

```

      type:  numeric (int)
      label:  schoolid, but label does not exist
      range:  [100,6100]
unique values: 61
      units:  100
      missing.: 0/2,818

      mean:   3143.61
      std. dev: 1786.59

percentiles:      10%      25%      50%      75%      90%
                  700      1500     3200     4800     5600

```

---

<b>paircode2</b>	<b>Original matched pair code</b>
------------------	-----------------------------------

---

```

      type:  string (str7)
unique values: 60
      missing "": 0/2,818

examples:  "GP5_B"
           "KZN11_B"
           "KZN17_B"
           "LP23_U"

```

---

<b>tested</b>	<b>DERIVED: Periods of Gr 6. learner literacy written tests</b>
---------------	---

---

```

      type:  numeric (byte)
      label:  tested
      range:  [1,3]
unique values: 3
      units:  1
      missing.: 0/2,818

```

tabulation:	Freq.	Numeric	Label
	274	1	Wrote Feb only
	162	2	Wrote Oct only
	2,382	3	Wrote Feb & Oct

---

tested_orf	DERIVED: Periods gr6 learner was tested for ORF
------------	---

---

type:	numeric (byte)	
label:	tested_orf	
range:	[1,4]	units: 1
unique values:	3	missing .: 0/2,818
tabulation:	Freq.	Numeric
	2,085	1
	134	2
	599	4
		Label
		neither
		Feb only
		Feb & Oct

---

province_feb	Province in which school is located
--------------	-------------------------------------

---

type:	string (str3)	
unique values:	4	missing "": 0/2,818
tabulation:	Freq.	Value
	988	"GP"
	879	"KZN"
	785	"LP"
	166	"NA"

---

province_oct	Province in which school is located
--------------	-------------------------------------

---

type:	string (str3)	
unique values:	4	missing "": 0/2,818
tabulation:	Freq.	Value
	912	"GP"
	889	"KZN"
	741	"LP"
	276	"NA"

---

gender	DERIVED: Gender of the learner
--------	--------------------------------

---

type:	numeric (byte)	
label:	gender	
range:	[1,2]	units: 1
unique values:	2	missing .: 4/2,818
tabulation:	Freq.	Numeric
	1,420	1
	1,394	2
	4	.
		Label
		boy
		girl

---

lang_af_oct	Language of African ORF assessment (post-test)
-------------	--

---

type:	string (str3)	
unique values:	4	missing "": 1/2,818

```

1 ""
2,218 "NA"
93 "sep"
110 "tso"
396 "zul"

```

```
spectacles_eng_oct      ORF tested learner is wearing spectacles
```

```
type:  string (str2)
```

```
unique values: 3           missing "": 1/2,818
```

```

tabulation:  Freq.  Value
              1    ""
             589   "0"
              7   "1"
            2,221  "NA"

```

LITERACY_SCORES	OVERALL LITERACY SCORES
-----------------	-------------------------

```
type: string (str1), but longest is str0
```

```
unique values: 0      missing "": 2,818/2,818
```

```
tabulation:  Freq.  Value
              2,818  ""
```

```

fef_total_feb                                FEF total pre-test

```

```
type:  numeric (double)
```

```
range:  [0,16]          units:  .1
values: 32              missing.: 166/2,818
```

```
mean:    4.43194
std. dev: 3.06847
```

percentiles:	10%	25%	50%	75%	90%
	<b>1</b>	<b>2</b>	<b>4</b>	<b>6</b>	<b>9</b>

gtm_total_feb	GTM total pre-test
---------------	--------------------

```
type:  numeric (double)
```

```

      range:  [0,15]          units:  .1
unique values: 30          missing .: 166/2,818

```

```
mean:    3.54713
std. dev: 2.37399
```

```
percentiles:      10%      25%      50%      75%      90%
                  1         2         3         5         7
```

vocab_total_feb	Total Vocab pre-test score
-----------------	----------------------------

```
type:  numeric (double)
```

```

      range:  [0,42.5]           units:  .1
unique values: 74             missing : 166/2,818

```

```

      mean:      5.1083
    std. dev:    5.72696

percentiles:      10%      25%      50%      75%      90%
                  0        1        3       7.5      13

```

---

<b>total_marks_feb</b>	<b>Total marks obtained on written pre-test</b>
------------------------	---

---

```

      type:  string (str4)

unique values:  118              missing "":  0/2,818

examples:  "15"
            "24"
            "42"
            "7.5"

```

---

<b>torf_feb</b>	<b>Gr.6 Eng. ORF scores pre-test</b>
-----------------	--------------------------------------

---

```

      type:  numeric (int)

      range:  [0,202]              units:  1
unique values: 161              missing .:  2,085/2,818

      mean:      81.1487
    std. dev:    38.3809

percentiles:      10%      25%      50%      75%      90%
                  28       59       80      107      130

```

---

<b>torf_feb_p</b>	<b>Gr.6 English lang ORF % of WCPM pre-test</b>
-------------------	---

---

```

      type:  numeric (float)

      range:  [0,99.507393]        units:  1.000e-08
unique values: 161              missing .:  2,085/2,818

      mean:      39.9747
    std. dev:    18.9069

percentiles:      10%      25%      50%      75%      90%
                  13.7931  29.064  39.4089  52.7094  64.0394

```

---

<b>tcomp_feb</b>	<b>Total Gr6 Eng. ORF comprehension pre-test score</b>
------------------	--

---

```

      type:  numeric (byte)

      range:  [0,7]              units:  1
unique values: 8              missing .:  2,085/2,818

tabulation:  Freq.  Value
              66    0
              188    1
              172    2
              115    3
               98    4
               65    5
               27    6
                2    7
             2,085  .

```

---

<b>fef_total_oct</b>	<b>FEF total post-test</b>
----------------------	----------------------------

---

```

type: numeric (double)
range: [0,16]
unique values: 32
units: .1
missing .: 277/2,818
mean: 5.19638
std. dev: 3.49468
percentiles: 10% 25% 50% 75% 90%
              1 2 4 7.5 10.5

```

---

<b>gtm_total_oct</b>	<b>GTM total post-test</b>
----------------------	----------------------------

---

```

type: numeric (double)
range: [0,16]
unique values: 31
units: .1
missing .: 277/2,818
mean: 4.22786
std. dev: 2.7969
percentiles: 10% 25% 50% 75% 90%
              1 2 4 6 8

```

---

<b>vocab_total_oct</b>	<b>Total Vocab post-test score</b>
------------------------	------------------------------------

---

```

type: numeric (double)
range: [0,53]
unique values: 91
units: .1
missing .: 277/2,818
mean: 8.57481
std. dev: 7.94273
percentiles: 10% 25% 50% 75% 90%
              1 3 6.5 12 19

```

---

<b>torf_eng_oct</b>	<b>Gr.6 Eng. ORF scores post-test</b>
---------------------	---------------------------------------

---

```

type: numeric (int)
range: [0,192]
unique values: 158
units: 1
missing .: 2,219/2,818
mean: 93.424
std. dev: 39.9772
percentiles: 10% 25% 50% 75% 90%
              40 68 97 121 144

```

---

<b>torf_eng_oct_p</b>	<b>Gr.6 English lang ORF % of WCPM Post-test</b>
-----------------------	--

---

```

type: numeric (float)
range: [0,94.581284]
unique values: 158
units: 1.000e-08
missing .: 2,219/2,818
mean: 46.0217
std. dev: 19.6932

```



```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,818/2,818
tabulation: Freq. Value
             2,818 ""

```

---

**age\_feb** Q2 How old are you?

---

```

type: numeric (byte)
range: [9,17] units: 1
unique values: 9 missing .: 197/2,818
tabulation: Freq. Value
             1 9
             177 10
             1,068 11
             917 12
             340 13
             83 14
             23 15
             10 16
             2 17
             197 .

```

---

**birth\_day\_feb** Q3 What is the date of your birthday? Day

---

```

type: string (str4)
unique values: 37 missing "": 0/2,818
examples: "15"
           "22"
           "29"
           "6"

```

---

**birth\_month\_feb** Q3 What is the date of your birthday? Day

---

```

type: string (str9)
unique values: 13 missing "": 0/2,818
examples: "december"
           "july"
           "may"
           "november"

```

---

**month\_spelt\_feb** Q3 Exact way in which month of birth was spelled

---

```

type: string (str20)
unique values: 424 missing "": 0/2,818
examples: "April"
           "JULY"
           "MAY"
           "NOVEMBER"
warning: variable has embedded blanks

```



---

**correct\_month\_spelt\_feb** **DERIVED: Spells month of birth correctly**


---

```

      type: numeric (byte)
      label: correct_month_spelt

      range: [0,2]
      unique values: 3
                        units: 1
                        missing .: 165/2,818

      tabulation: Freq.   Numeric   Label
                   494         0 incorrect
                   1,974       1 correct
                   185         2 Uses a number
                   165         .

```

---

**gender\_feb** **Q2: Are you a boy or a girl?**


---

```

      type: numeric (byte)
      label: temp_gender_feb

      range: [1,2]
      unique values: 2
                        units: 1
                        missing .: 170/2,818

      tabulation: Freq.   Numeric   Label
                   1,318       1 Boy
                   1,330       2 Girl
                   170         .

```

---

**grade\_r\_feb** **Q4 Did you attend grade R or creche before grade 1? (feb & oct)**


---

```

      type: numeric (float)
      label: yesno2

      range: [1,2]
      unique values: 2
                        units: 1
                        missing .: 203/2,818

      tabulation: Freq.   Numeric   Label
                   2,228       1 Yes
                   387         2 No
                   203         .

```

---

**live\_mother\_feb** **Q5 Do you live with your mother?**


---

```

      type: numeric (float)
      label: yesno2

      range: [1,2]
      unique values: 2
                        units: 1
                        missing .: 185/2,818

      tabulation: Freq.   Numeric   Label
                   2,084       1 Yes
                   549         2 No
                   185         .

```

---

**lang\_mother\_feb** **Q6 What language does your mother speak?**


---

```

      type: string (str24)

      unique values: 61
                        missing "": 0/2,818

```

```
examples: "Sepedi"
           "Xitsonga"
           "isiZulu"
           "isiZulu"
```

```
warning: variable has embedded blanks
```

---

<b>live_father_feb</b>	<b>Q7 Do you live with your father?</b>
------------------------	---

---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]
unique values: 2
                                units: 1
                                missing .: 193/2,818

      tabulation: Freq.   Numeric   Label
                  1,284       1   Yes
                  1,341       2   No
                   193         .
```

---

<b>lang_father_feb</b>	<b>Q8 What language does your father speak?</b>
------------------------	---

---

```

      type: string (str26)
unique values: 66
                                missing "": 0/2,818

      examples: "Sepedi"
                 "Xitsonga"
                 "isiZulu"
                 "isiZulu"

      warning: variable has embedded blanks
```

---

<b>anyone_read_feb</b>	<b>Q9 Does anyone ever read to you at home?</b>
------------------------	---

---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]
unique values: 2
                                units: 1
                                missing .: 179/2,818

      tabulation: Freq.   Numeric   Label
                  2,009       1   Yes
                   630       2   No
                   179         .
```

---

<b>helps_homework_feb</b>	<b>Q10 Who helps you with your homework? Coded</b>
---------------------------	--

---

```

      type: string (str30)
unique values: 16
                                missing "": 0/2,818

      examples: "Other"
                 "Parent"
                 "Parent"
                 "Sibling"

      warning: variable has embedded blanks
```

---

<b>helps_spelt_feb</b>	<b>Q10 Who helps you with your homework? Raw data</b>
------------------------	---

---

```

type: string (str55)
unique values: 802 missing "": 0/2,818
examples: "MY FATHER"
           "My aunt and mother"
           "NA"
           "mother"
warning: variable has embedded blanks

```

---

**own\_storybooks\_feb** **Q11 How many of your own story books do you have at home?**

---

```

type: string (str5)
unique values: 45 missing "": 0/2,818
examples: "0"
           "10"
           "20"
           "5"

```

---

**booksathome\_feb** **Q12 How many books do you have in your home?**

---

```

type: numeric (float)
label: booksathome

range: [0,4] units: 1
unique values: 5 missing .: 351/2,818

tabulation: Freq. Numeric Label
              658      0 I have no books
             1,453      1 A few books (10)
              273      2 Enough to fill one shelf (20)
               70      3 Enough to fill one bookcase (50)
               13      4 Enough to fill two or more
                  bookcases (100)
             351      .

```

---

**feel\_school\_feb** **Circle face a) This is how I feel about school**

---

```

type: numeric (long)
label: happy

range: [1,5] units: 1
unique values: 5 missing .: 199/2,818

tabulation: Freq. Numeric Label
              24      1 very sad
               5      2 sad
              68      3 neutral
             443      4 happy
            2,079      5 very happy
             199      .

```

---

**feel\_reading\_feb** **Circle face (b) This is how I feel about reading**

---

```

type: numeric (long)
label: happy

range: [1,5] units: 1
unique values: 5 missing .: 192/2,818

```

tabulation:	Freq.	Numeric	Label
	24	1	very sad
	30	2	sad
	138	3	neutral
	812	4	happy
	1,622	5	very happy
	192	.	

---

<b>feel_readingteacher_feb</b>	<b>Circle face (c) This is how I feel about my reading teacher</b>
--------------------------------	--

---

type:	numeric (long)	
label:	happy	
range:	[1,5]	units: 1
unique values:	5	missing .: 195/2,818

  

tabulation:	Freq.	Numeric	Label
	44	1	very sad
	56	2	sad
	214	3	neutral
	774	4	happy
	1,535	5	very happy
	195	.	

---

<b>feel_maths_feb</b>	<b>Circle face (e) This is how I feel about maths</b>
-----------------------	---

---

type:	numeric (long)	
label:	happy	
range:	[1,5]	units: 1
unique values:	5	missing .: 196/2,818

  

tabulation:	Freq.	Numeric	Label
	128	1	very sad
	68	2	sad
	237	3	neutral
	626	4	happy
	1,563	5	very happy
	196	.	

---

<b>socio_e1_newideas_feb</b>	<b>1. New ideas sometimes distract me from what I am currently doing.</b>
------------------------------	---

---

type:	numeric (long)	
label:	socio	
range:	[1,4]	units: 1
unique values:	4	missing .: 200/2,818

  

tabulation:	Freq.	Numeric	Label
	365	1	That's not at all like me
	494	2	That's not really like me
	1,219	3	That's sometimes like me
	540	4	That's a lot like me
	200	.	

---

<b>socio_e2_problems_feb</b>	<b>2. Problems and challenges don't discourage me.</b>
------------------------------	--

---

type:	numeric (long)
label:	socio

```

range: [1,4] units: 1
unique values: 4 missing .: 205/2,818

```

```

tabulation: Freq. Numeric Label
              417      1 That's not at all like me
              480      2 That's not really like me
              688      3 That's sometimes like me
            1,028      4 That's a lot like me
              205      .

```

---

**socio\_e3\_interest\_feb**                      **3. I am sometimes very interested in one thing but only for a short time**

---

```

type: numeric (long)
label: socio

```

```

range: [1,4] units: 1
unique values: 4 missing .: 200/2,818

```

```

tabulation: Freq. Numeric Label
              519      1 That's not at all like me
              574      2 That's not really like me
              796      3 That's sometimes like me
              729      4 That's a lot like me
              200      .

```

---

**socio\_e4\_workhard\_feb**                      **4. I work hard to do things well.**

---

```

type: numeric (long)
label: socio

```

```

range: [1,4] units: 1
unique values: 4 missing .: 202/2,818

```

```

tabulation: Freq. Numeric Label
              217      1 That's not at all like me
              256      2 That's not really like me
              493      3 That's sometimes like me
            1,650      4 That's a lot like me
              202      .

```

---

**socio\_e5\_samething\_feb**                      **5. I find it difficult to stick to the same thing.**

---

```

type: numeric (long)
label: socio

```

```

range: [1,4] units: 1
unique values: 4 missing .: 229/2,818

```

```

tabulation: Freq. Numeric Label
              465      1 That's not at all like me
              549      2 That's not really like me
              882      3 That's sometimes like me
              693      4 That's a lot like me
              229      .

```

---

**socio\_e6\_longtime\_feb**                      **6. I find it difficult to keep working on the same thing...**

---

```

type: numeric (long)
label: socio

```

```

range: [1,4] units: 1
unique values: 4 missing .: 237/2,818

```

```

tabulation:  Freq.  Numeric  Label
              417      1  That's not at all like me
              544      2  That's not really like me
              901      3  That's sometimes like me
              719      4  That's a lot like me
              237      .

```

---

**socio\_e7\_finish\_feb** **7. I finish whatever I start.**

---

```

type:  numeric (long)
label:  socio

range:  [1,4]
unique values:  4
units:  1
missing .:  240/2,818

```

```

tabulation:  Freq.  Numeric  Label
              279      1  That's not at all like me
              286      2  That's not really like me
              658      3  That's sometimes like me
            1,355      4  That's a lot like me
              240      .

```

---

**socio\_e8\_sitstill\_feb** **8. I can sit still for longer than other children in the class.**

---

```

type:  numeric (long)
label:  socio

range:  [1,4]
unique values:  4
units:  1
missing .:  231/2,818

```

```

tabulation:  Freq.  Numeric  Label
              454      1  That's not at all like me
              443      2  That's not really like me
              817      3  That's sometimes like me
              873      4  That's a lot like me
              231      .

```

---

**socio\_e9\_careful\_feb** **9. I do my schoolwork carefully.**

---

```

type:  numeric (long)
label:  socio

range:  [1,4]
unique values:  4
units:  1
missing .:  230/2,818

```

```

tabulation:  Freq.  Numeric  Label
              172      1  That's not at all like me
              218      2  That's not really like me
              532      3  That's sometimes like me
            1,666      4  That's a lot like me
              230      .

```

---

**wash\_machine\_feb** **Has wash\_machine in household (1 = ticked)**

---

```

type:  numeric (byte)

range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

```

```

tabulation:  Freq.  Value
              1,507  0
              1,145  1
              166   .

```

---

**radio\_feb** Has radio in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              1,009  0
              1,643  1
              166   .

```

---

**pc\_feb** Has pc in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              1,675  0
              977   1
              166   .

```

---

**cell\_feb** Has cell in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              163   0
              2,489  1
              166   .

```

---

**hot\_water\_feb** Has hot\_water in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              1,981  0
              671   1
              166   .

```

---

**cold\_water\_feb** Has cold\_water in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

```

```

tabulation:  Freq.  Value
              904    0
            1,748    1
              166    .

```

---

**tv\_feb** Has TV in household

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              288    0
            2,364    1
              166    .

```

---

**internet\_feb** Has internet in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              2,377    0
              275    1
              166    .

```

---

**microwave\_feb** Has microwave in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              904    0
            1,748    1
              166    .

```

---

**fridge\_feb** Has fridge in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

tabulation:  Freq.  Value
              299    0
            2,353    1
              166    .

```

---

**toilet\_feb** Has toilet in household (1 = ticked)

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 166/2,818

```



```

tabulation:  Freq.  Value
              1,384    0
              1,268    1
              166     .

```

---

**car\_feb** **Has car in household (1 = ticked)**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  166/2,818

tabulation:  Freq.  Value
              1,206    0
              1,446    1
              166     .

```

---

**newspaper\_feb** **Has newspaper in household (1 = ticked)**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  166/2,818

tabulation:  Freq.  Value
              946     0
              1,706    1
              166     .

```

---

**BACKGROUND\_OCT** **BACKGROUND WRITTEN POST-TEST VARIABLES**

---

```

type:  string (str1), but longest is str0

unique values:  0      missing "":  2,818/2,818

tabulation:  Freq.  Value
              2,818   ""

```

---

**age\_oct** **Q2 How old are you?**

---

```

type:  numeric (byte)

range:  [10,18]        units:  1
unique values:  9      missing .:  296/2,818

tabulation:  Freq.  Value
              8     10
              733    11
            1,125    12
              455    13
              146    14
               39    15
               13    16
                2    17
                1    18
              296     .

```

---

**birth\_day\_oct** **Q3 What is the date of your birthday? Day**

---

```

type:  string (str11)

```

unique values: 37 missing "": 0/2,818

examples: "16"  
"22"  
"28"  
"7"

warning: variable has embedded blanks

---

**birth\_month\_oct** **Q3 What is the date of your birthday? Month**

---

type: string (**str9**)

unique values: 14 missing "": 0/2,818

examples: "december"  
"july"  
"may"  
"november"

---

**month\_spelt\_oct** **Q3: Exact way in which month of birth was spelled**

---

type: string (**str19**)

unique values: 299 missing "": 0/2,818

examples: "August"  
"January"  
"May"  
"November"

warning: variable has embedded blanks

---

**correct\_month\_spelt\_oct** **DERIVED: Spells month of birth correctly**

---

type: numeric (**byte**)  
label: **correct\_month\_spelt**

range: [0,2] units: 1  
unique values: 3 missing .: 276/2,818

tabulation:	Freq.	Numeric	Label
	327	0	incorrect
	1,893	1	correct
	322	2	Uses a number
	276	.	

---

**gender\_oct** **Q2: Are you a boy or a girl?**

---

type: numeric (**byte**)  
label: **temp\_gender\_oct**

range: [1,2] units: 1  
unique values: 2 missing .: 278/2,818

tabulation:	Freq.	Numeric	Label
	1,270	1	Boy
	1,270	2	Girl
	278	.	

---

**grade\_r\_oct** **Q4 Did you attend grade R or creche before grade 1? (feb & oct)**

---

```

      type: numeric (float)
      label: yesno2

      range: [1,2]
unique values: 2
                                units: 1
                                missing.: 286/2,818

      tabulation: Freq.   Numeric   Label
                  2,277       1      Yes
                  255         2      No
                  286         .

```

---

**live\_mother\_oct****Q5 Do you live with your mother?**

---

```

      type: numeric (float)
      label: yesno2

      range: [1,2]
unique values: 2
                                units: 1
                                missing.: 286/2,818

      tabulation: Freq.   Numeric   Label
                  1,982       1      Yes
                  550         2      No
                  286         .

```

---

**lang\_mother\_oct****Q6 What language does your mother speak the most?**

---

```

      type: string (str27)

unique values: 45
                                missing "": 0/2,818

      examples: "Sepedi"
                  "Xitsonga"
                  "isiZulu"
                  "isiZulu"

      warning: variable has embedded blanks

```

---

**mother\_eng****DERIVED: mother speaks English mostly**

---

```

      type: numeric (float)

      range: [0,1]
unique values: 2
                                units: 1
                                missing.: 303/2,818

      tabulation: Freq.   Value
                  2,451    0
                   64     1
                   303     .

```

---

**mother\_zul****DERIVED: mother speaks Zulu mostly**

---

```

      type: numeric (float)

      range: [0,1]
unique values: 2
                                units: 1
                                missing.: 165/2,818

      tabulation: Freq.   Value
                  1,045    0
                  1,608    1
                   165     .

```

---

**mother\_sep** DERIVED: mother speaks Sepedi mostly


---

```

      type: numeric (float)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 274/2,818

      tabulation: Freq.  Value
                  2,153  0
                  391   1
                  274   .

```

---

**mother\_xit** DERIVED: mother speaks Xitsonga mostly


---

```

      type: numeric (float)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 275/2,818

      tabulation: Freq.  Value
                  2,142  0
                  401   1
                  275   .

```

---

**live\_father\_oct** Q7 Do you live with your father?


---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]
unique values: 2
      units: 1
      missing .: 290/2,818

      tabulation: Freq.  Numeric  Label
                  1,158      1    Yes
                  1,370      2    No
                  290       .

```

---

**lang\_father\_oct** Q8 What language does your father speak the most?


---

```

      type: string (str29)
unique values: 62
      missing "": 0/2,818

      examples: "Sepedi"
                 "Xitsonga"
                 "isiZulu"
                 "isiZulu"

      warning: variable has embedded blanks

```

---

**father\_eng** DERIVED: father speaks English mostly


---

```

      type: numeric (float)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 367/2,818

      tabulation: Freq.  Value
                  2,346  0
                  105   1
                  367   .

```

father zul

DERIVED: father speaks Zulu mostly

```
type: numeric (float)
```

```
range: [0, 1]
unique values: 2
```

```
units: 1
missing.: 192/2,818
```

```

tabulation:  Freq.  Value
             1,140    0
             1,486    1
              192    .

```

father sep

DERIVED: father speaks Sepedi mostly

```
type: numeric (float)
```

```

range: [0, 1]
unique values: 2

```

```
units: 1
missing.: 338/2,818
```

```

tabulation:  Freq.  Value
              2,083    0
              397     1
              338     .

```

father xit

DERIVED: father speaks Xitsonga mostly

```
type: numeric (float)
```

```
range: [0, 1]
unique values: 2
```

```
units: 1
missing.: 343/2,818
```

```

tabulation:  Freq.  Value
              2,088    0
              387     1
              343     .

```

lang child oct

Q9 What language do you speak the most?

```
type: string (str26)
```

```
unique values: 45
```

missing "": 0/2,818

```
examples: "Sepedi"  
          "Xitsonga"  
          "isiZulu"  
          "isiZulu"
```

```
warning: variable has embedded blanks
```

child eng

DERIVED: child speaks English mostly

```
type: numeric (float)
```

```
range: [0, 1]
unique values: 2
```

```
units: 1
missing.: 312/2,818
```

```

tabulation:  Freq.  Value
              2,393    0
              113     1
              312     .

```

---

**child\_zul** **DERIVED: child speaks Zulu mostly**

---

```

      type:  numeric (float)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  312/2,818

      tabulation:  Freq.  Value
                   937    0
                   1,569  1
                   312    .

```

---

**child\_sep** **DERIVED: child speaks Sepedi mostly**

---

```

      type:  numeric (float)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  312/2,818

      tabulation:  Freq.  Value
                   2,163    0
                   343    1
                   312    .

```

---

**child\_xit** **DERIVED: child speaks Xitsonga mostly**

---

```

      type:  numeric (float)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  312/2,818

      tabulation:  Freq.  Value
                   2,157    0
                   349    1
                   312    .

```

---

**anyone\_read\_oct** **Q10 Does anyone ever read to you at home?**

---

```

      type:  numeric (float)
      label:  yesno2
      range:  [1,2]
unique values: 2
      units:  1
missing  .:  285/2,818

      tabulation:  Freq.  Numeric  Label
                   1,787      1    Yes
                   746      2    No
                   285      .

```

---

**helps\_hw\_bro\_sis\_oct** **Q11 Who helps you with your homework? a)brother sister**

---

```

      type:  string (str2)
unique values: 2
      missing "":  0/2,818

      tabulation:  Freq.  Value
                   1,366  "1"
                   1,452  "NA"

```

---

**helps\_hw\_mother\_oct** **Q11 Who helps you with your homework? b) mother**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             1,139 "1"
             1,679 "NA"

```

---

**helps\_hw\_father\_oct** **Q11 Who helps you with your homework? c) father**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             603 "1"
             2,215 "NA"

```

---

**helps\_hw\_aunt\_unc\_oct** **Q11 Who helps you with your homework? d) aunt uncle**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             303 "1"
             2,515 "NA"

```

---

**helps\_hw\_grandm\_grandf\_oct** **Q11 Who helps you with your homework? e) grandparent**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             204 "1"
             2,614 "NA"

```

---

**helps\_hw\_noone\_oct** **Q11 Who helps you with your homework? f) no one**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             195 "1"
             2,623 "NA"

```

---

**helps\_hw\_other\_oct** **Q11 Who helps you with your homework? g) other**

---

```

type: string (str2)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
             34 "1"
             2,784 "NA"

```

Q12 How many of your own story books do you have at home (not school books)?

tabulation:	Freq.	Numeric	Label
	<b>1,098</b>	<b>1</b>	No books
	<b>1,180</b>	<b>2</b>	1-10
	<b>161</b>	<b>3</b>	11-25
	<b>86</b>	<b>4</b>	More than 25
	<b>293</b>	<b>.</b>	

Q13 On most school days how do you travel to school from where you stay...

tabulation:	Freq.	Numeric	Label
	1,876	1	walk
	26	2	bicycle
	341	3	car
	250	4	bus-taxi
	43	5	other
	282	.	

Q14 How often do you speak English at home? (oct)

tabulation:	Freq.	Numeric	Label
	<b>194</b>	<b>1</b>	Always
	<b>1,876</b>	<b>2</b>	Sometimes
	<b>459</b>	<b>3</b>	Never
	<b>289</b>	<b>.</b>	

Q15 Does your mother or father have a job?

```

      range:  [1,5]          units:  1
unique values: 5          missing : 286/2,818

```



tabulation:	Freq.	Numeric	Label
	<b>379</b>	<b>1</b>	Neither my mother nor my father have a job
	<b>429</b>	<b>2</b>	Only my mother has a job
	<b>734</b>	<b>3</b>	Only my father has a job
	<b>872</b>	<b>4</b>	Both my mother & my father have a job
	<b>118</b>	<b>5</b>	I don't know
	<b>286</b>	<b>.</b>	

---

<b>booksathome_oct</b>	<b>16. How many books do you have in your home?</b>
------------------------	---

---

type:	numeric ( <b>float</b> )	
label:	<b>booksathome</b>	
range:	[0,4]	units: <b>1</b>
unique values:	<b>5</b>	missing .: <b>297/2,818</b>

tabulation:	Freq.	Numeric	Label
	<b>749</b>	<b>0</b>	I have no books
	<b>1,354</b>	<b>1</b>	A few books (10)
	<b>288</b>	<b>2</b>	Enough to fill one shelf (20)
	<b>106</b>	<b>3</b>	Enough to fill one bookcase (50)
	<b>24</b>	<b>4</b>	Enough to fill two or more bookcases (100)
	<b>297</b>	<b>.</b>	

---

<b>wash_machine_oct</b>	<b>Has wash_machine in household (1 = ticked)</b>
-------------------------	---

---

type:	numeric ( <b>byte</b> )	
range:	[1,1]	units: <b>1</b>
unique values:	<b>1</b>	missing .: <b>1,652/2,818</b>

tabulation:	Freq.	Value
	<b>1,166</b>	<b>1</b>
	<b>1,652</b>	<b>.</b>

---

<b>radio_oct</b>	<b>Has radio in household (1 = ticked)</b>
------------------	--

---

type:	numeric ( <b>byte</b> )	
range:	[1,1]	units: <b>1</b>
unique values:	<b>1</b>	missing .: <b>1,187/2,818</b>

tabulation:	Freq.	Value
	<b>1,631</b>	<b>1</b>
	<b>1,187</b>	<b>.</b>

---

<b>pc_oct</b>	<b>Has pc in household (1 = ticked)</b>
---------------	---

---

type:	numeric ( <b>byte</b> )	
range:	[1,1]	units: <b>1</b>
unique values:	<b>1</b>	missing .: <b>1,722/2,818</b>

tabulation:	Freq.	Value
	<b>1,096</b>	<b>1</b>
	<b>1,722</b>	<b>.</b>

---

<b>cell_oct</b>	<b>Has cell in household (1 = ticked)</b>
-----------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 370/2,818

      tabulation: Freq. Value
                   2,448 1
                   370  .

```

---

**hot\_water\_oct** **Has hot\_water in household (1 = ticked)**

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,229/2,818

      tabulation: Freq. Value
                   589 1
                   2,229 .

```

---

**cold\_water\_oct** **Has cold\_water in household (1 = ticked)**

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 1,227/2,818

      tabulation: Freq. Value
                   1,591 1
                   1,227 .

```

---

**tv\_flat\_oct** **Has flatscreen tv in household**

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 1,402/2,818

      tabulation: Freq. Value
                   1,416 1
                   1,402 .

```

---

**tv\_normal\_oct** **Has Normal TV in household**

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 1,449/2,818

      tabulation: Freq. Value
                   1,369 1
                   1,449 .

```

---

**internet\_oct** **Has internet in household (1 = ticked)**

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 1,678/2,818

```

```

tabulation: Freq. Value
             1,140 1
             1,678 .

```

---

```
microwave_oct
```

---

```
Has microwave in household (1 = ticked)
```

---

```

type: numeric (byte)

range: [1,1]
unique values: 1
units: 1
missing .: 1,109/2,818

tabulation: Freq. Value
             1,709 1
             1,109 .

```

---

```
fridge_oct
```

---

```
Has fridge in household (1 = ticked)
```

---

```

type: numeric (byte)

range: [1,1]
unique values: 1
units: 1
missing .: 503/2,818

tabulation: Freq. Value
             2,315 1
             503 .

```

---

```
toilet_oct
```

---

```
Has toilet in household (1 = ticked)
```

---

```

type: numeric (byte)

range: [1,1]
unique values: 1
units: 1
missing .: 1,764/2,818

tabulation: Freq. Value
             1,054 1
             1,764 .

```

---

```
car_oct
```

---

```
Has car in household (1 = ticked)
```

---

```

type: numeric (byte)

range: [1,1]
unique values: 1
units: 1
missing .: 1,336/2,818

tabulation: Freq. Value
             1,482 1
             1,336 .

```

---

```
newspaper_oct
```

---

```
Has newspaper in household (1 = ticked)
```

---

```

type: numeric (byte)

range: [1,1]
unique values: 1
units: 1
missing .: 996/2,818

tabulation: Freq. Value
             1,822 1
             996 .

```

---

**WRITTEN\_ITEMS****WRITTEN TEST ITEM LEVEL RESULTS**

---

```

      type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,818/2,818
      tabulation:  Freq.  Value
                   2,818  ""

```

---

**fef\_1\_feb****FEF question 1 Pre-test**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2                               units:  1
                                           missing ..  166/2,818
      tabulation:  Freq.  Value
                   917    0
                   1,735  1
                   166    .

```

---

**fef\_2\_feb****FEF question 2 Pre-test**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2                               units:  1
                                           missing ..  166/2,818
      tabulation:  Freq.  Value
                   1,441  0
                   1,211  1
                   166    .

```

---

**fef\_3\_feb****FEF question 3 Pre-test**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2                               units:  1
                                           missing ..  166/2,818
      tabulation:  Freq.  Value
                   1,759  0
                   893   1
                   166    .

```

---

**fef\_4\_feb****FEF question 4 Pre-test**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2                               units:  1
                                           missing ..  166/2,818
      tabulation:  Freq.  Value
                   1,076  0
                   1,576  1
                   166    .

```

---

**fef\_5\_feb****FEF question 5 Pre-test**

---

```

        type: numeric (byte)
        range: [0,2]
unique values: 3
        units: 1
        missing .: 166/2,818

    tabulation: Freq. Value
                 1,748 0
                 254 1
                 650 2
                 166 .

```

---

**fef\_6\_feb** **FEF question 6 Pre-test**

---

```

        type: numeric (byte)
        range: [0,1]
unique values: 2
        units: 1
        missing .: 166/2,818

    tabulation: Freq. Value
                 1,817 0
                 835 1
                 166 .

```

---

**fef\_7\_feb** **FEF question 7 Pre-test**

---

```

        type: numeric (byte)
        range: [0,2]
unique values: 3
        units: 1
        missing .: 166/2,818

    tabulation: Freq. Value
                 1,942 0
                 498 1
                 212 2
                 166 .

```

---

**fef\_8\_feb** **FEF question 8 Pre-test**

---

```

        type: numeric (byte)
        range: [0,1]
unique values: 2
        units: 1
        missing .: 166/2,818

    tabulation: Freq. Value
                 2,391 0
                 261 1
                 166 .

```

---

**fef\_9\_feb** **FEF question 9 Pre-test**

---

```

        type: numeric (byte)
        range: [0,2]
unique values: 3
        units: 1
        missing .: 166/2,818

    tabulation: Freq. Value
                 2,068 0
                 437 1
                 147 2
                 166 .

```

---

**fef\_10\_feb** **FEF question 10 Pre-test**


---

```

      type: numeric (double)
      range: [0,1]
unique values: 3
      units: .1
      missing .: 166/2,818

      tabulation: Freq. Value
                   1,881 0
                   257 .5
                   514 1
                   166 .

```

---

**fef\_11\_feb** **FEF question 11 Pre-test**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   1,813 0
                   839 1
                   166 .

```

---

**fef\_12\_feb** **FEF question 12 Pre-test**


---

```

      type: numeric (byte)
      range: [0,2]
unique values: 3
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   2,275 0
                   200 1
                   177 2
                   166 .

```

---

**gtm\_1\_feb** **GTM question 1 pre-test**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   1,638 0
                   1,014 1
                   166 .

```

---

**gtm\_2\_feb** **GTM question 2 pre-test**


---

```

      type: numeric (double)
      range: [0,1]
unique values: 3
      units: .1
      missing .: 166/2,818

```

```

tabulation:  Freq.  Value
              1,946  0
              147   .5
              559   1
              166   .

```

---

**gtm\_3\_feb****GTM question 3 pre-test**

---

```

type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

tabulation:  Freq.  Value
              1,418  0
              1,234  1
              166   .

```

---

**gtm\_4\_feb****GTM question 4 pre-test**

---

```

type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

tabulation:  Freq.  Value
              2,514  0
              138   1
              166   .

```

---

**gtm\_5\_feb****GTM question 5 pre-test**

---

```

type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

tabulation:  Freq.  Value
              1,713  0
              939   1
              166   .

```

---

**gtm\_6\_feb****GTM question 6 pre-test**

---

```

type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

tabulation:  Freq.  Value
              1,488  0
              1,164  1
              166   .

```

---

**gtm\_7\_feb****GTM question 7 pre-test**

---

```

type:  numeric (byte)
range:  [0,1]
unique values:  2
units:  1
missing .:  166/2,818

```

```

tabulation: Freq. Value
            2,107 0
            545  1
            166  .

```

---

**gtm\_8\_feb** **GTM question 8 pre-test**

---

```

type: numeric (double)

range: [0,2]
unique values: 5
units: .1
missing .: 166/2,818

tabulation: Freq. Value
            2,252 0
            74  .5
            307  1
            4  1.5
            15  2
            166  .

```

---

**gtm\_9\_feb** **GTM question 9 pre-test**

---

```

type: numeric (byte)

range: [0,1]
unique values: 2
units: 1
missing .: 166/2,818

tabulation: Freq. Value
            1,773 0
            879  1
            166  .

```

---

**gtm\_10\_feb** **GTM question 10 pre-test**

---

```

type: numeric (double)

range: [0,1]
unique values: 3
units: .1
missing .: 166/2,818

tabulation: Freq. Value
            2,349 0
            77  .5
            226  1
            166  .

```

---

**gtm\_11\_feb** **GTM question 11 pre-test**

---

```

type: numeric (byte)

range: [0,1]
unique values: 2
units: 1
missing .: 166/2,818

tabulation: Freq. Value
            1,782 0
            870  1
            166  .

```

---

**gtm\_12\_feb** **GTM question 12 pre-test**

---

```

type: numeric (byte)

```



```

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                  2,528 0
                  124 1
                  166 .

```

**gtm\_13\_feb****GTM question 13 pre-test**

```

      type: numeric (double)

      range: [0,3]
unique values: 7
      units: .1
missing .: 166/2,818

      tabulation: Freq. Value
                  2,257 0
                   24 .5
                  264 1
                   2 1.5
                   62 2
                   4 2.5
                  39 3
                  166 .

```

**gtm\_14\_feb****GTM question 14 pre-test**

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                  1,959 0
                   693 1
                   166 .

```

**vocab\_a\_feb****Total obtained vocab. pre-test section a**

```

      type: numeric (double)

      range: [0,12.5]
unique values: 27
      units: .1
missing .: 166/2,818

      mean: 2.46308
      std. dev: 2.44663

      percentiles:      10%      25%      50%      75%      90%
                      0         .5         2         4         6

```

**vocab\_b\_feb****Total obtained vocab. pre-test section b**

```

      type: numeric (double)

      range: [0,16]
unique values: 32
      units: .1
missing .: 170/2,818

      mean: 1.49517
      std. dev: 2.09007

      percentiles:      10%      25%      50%      75%      90%
                      0         0         1         2         4

```

---

<b>vocab_c_feb</b>	<b>Total obtained vocab. pre-test</b>	<b>section c</b>
--------------------	---------------------------------------	------------------

---

```

type: numeric (double)
range: [0,10.5]
unique values: 18
units: .1
missing .: 184/2,818
mean: .641648
std. dev: 1.05535
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2

```

---

<b>vocab_d_feb</b>	<b>Total obtained vocab. pre-test</b>	<b>section d</b>
--------------------	---------------------------------------	------------------

---

```

type: numeric (double)
range: [0,10.5]
unique values: 20
units: .1
missing .: 204/2,818
mean: .522494
std. dev: .987092
percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .5      1.5

```

---

<b>fef_1_oct</b>	<b>FEF question 1 Post-test</b>
------------------	---------------------------------

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277/2,818
tabulation: Freq. Value
              876  0
              1,665 1
              277  .

```

---

<b>fef_2_oct</b>	<b>FEF question 2 Post-test</b>
------------------	---------------------------------

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277/2,818
tabulation: Freq. Value
              1,278  0
              1,263 1
              277  .

```

---

<b>fef_3_oct</b>	<b>FEF question 3 Post-test</b>
------------------	---------------------------------

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277/2,818
tabulation: Freq. Value
              1,562  0
              979  1
              277  .

```

fef\_4\_oct FEF question 4 Post-test

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 277/2,818

      tabulation:  Freq.  Value
                   868    0
                   1,673  1
                   277    .

```

fef\_5\_oct FEF question 5 Post-test

```

      type: numeric (byte)
      range: [0,2]
unique values: 3
      units: 1
      missing.: 277/2,818

  tabulation: Freq.  Value
               1,383  0
               298   1
               860   2
               277   .

```

fef\_6\_oct FEF question 6 Post-test

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 277/2,818

      tabulation:  Freq.  Value
                   1,528  0
                   1,013  1
                     277  .

```

fef\_7\_oct FEF question 7 Post-test

```

      type: numeric (byte)
      range: [0,2]
unique values: 3
      units: 1
      missing.: 277/2,818

      tabulation: Freq. Value
                  1,793 0
                   575 1
                   173 2
                   277 .

```

fef\_8\_oct FEF question 8 Post-test

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
units: 1
missing.: 277/2,818

tabulation: Freq. Value
            2,117  0
              424  1
              277  .

```

---

**fef\_9\_oct** **FEF question 9 Post-test**


---

```

      type:  numeric (byte)
      range:  [0,2]
unique values: 3
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,945  0
                   363   1
                   233   2
                   277   .

```

---

**fef\_10\_oct** **FEF question 10 Post-test**


---

```

      type:  numeric (double)
      range:  [0,1]
unique values: 3
      units:  .1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,764  0
                   106   .5
                   671   1
                   277   .

```

---

**fef\_11\_oct** **FEF question 11 Post-test**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,667  0
                   874   1
                   277   .

```

---

**fef\_12\_oct** **FEF question 12 Post-test**


---

```

      type:  numeric (byte)
      range:  [0,2]
unique values: 3
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,879  0
                   503   1
                   159   2
                   277   .

```

---

**gtm\_1\_oct** **GTM question 1 post-test**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing .: 277/2,818

```

```

tabulation: Freq. Value
            1,458 0
            1,083 1
            277  .

```

---

**gtm\_2\_oct** **GTM question 2 post-test**

---

```

type: numeric (double)

range: [0,1] units: .1
unique values: 3 missing .: 277/2,818

tabulation: Freq. Value
            1,811 0
            31 .5
            699 1
            277  .

```

---

**gtm\_3\_oct** **GTM question 3 post-test**

---

```

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 277/2,818

tabulation: Freq. Value
            1,093 0
            1,448 1
            277  .

```

---

**gtm\_4\_oct** **GTM question 4 post-test**

---

```

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 277/2,818

tabulation: Freq. Value
            2,345 0
            196 1
            277  .

```

---

**gtm\_5\_oct** **GTM question 5 post-test**

---

```

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 277/2,818

tabulation: Freq. Value
            1,560 0
            981 1
            277  .

```

---

**gtm\_6\_oct** **GTM question 6 post-test**

---

```

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 277/2,818

```

```

tabulation:  Freq.  Value
              1,276  0
              1,265  1
              277   .

```

---

```

gtm_7_oct                                           GTM question 7 post-test

```

---

```

      type:  numeric (byte)

      range:  [0,1]                      units:  1
unique values: 2                      missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,948  0
                   593   1
                   277   .

```

---

```

gtm_8_oct                                           GTM question 8 post-test

```

---

```

      type:  numeric (double)

      range:  [0,2]                      units:  .1
unique values: 5                      missing .: 277/2,818

      tabulation:  Freq.  Value
                   2,205  0
                     29  .5
                     277  1
                      7  1.5
                     23  2
                     277  .

```

---

```

gtm_9_oct                                           GTM question 9 post-test

```

---

```

      type:  numeric (byte)

      range:  [0,1]                      units:  1
unique values: 2                      missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,600  0
                     941  1
                     277  .

```

---

```

gtm_10_oct                                          GTM question 10 post-test

```

---

```

      type:  numeric (double)

      range:  [0,1]                      units:  .1
unique values: 3                      missing .: 277/2,818

      tabulation:  Freq.  Value
                   2,103  0
                     54  .5
                     384  1
                     277  .

```

---

```

gtm_11_oct                                          GTM question 11 post-test

```

---

```

      type:  numeric (byte)

```

```
units: 1
missing.: 277/2,818
```

GTM question 12 post-test

```
units: 1
missing.: 277/2,818
```

GTM question 13 post-test

```
units: .1
missing .: 277/2,818
```

GTM question 14 post-test

```
units: 1
missing.: 277/2,818
```

Total obtained vocab. post-test section a

```
units: .1
missing .: 277/2,818
```

---

<b>vocab_b_oct</b>	<b>Total obtained vocab. post-test section b</b>				
--------------------	--	--	--	--	--

---

```

type: numeric (double)
range: [0,16]
unique values: 31
units: .1
missing .: 277/2,818
mean: 2.18516
std. dev: 2.65675
percentiles: 10% 25% 50% 75% 90%
              0 .5 1.5 3 5.5

```

---

<b>vocab_c_oct</b>	<b>Total obtained vocab. post-test section c</b>				
--------------------	--	--	--	--	--

---

```

type: numeric (double)
range: [0,11]
unique values: 24
units: .1
missing .: 277/2,818
mean: 1.229
std. dev: 1.49238
percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 3

```

---

<b>vocab_d_oct</b>	<b>Total obtained vocab. post-test section d</b>				
--------------------	--	--	--	--	--

---

```

type: numeric (double)
range: [0,11.5]
unique values: 23
units: .1
missing .: 277/2,818
mean: 1.28579
std. dev: 1.68428
percentiles: 10% 25% 50% 75% 90%
              0 0 .5 2 3.5

```

---

<b>ORF_ITEM_FEB</b>	<b>ORF ITEM LEVEL RESULTS PRE-TEST</b>				
---------------------	--	--	--	--	--

---

```

type: string (str1), but longest is str0
unique values: 0
missing "": 2,818/2,818
tabulation: Freq. Value
            2,818 ""

```

---

<b>date_assessed_feb</b>	<b>Date of assessment pretest</b>				
--------------------------	-----------------------------------	--	--	--	--

---

```

type: string (str10)
unique values: 19
missing "": 0/2,818
examples: "2002/07/17"
           "NA"
           "NA"
           "NA"

```



---

<b>start_time_feb</b>	<b>Time at start of Eng. ORF assessment pretest</b>
-----------------------	---

---

```

type: string (str8)
unique values: 2 missing "": 0/2,818
tabulation: Freq. Value
              733 "1.49E+12"
              2,085 "NA"

```

---

<b>class_feb</b>	<b>Class name if letter</b>
------------------	-----------------------------

---

```

type: string (str5)
unique values: 6 missing "": 0/2,818
tabulation: Freq. Value
              2,094 "NA"
              417 "a"
              180 "b"
              44 "c"
              35 "d"
              48 "other"

```

---

<b>class_other_feb</b>	<b>Other Class name</b>
------------------------	-------------------------

---

```

type: string (str24)
unique values: 7 missing "": 0/2,818
tabulation: Freq. Value
              1 "GR6A"
              32 "Gr6A"
              1 "Grade 6 has only 1 class"
              2 "K"
              2,771 "NA"
              1 "Only one Grade 6"
              10 "k"

warning: variable has embedded blanks

```

---

<b>t1_attempted_feb</b>	<b>Number of words in passage attempted - Pre-test</b>
-------------------------	--

---

```

type: numeric(int)
label: na, but 147 nonmissing values are not labeled
range: [1,202] units: 1
unique values: 147 missing .: 0/2,818
unique mv codes: 1 missing .*: 2,085/2,818

examples: 112
           .n not applicable
           .n not applicable
           .n not applicable

```

---

<b>t1_1_feb</b>	<b>Eng. ORF Word 1 in passage read correctly==1</b>
-----------------	---

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,085/2,818

```

```

tabulation:  Freq.  Value
              53    0
              680    1
              2,085  .

```

---

**t1\_2\_feb** **Eng. ORF Word 2 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,088/2,818

tabulation:  Freq.  Value
              30    0
              700    1
              2,088  .

```

---

**t1\_3\_feb** **Eng. ORF Word 3 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,088/2,818

tabulation:  Freq.  Value
              41    0
              689    1
              2,088  .

```

---

**t1\_4\_feb** **Eng. ORF Word 4 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,088/2,818

tabulation:  Freq.  Value
              23    0
              707    1
              2,088  .

```

---

**t1\_5\_feb** **Eng. ORF Word 5 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,091/2,818

tabulation:  Freq.  Value
              20    0
              707    1
              2,091  .

```

---

**t1\_6\_feb** **Eng. ORF Word 6 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,093/2,818

```

```

tabulation:  Freq.  Value
              101    0
              624    1
              2,093  .

```

---

**t1\_7\_feb** Eng. ORF Word 7 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,094/2,818

tabulation:  Freq.  Value
              110    0
              614    1
              2,094  .

```

---

**t1\_8\_feb** Eng. ORF Word 8 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,094/2,818

tabulation:  Freq.  Value
              130    0
              594    1
              2,094  .

```

---

**t1\_9\_feb** Eng. ORF Word 9 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,097/2,818

tabulation:  Freq.  Value
              57     0
              664    1
              2,097  .

```

---

**t1\_10\_feb** Eng. ORF Word 10 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,100/2,818

tabulation:  Freq.  Value
              123    0
              595    1
              2,100  .

```

---

**t1\_11\_feb** Eng. ORF Word 11 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,101/2,818

```

```

tabulation:  Freq.  Value
              100    0
              617    1
              2,101  .

```

---

**t1\_12\_feb** Eng. ORF Word 12 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,103/2,818

tabulation:  Freq.  Value
              82    0
              633    1
              2,103  .

```

---

**t1\_13\_feb** Eng. ORF Word 13 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,109/2,818

tabulation:  Freq.  Value
              98    0
              611    1
              2,109  .

```

---

**t1\_14\_feb** Eng. ORF Word 14 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,110/2,818

tabulation:  Freq.  Value
              9    0
              699    1
              2,110  .

```

---

**t1\_15\_feb** Eng. ORF Word 15 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,111/2,818

tabulation:  Freq.  Value
              15    0
              692    1
              2,111  .

```

---

**t1\_16\_feb** Eng. ORF Word 16 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,113/2,818

```

```

tabulation:  Freq.  Value
              118    0
              587    1
              2,113  .

```

---

**t1\_17\_feb** Eng. ORF Word 17 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,117/2,818

tabulation:  Freq.  Value
              23    0
              678    1
              2,117  .

```

---

**t1\_18\_feb** Eng. ORF Word 18 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,119/2,818

tabulation:  Freq.  Value
              38    0
              661    1
              2,119  .

```

---

**t1\_19\_feb** Eng. ORF Word 19 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,124/2,818

tabulation:  Freq.  Value
              7     0
              687    1
              2,124  .

```

---

**t1\_20\_feb** Eng. ORF Word 20 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,125/2,818

tabulation:  Freq.  Value
              34    0
              659    1
              2,125  .

```

---

**t1\_21\_feb** Eng. ORF Word 21 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,128/2,818

```

```

tabulation:  Freq.  Value
              15    0
              675    1
            2,128    .

```

---

**t1\_22\_feb** Eng. ORF Word 22 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,128/2,818

tabulation:  Freq.  Value
              83    0
             607    1
            2,128    .

```

---

**t1\_23\_feb** Eng. ORF Word 23 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,130/2,818

tabulation:  Freq.  Value
              101    0
             587    1
            2,130    .

```

---

**t1\_24\_feb** Eng. ORF Word 24 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,132/2,818

tabulation:  Freq.  Value
              13    0
             673    1
            2,132    .

```

---

**t1\_25\_feb** Eng. ORF Word 25 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,137/2,818

tabulation:  Freq.  Value
              273    0
             408    1
            2,137    .

```

---

**t1\_26\_feb** Eng. ORF Word 26 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,138/2,818

```

```

tabulation:  Freq.  Value
              21    0
              659    1
              2,138  .

```

---

**t1\_27\_feb** Eng. ORF Word 27 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,139/2,818

tabulation:  Freq.  Value
              40    0
              639    1
              2,139  .

```

---

**t1\_28\_feb** Eng. ORF Word 28 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,139/2,818

tabulation:  Freq.  Value
              93    0
              586    1
              2,139  .

```

---

**t1\_29\_feb** Eng. ORF Word 29 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,141/2,818

tabulation:  Freq.  Value
              12    0
              665    1
              2,141  .

```

---

**t1\_30\_feb** Eng. ORF Word 30 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,143/2,818

tabulation:  Freq.  Value
              20    0
              655    1
              2,143  .

```

---

**t1\_31\_feb** Eng. ORF Word 31 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,147/2,818

```

```

tabulation:  Freq.  Value
              28    0
              643    1
              2,147  .

```

---

**t1\_32\_feb** Eng. ORF Word 32 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,149/2,818

tabulation:  Freq.  Value
              21    0
              648    1
              2,149  .

```

---

**t1\_33\_feb** Eng. ORF Word 33 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,149/2,818

tabulation:  Freq.  Value
              10    0
              659    1
              2,149  .

```

---

**t1\_34\_feb** Eng. ORF Word 34 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,150/2,818

tabulation:  Freq.  Value
              67    0
              601    1
              2,150  .

```

---

**t1\_35\_feb** Eng. ORF Word 35 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,151/2,818

tabulation:  Freq.  Value
              26    0
              641    1
              2,151  .

```

---

**t1\_36\_feb** Eng. ORF Word 36 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,154/2,818

```



```

tabulation:  Freq.  Value
              68    0
              596    1
              2,154  .

```

---

**t1\_37\_feb** Eng. ORF Word 37 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,157/2,818

tabulation:  Freq.  Value
              74    0
              587    1
              2,157  .

```

---

**t1\_38\_feb** Eng. ORF Word 38 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,162/2,818

tabulation:  Freq.  Value
              2    0
              654    1
              2,162  .

```

---

**t1\_39\_feb** Eng. ORF Word 39 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,163/2,818

tabulation:  Freq.  Value
              7    0
              648    1
              2,163  .

```

---

**t1\_40\_feb** Eng. ORF Word 40 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,168/2,818

tabulation:  Freq.  Value
              60    0
              590    1
              2,168  .

```

---

**t1\_41\_feb** Eng. ORF Word 41 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,168/2,818

```

```

tabulation:  Freq.  Value
              82    0
              568    1
            2,168    .

```

---

**t1\_42\_feb** Eng. ORF Word 42 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,171/2,818

tabulation:  Freq.  Value
              4    0
             643    1
            2,171    .

```

---

**t1\_43\_feb** Eng. ORF Word 43 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,175/2,818

tabulation:  Freq.  Value
              4    0
             639    1
            2,175    .

```

---

**t1\_44\_feb** Eng. ORF Word 44 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,175/2,818

tabulation:  Freq.  Value
              66    0
             577    1
            2,175    .

```

---

**t1\_45\_feb** Eng. ORF Word 45 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,182/2,818

tabulation:  Freq.  Value
              16    0
             620    1
            2,182    .

```

---

**t1\_46\_feb** Eng. ORF Word 46 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,182/2,818

```

```

tabulation:  Freq.  Value
              21    0
              615    1
              2,182  .

```

---

**t1\_47\_feb** **Eng. ORF Word 47 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,184/2,818

tabulation:  Freq.  Value
              41    0
              593    1
              2,184  .

```

---

**t1\_48\_feb** **Eng. ORF Word 48 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,187/2,818

tabulation:  Freq.  Value
              42    0
              589    1
              2,187  .

```

---

**t1\_49\_feb** **Eng. ORF Word 49 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,192/2,818

tabulation:  Freq.  Value
              98    0
              528    1
              2,192  .

```

---

**t1\_50\_feb** **Eng. ORF Word 50 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,196/2,818

tabulation:  Freq.  Value
              15    0
              607    1
              2,196  .

```

---

**t1\_51\_feb** **Eng. ORF Word 51 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,196/2,818

```

```

tabulation:  Freq.  Value
              18    0
              604    1
              2,196  .

```

---

**t1\_52\_feb** Eng. ORF Word 52 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,198/2,818

tabulation:  Freq.  Value
              11    0
              609    1
              2,198  .

```

---

**t1\_53\_feb** Eng. ORF Word 53 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,202/2,818

tabulation:  Freq.  Value
              6    0
              610    1
              2,202  .

```

---

**t1\_54\_feb** Eng. ORF Word 54 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,203/2,818

tabulation:  Freq.  Value
              2    0
              613    1
              2,203  .

```

---

**t1\_55\_feb** Eng. ORF Word 55 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,204/2,818

tabulation:  Freq.  Value
              35    0
              579    1
              2,204  .

```

---

**t1\_56\_feb** Eng. ORF Word 56 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,215/2,818

```

```

tabulation:  Freq.  Value
              7      0
            596      1
          2,215      .

```

---

**t1\_57\_feb** Eng. ORF Word 57 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,217/2,818

tabulation:  Freq.  Value
              46      0
            555      1
          2,217      .

```

---

**t1\_58\_feb** Eng. ORF Word 58 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,219/2,818

tabulation:  Freq.  Value
              34      0
            565      1
          2,219      .

```

---

**t1\_59\_feb** Eng. ORF Word 59 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,221/2,818

tabulation:  Freq.  Value
              5      0
            592      1
          2,221      .

```

---

**t1\_60\_feb** Eng. ORF Word 60 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,223/2,818

tabulation:  Freq.  Value
              8      0
            587      1
          2,223      .

```

---

**t1\_61\_feb** Eng. ORF Word 61 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,225/2,818

```

```

tabulation:  Freq.  Value
              60    0
              533    1
              2,225  .

```

---

**t1\_62\_feb** Eng. ORF Word 62 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,236/2,818

tabulation:  Freq.  Value
              21    0
              561    1
              2,236  .

```

---

**t1\_63\_feb** Eng. ORF Word 63 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,244/2,818

tabulation:  Freq.  Value
              43    0
              531    1
              2,244  .

```

---

**t1\_64\_feb** Eng. ORF Word 64 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,251/2,818

tabulation:  Freq.  Value
              13    0
              554    1
              2,251  .

```

---

**t1\_65\_feb** Eng. ORF Word 65 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,255/2,818

tabulation:  Freq.  Value
              8     0
              555    1
              2,255  .

```

---

**t1\_66\_feb** Eng. ORF Word 66 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,265/2,818

```

```

tabulation:  Freq.  Value
              100    0
              453    1
              2,265  .

```

---

**t1\_67\_feb** Eng. ORF Word 67 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,279/2,818

tabulation:  Freq.  Value
              1    0
              538    1
              2,279  .

```

---

**t1\_68\_feb** Eng. ORF Word 68 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,284/2,818

tabulation:  Freq.  Value
              6    0
              528    1
              2,284  .

```

---

**t1\_69\_feb** Eng. ORF Word 69 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,289/2,818

tabulation:  Freq.  Value
              84    0
              445    1
              2,289  .

```

---

**t1\_70\_feb** Eng. ORF Word 70 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,300/2,818

tabulation:  Freq.  Value
              131    0
              387    1
              2,300  .

```

---

**t1\_71\_feb** Eng. ORF Word 71 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,327/2,818

```

```

tabulation:  Freq.  Value
              2      0
            489      1
          2,327      .

```

---

**t1\_72\_feb** Eng. ORF Word 72 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,340/2,818

tabulation:  Freq.  Value
              10      0
            468      1
          2,340      .

```

---

**t1\_73\_feb** Eng. ORF Word 73 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,343/2,818

tabulation:  Freq.  Value
              14      0
            461      1
          2,343      .

```

---

**t1\_74\_feb** Eng. ORF Word 74 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,348/2,818

tabulation:  Freq.  Value
              16      0
            454      1
          2,348      .

```

---

**t1\_75\_feb** Eng. ORF Word 75 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,350/2,818

tabulation:  Freq.  Value
              55      0
            413      1
          2,350      .

```

---

**t1\_76\_feb** Eng. ORF Word 76 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,366/2,818

```



```

tabulation:  Freq.  Value
              16    0
             436    1
            2,366    .

```

---

**t1\_77\_feb** Eng. ORF Word 77 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,373/2,818

tabulation:  Freq.  Value
              18    0
             427    1
            2,373    .

```

---

**t1\_78\_feb** Eng. ORF Word 78 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,375/2,818

tabulation:  Freq.  Value
              10    0
             433    1
            2,375    .

```

---

**t1\_79\_feb** Eng. ORF Word 79 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,388/2,818

tabulation:  Freq.  Value
              19    0
             411    1
            2,388    .

```

---

**t1\_80\_feb** Eng. ORF Word 80 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,395/2,818

tabulation:  Freq.  Value
              37    0
             386    1
            2,395    .

```

---

**t1\_81\_feb** Eng. ORF Word 81 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,399/2,818

```

```

tabulation:  Freq.  Value
              42    0
              377    1
            2,399    .

```

---

**t1\_82\_feb** Eng. ORF Word 82 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,411/2,818

tabulation:  Freq.  Value
              9    0
             398    1
            2,411    .

```

---

**t1\_83\_feb** Eng. ORF Word 83 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,417/2,818

tabulation:  Freq.  Value
              7    0
             394    1
            2,417    .

```

---

**t1\_84\_feb** Eng. ORF Word 84 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,436/2,818

tabulation:  Freq.  Value
              20    0
             362    1
            2,436    .

```

---

**t1\_85\_feb** Eng. ORF Word 85 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,446/2,818

tabulation:  Freq.  Value
              3    0
             369    1
            2,446    .

```

---

**t1\_86\_feb** Eng. ORF Word 86 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,454/2,818

```

```

tabulation:  Freq.  Value
              73    0
              291    1
            2,454    .

```

---

**t1\_87\_feb** Eng. ORF Word 87 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,470/2,818

tabulation:  Freq.  Value
              3    0
             345    1
            2,470    .

```

---

**t1\_88\_feb** Eng. ORF Word 88 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,473/2,818

tabulation:  Freq.  Value
              9    0
             336    1
            2,473    .

```

---

**t1\_89\_feb** Eng. ORF Word 89 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,482/2,818

tabulation:  Freq.  Value
              5    0
             331    1
            2,482    .

```

---

**t1\_90\_feb** Eng. ORF Word 90 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,490/2,818

tabulation:  Freq.  Value
              20    0
             308    1
            2,490    .

```

---

**t1\_91\_feb** Eng. ORF Word 91 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,495/2,818

```

```

tabulation:  Freq.  Value
              3      0
             320      1
            2,495      .

```

---

**t1\_92\_feb** Eng. ORF Word 92 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,517/2,818

tabulation:  Freq.  Value
              4      0
             297      1
            2,517      .

```

---

**t1\_93\_feb** Eng. ORF Word 93 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,523/2,818

tabulation:  Freq.  Value
              4      0
             291      1
            2,523      .

```

---

**t1\_94\_feb** Eng. ORF Word 94 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,529/2,818

tabulation:  Freq.  Value
              3      0
             286      1
            2,529      .

```

---

**t1\_95\_feb** Eng. ORF Word 95 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,536/2,818

tabulation:  Freq.  Value
              2      0
             280      1
            2,536      .

```

---

**t1\_96\_feb** Eng. ORF Word 96 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,538/2,818

```

```

tabulation:  Freq.  Value
              3      0
            277      1
          2,538      .

```

---

**t1\_97\_feb** Eng. ORF Word 97 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,541/2,818

tabulation:  Freq.  Value
              3      0
            274      1
          2,541      .

```

---

**t1\_98\_feb** Eng. ORF Word 98 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,544/2,818

tabulation:  Freq.  Value
              4      0
            270      1
          2,544      .

```

---

**t1\_99\_feb** Eng. ORF Word 99 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,547/2,818

tabulation:  Freq.  Value
              2      0
            269      1
          2,547      .

```

---

**t1\_100\_feb** Eng. ORF Word 100 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,553/2,818

tabulation:  Freq.  Value
              3      0
            262      1
          2,553      .

```

---

**t1\_101\_feb** Eng. ORF Word 101 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,556/2,818

```

```

tabulation:  Freq.  Value
              8      0
            254      1
          2,556      .

```

---

**t1\_102\_feb** Eng. ORF Word 102 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,556/2,818

tabulation:  Freq.  Value
              11      0
            251      1
          2,556      .

```

---

**t1\_103\_feb** Eng. ORF Word 103 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,571/2,818

tabulation:  Freq.  Value
              6      0
            241      1
          2,571      .

```

---

**t1\_104\_feb** Eng. ORF Word 104 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,579/2,818

tabulation:  Freq.  Value
              6      0
            233      1
          2,579      .

```

---

**t1\_105\_feb** Eng. ORF Word 105 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,583/2,818

tabulation:  Freq.  Value
              7      0
            228      1
          2,583      .

```

---

**t1\_106\_feb** Eng. ORF Word 106 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,591/2,818

```

```

tabulation:  Freq.  Value
              7      0
             220      1
            2,591      .

```

---

**t1\_107\_feb** Eng. ORF Word 107 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,599/2,818

tabulation:  Freq.  Value
              8      0
             211      1
            2,599      .

```

---

**t1\_108\_feb** Eng. ORF Word 108 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,601/2,818

tabulation:  Freq.  Value
              25      0
             192      1
            2,601      .

```

---

**t1\_109\_feb** Eng. ORF Word 109 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,609/2,818

tabulation:  Freq.  Value
              2      0
             207      1
            2,609      .

```

---

**t1\_110\_feb** Eng. ORF Word 110 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,628/2,818

tabulation:  Freq.  Value
              3      0
             187      1
            2,628      .

```

---

**t1\_111\_feb** Eng. ORF Word 111 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,634/2,818

```

```

tabulation:  Freq.  Value
              2      0
             182     1
            2,634    .

```

---

**t1\_112\_feb** Eng. ORF Word 112 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,635/2,818

tabulation:  Freq.  Value
              2      0
             181     1
            2,635    .

```

---

**t1\_113\_feb** Eng. ORF Word 113 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,651/2,818

tabulation:  Freq.  Value
              4      0
             163     1
            2,651    .

```

---

**t1\_114\_feb** Eng. ORF Word 114 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,655/2,818

tabulation:  Freq.  Value
              2      0
             161     1
            2,655    .

```

---

**t1\_115\_feb** Eng. ORF Word 115 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,657/2,818

tabulation:  Freq.  Value
              2      0
             159     1
            2,657    .

```

---

**t1\_116\_feb** Eng. ORF Word 116 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,660/2,818

```



```

tabulation:  Freq.  Value
              3      0
             155      1
            2,660      .

```

---

**t1\_117\_feb** Eng. ORF Word 117 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,664/2,818

tabulation:  Freq.  Value
              8      0
             146      1
            2,664      .

```

---

**t1\_118\_feb** Eng. ORF Word 118 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,669/2,818

tabulation:  Freq.  Value
              3      0
             146      1
            2,669      .

```

---

**t1\_119\_feb** Eng. ORF Word 119 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,669/2,818

tabulation:  Freq.  Value
              9      0
             140      1
            2,669      .

```

---

**t1\_120\_feb** Eng. ORF Word 120 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values:  1      missing .:  2,689/2,818

tabulation:  Freq.  Value
             129      1
            2,689      .

```

---

**t1\_121\_feb** Eng. ORF Word 121 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,690/2,818

```

```

tabulation:  Freq.  Value
              7      0
            121      1
          2,690      .

```

---

**t1\_122\_feb** Eng. ORF Word 122 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,695/2,818

tabulation:  Freq.  Value
              5      0
            118      1
          2,695      .

```

---

**t1\_123\_feb** Eng. ORF Word 123 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,702/2,818

tabulation:  Freq.  Value
              2      0
            114      1
          2,702      .

```

---

**t1\_124\_feb** Eng. ORF Word 124 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,703/2,818

tabulation:  Freq.  Value
              2      0
            113      1
          2,703      .

```

---

**t1\_125\_feb** Eng. ORF Word 125 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,705/2,818

tabulation:  Freq.  Value
              1      0
            112      1
          2,705      .

```

---

**t1\_126\_feb** Eng. ORF Word 126 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,705/2,818

```

```

tabulation:  Freq.  Value
              113    1
              2,705  .

```

---

```

t1_127_feb                                     Eng. ORF Word 127 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 2,725/2,818

tabulation:  Freq.  Value
              1    0
              92    1
             2,725  .

```

---

```

t1_128_feb                                     Eng. ORF Word 128 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,729/2,818

tabulation:  Freq.  Value
              89    1
             2,729  .

```

---

```

t1_129_feb                                     Eng. ORF Word 129 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,729/2,818

tabulation:  Freq.  Value
              89    1
             2,729  .

```

---

```

t1_130_feb                                     Eng. ORF Word 130 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 2,732/2,818

tabulation:  Freq.  Value
              1    0
              85    1
             2,732  .

```

---

```

t1_131_feb                                     Eng. ORF Word 131 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,735/2,818

tabulation:  Freq.  Value
              83    1
             2,735  .

```

t1_132_feb	Eng. ORF Word 132 in passage read correctly==1
------------	--

```

      type:  numeric (byte)
      range:  [1,1]                units:  1
unique values: 1                missing .: 2,738/2,818

      tabulation:  Freq.  Value
                   80    1
                   2,738 .

```

t1_133_feb	Eng. ORF Word 133 in passage read correctly==1
------------	--

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing :  2,741/2,818

      tabulation:  Freq.  Value
                   2      0
                   75      1
                  2,741    .

```

t1_134_feb	Eng. ORF Word 134 in passage read correctly==1
------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .. 2,742/2,818

      tabulation: Freq. Value
                   1      0
                   75      1
                  2,742    .

```

t1_135_feb	Eng. ORF Word 135 in passage read correctly==1
------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .. 2,755/2,818

      tabulation: Freq.  Value
                   10      0
                   53      1
                  2,755    .

```

t1_136_feb	Eng. ORF Word 136 in passage read correctly==1
------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,764/2,818

      tabulation: Freq. Value
                   1      0
                   53      1
                  2,764    .

```

---

**t1\_137\_feb** **Eng. ORF Word 137 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,764/2,818

      tabulation: Freq. Value
                   1 0
                   53 1
                   2,764 .

```

---

**t1\_138\_feb** **Eng. ORF Word 138 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,764/2,818

      tabulation: Freq. Value
                   1 0
                   53 1
                   2,764 .

```

---

**t1\_139\_feb** **Eng. ORF Word 139 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,765/2,818

      tabulation: Freq. Value
                   1 0
                   52 1
                   2,765 .

```

---

**t1\_140\_feb** **Eng. ORF Word 140 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,765/2,818

      tabulation: Freq. Value
                   1 0
                   52 1
                   2,765 .

```

---

**t1\_141\_feb** **Eng. ORF Word 141 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,769/2,818

      tabulation: Freq. Value
                   1 0
                   48 1
                   2,769 .

```

---

<b>t1_142_feb</b>	<b>Eng. ORF Word 142 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,776/2,818

      tabulation:  Freq.  Value
                   2      0
                   40      1
                   2,776  .

```

---

<b>t1_143_feb</b>	<b>Eng. ORF Word 143 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,778/2,818

      tabulation:  Freq.  Value
                   40      1
                   2,778  .

```

---

<b>t1_144_feb</b>	<b>Eng. ORF Word 144 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,781/2,818

      tabulation:  Freq.  Value
                   37      1
                   2,781  .

```

---

<b>t1_145_feb</b>	<b>Eng. ORF Word 145 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,782/2,818

      tabulation:  Freq.  Value
                   36      1
                   2,782  .

```

---

<b>t1_146_feb</b>	<b>Eng. ORF Word 146 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,785/2,818

      tabulation:  Freq.  Value
                   33      1
                   2,785  .

```

---

<b>t1_147_feb</b>	<b>Eng. ORF Word 147 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)

```

range: [0,1] units: 1  
unique values: 2 missing .: 2,786/2,818

tabulation: Freq. Value  
1 0  
31 1  
2,786 .

---

**t1\_148\_feb** Eng. ORF Word 148 in passage read correctly==1

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,789/2,818

tabulation: Freq. Value  
29 1  
2,789 .

---

**t1\_149\_feb** Eng. ORF Word 149 in passage read correctly==1

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,790/2,818

tabulation: Freq. Value  
28 1  
2,790 .

---

**t1\_150\_feb** Eng. ORF Word 150 in passage read correctly==1

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,791/2,818

tabulation: Freq. Value  
27 1  
2,791 .

---

**t1\_151\_feb** Eng. ORF Word 151 in passage read correctly==1

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,792/2,818

tabulation: Freq. Value  
26 1  
2,792 .

---

**t1\_152\_feb** Eng. ORF Word 152 in passage read correctly==1

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,796/2,818

```

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_153\_feb** **Eng. ORF Word 153 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,796/2,818

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_154\_feb** **Eng. ORF Word 154 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,796/2,818

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_155\_feb** **Eng. ORF Word 155 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,796/2,818

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_156\_feb** **Eng. ORF Word 156 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 2,797/2,818

tabulation:  Freq.  Value
              2    0
              19    1
            2,797    .

```

---

**t1\_157\_feb** **Eng. ORF Word 157 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,800/2,818

tabulation:  Freq.  Value
              18    1
            2,800    .

```



---

<b>t1_158_feb</b>	<b>Eng. ORF Word 158 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,800/2,818

      tabulation:  Freq.  Value
                   18    1
                   2,800 .

```

---

<b>t1_159_feb</b>	<b>Eng. ORF Word 159 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,802/2,818

      tabulation:  Freq.  Value
                   16    1
                   2,802 .

```

---

<b>t1_160_feb</b>	<b>Eng. ORF Word 160 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,802/2,818

      tabulation:  Freq.  Value
                   16    1
                   2,802 .

```

---

<b>t1_161_feb</b>	<b>Eng. ORF Word 161 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,803/2,818

      tabulation:  Freq.  Value
                   15    1
                   2,803 .

```

---

<b>t1_162_feb</b>	<b>Eng. ORF Word 162 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,805/2,818

      tabulation:  Freq.  Value
                   13    1
                   2,805 .

```

---

<b>t1_163_feb</b>	<b>Eng. ORF Word 163 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,805/2,818

```

```

tabulation: Freq. Value
             13 1
             2,805 .

```

---

```

t1_164_feb                                     Eng. ORF Word 164 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,805/2,818

```

```

tabulation: Freq. Value
             13 1
             2,805 .

```

---

```

t1_165_feb                                     Eng. ORF Word 165 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,805/2,818

```

```

tabulation: Freq. Value
             13 1
             2,805 .

```

---

```

t1_166_feb                                     Eng. ORF Word 166 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,805/2,818

```

```

tabulation: Freq. Value
             13 1
             2,805 .

```

---

```

t1_167_feb                                     Eng. ORF Word 167 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,805/2,818

```

```

tabulation: Freq. Value
             13 1
             2,805 .

```

---

```

t1_168_feb                                     Eng. ORF Word 168 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,809/2,818

```

```

tabulation: Freq. Value
             9 1
             2,809 .

```

---

<b>t1_169_feb</b>	<b>Eng. ORF Word 169 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,809/2,818

      tabulation:  Freq.  Value
                   9      1
                   2,809  .

```

---

<b>t1_170_feb</b>	<b>Eng. ORF Word 170 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,809/2,818

      tabulation:  Freq.  Value
                   9      1
                   2,809  .

```

---

<b>t1_171_feb</b>	<b>Eng. ORF Word 171 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,809/2,818

      tabulation:  Freq.  Value
                   9      1
                   2,809  .

```

---

<b>t1_172_feb</b>	<b>Eng. ORF Word 172 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,809/2,818

      tabulation:  Freq.  Value
                   9      1
                   2,809  .

```

---

<b>t1_173_feb</b>	<b>Eng. ORF Word 173 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,809/2,818

      tabulation:  Freq.  Value
                   9      1
                   2,809  .

```

---

<b>t1_174_feb</b>	<b>Eng. ORF Word 174 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing ..: 2,811/2,818

```

```

tabulation: Freq. Value
              7 1
            2,811 .

```

---

```

t1_175_feb                                     Eng. ORF Word 175 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing ..: 2,812/2,818

```

```

tabulation: Freq. Value
              6 1
            2,812 .

```

---

```

t1_176_feb                                     Eng. ORF Word 176 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing ..: 2,812/2,818

```

```

tabulation: Freq. Value
              6 1
            2,812 .

```

---

```

t1_177_feb                                     Eng. ORF Word 177 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing ..: 2,812/2,818

```

```

tabulation: Freq. Value
              6 1
            2,812 .

```

---

```

t1_178_feb                                     Eng. ORF Word 178 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing ..: 2,812/2,818

```

```

tabulation: Freq. Value
              6 1
            2,812 .

```

---

```

t1_179_feb                                     Eng. ORF Word 179 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [0,1]
unique values: 2
        units: 1
missing ..: 2,812/2,818

```

```

tabulation:  Freq.  Value
              1      0
              5      1
            2,812    .

```

---

**t1\_180\_feb** **Eng. ORF Word 180 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,813/2,818

tabulation:  Freq.  Value
              5      1
            2,813    .

```

---

**t1\_181\_feb** **Eng. ORF Word 181 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,813/2,818

tabulation:  Freq.  Value
              5      1
            2,813    .

```

---

**t1\_182\_feb** **Eng. ORF Word 182 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,813/2,818

tabulation:  Freq.  Value
              5      1
            2,813    .

```

---

**t1\_183\_feb** **Eng. ORF Word 183 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,813/2,818

tabulation:  Freq.  Value
              5      1
            2,813    .

```

---

**t1\_184\_feb** **Eng. ORF Word 184 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,813/2,818

tabulation:  Freq.  Value
              5      1
            2,813    .

```

---

<b>t1_185_feb</b>	<b>Eng. ORF Word 185 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
               units: 1
               missing .: 2,813/2,818

      tabulation: Freq. Value
                   5 1
                   2,813 .

```

---

<b>t1_186_feb</b>	<b>Eng. ORF Word 186 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
               units: 1
               missing .: 2,813/2,818

      tabulation: Freq. Value
                   5 1
                   2,813 .

```

---

<b>t1_187_feb</b>	<b>Eng. ORF Word 187 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
               units: 1
               missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

<b>t1_188_feb</b>	<b>Eng. ORF Word 188 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
               units: 1
               missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

<b>t1_189_feb</b>	<b>Eng. ORF Word 189 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
               units: 1
               missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_190_feb</b>	<b>Eng. ORF Word 190 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

**t1\_191\_feb** **Eng. ORF Word 191 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

**t1\_192\_feb** **Eng. ORF Word 192 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

**t1\_193\_feb** **Eng. ORF Word 193 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

**t1\_194\_feb** **Eng. ORF Word 194 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

**t1\_195\_feb** **Eng. ORF Word 195 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_196_feb</b>	<b>Eng. ORF Word 196 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,815/2,818

      tabulation:  Freq.  Value
                   3      1
                   2,815  .

```

---

<b>t1_197_feb</b>	<b>Eng. ORF Word 197 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,815/2,818

      tabulation:  Freq.  Value
                   3      1
                   2,815  .

```

---

<b>t1_198_feb</b>	<b>Eng. ORF Word 198 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,816/2,818

      tabulation:  Freq.  Value
                   2      1
                   2,816  .

```

---

<b>t1_199_feb</b>	<b>Eng. ORF Word 199 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,816/2,818

      tabulation:  Freq.  Value
                   2      1
                   2,816  .

```

---

<b>t1_200_feb</b>	<b>Eng. ORF Word 200 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,816/2,818

      tabulation:  Freq.  Value
                   2      1
                   2,816  .

```

---

<b>t1_201_feb</b>	<b>Eng. ORF Word 201 in passage read correctly==1</b>
-------------------	---

---

```

      type:  numeric (byte)

```



```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,816/2,818

      tabulation: Freq. Value
                   2 1
                   2,816 .

```

---

<b>t1_202_feb</b>	<b>Eng. ORF Word 202 in passage read correctly==1</b>
-------------------	---

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,816/2,818

      tabulation: Freq. Value
                   2 1
                   2,816 .

```

---

<b>comp1_feb</b>	<b>Gr6. Eng ORF comp. pretest Q1 correct==1</b>
------------------	---

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 2,111/2,818

      tabulation: Freq. Value
                   46 0
                   661 1
                   2,111 .

```

---

<b>comp2_feb</b>	<b>Gr6. Eng ORF comp. pretest Q2 correct==1</b>
------------------	---

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 2,175/2,818

      tabulation: Freq. Value
                   314 0
                   329 1
                   2,175 .

```

---

<b>comp3_feb</b>	<b>Gr6. Eng ORF comp. pretest Q3 correct==1</b>
------------------	---

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 2,223/2,818

      tabulation: Freq. Value
                   288 0
                   307 1
                   2,223 .

```

---

<b>comp4_feb</b>	<b>Gr6. Eng ORF comp. pretest Q4 correct==1</b>
------------------	---

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 2,436/2,818

```

```

tabulation:  Freq.  Value
              123    0
              259    1
              2,436  .

```

---

**comp5\_feb** **Gr6. Eng ORF comp. pretest Q5 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values:  2
units:  1
missing .:  2,556/2,818

tabulation:  Freq.  Value
              174    0
              88    1
              2,556  .

```

---

**comp6\_feb** **Gr6. Eng ORF comp. pretest Q6 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values:  2
units:  1
missing .:  2,689/2,818

tabulation:  Freq.  Value
              13    0
              116   1
              2,689  .

```

---

**comp7\_feb** **Gr6. Eng ORF comp. pretest Q7 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values:  2
units:  1
missing .:  2,805/2,818

tabulation:  Freq.  Value
              6    0
              7    1
              2,805  .

```

---

**comp8\_feb** **Gr6. Eng ORF comp. pretest Q8 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values:  2
units:  1
missing .:  2,813/2,818

tabulation:  Freq.  Value
              2    0
              3    1
              2,813  .

```

---

**end\_time\_feb** **Time at end of Eng. ORF assessment pretest**

---

```

type:  string (str8)

unique values:  2
missing "":  0/2,818

```

```

tabulation:  Freq.  Value
              733  "1.49E+12"
            2,085  "NA"

```

---

<b>ORF_ITEM_AFR_OCT</b>	<b>AFRICAN ORF ITEM LEVEL RESULTS POST-TEST</b>
-------------------------	---

---

```

type:  string (str1), but longest is str0
unique values:  0                               missing "":  2,818/2,818
tabulation:  Freq.  Value
              2,818  ""

```

---

<b>date_assessed_af_oct</b>	<b>(unlabeled)</b>
-----------------------------	--------------------

---

```

type:  string (str10)
unique values:  15                               missing "":  1/2,818
examples:  "2017/10/31"
           "NA"
           "NA"
           "NA"

```

---

<b>enumerator_af_oct</b>	<b>(unlabeled)</b>
--------------------------	--------------------

---

```

type:  string (str16)
unique values:  15                               missing "":  1/2,818
examples:  "NA"
           "NA"
           "NA"
           "bngobeni"
warning:  variable has embedded blanks

```

---

<b>start_time_af_oct</b>	<b>Time at start of Afr. lang ORF assessment posttest</b>
--------------------------	---

---

```

type:  string (str11)
unique values:  30                               missing "":  1/2,818
examples:  "1.50944E+12"
           "NA"
           "NA"
           "NA"

```

---

<b>assess_time_af_oct</b>	<b>(unlabeled)</b>
---------------------------	--------------------

---

```

type:  string (str8)
unique values:  231                               missing "":  1/2,818
examples:  "14:03:00"
           "NA"
           "NA"
           "NA"

```

---

<b>t1_auto_stop_af_oct</b>	(unlabeled)
----------------------------	-------------

---

```

type: string (str5)
unique values: 2 missing "": 1/2,818
tabulation: Freq. Value
              1 ""
              599 "FALSE"
              2,218 "NA"

```

---

<b>t1_time_remain_af_oct</b>	<b>Time remaining on african lang ORF assessment posttest</b>
------------------------------	---

---

```

type: string (str2)
unique values: 6 missing "": 1/2,818
tabulation: Freq. Value
              1 ""
              595 "0"
              1 "25"
              1 "30"
              1 "34"
              1 "35"
              2,218 "NA"

```

---

<b>t1_attempted_af_oct</b>	(unlabeled)
----------------------------	-------------

---

```

type: string (str3)
unique values: 104 missing "": 1/2,818
examples: "82"
           "NA"
           "NA"
           "NA"

```

---

<b>t1_1_af_oct</b>	<b>African lang. ORF Word 1 in passage read correctly==1</b>
--------------------	--

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,219/2,818
tabulation: Freq. Value
              106 0
              493 1
              2,219 .

```

---

<b>t1_2_af_oct</b>	<b>African lang. ORF Word 2 in passage read correctly==1</b>
--------------------	--

---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,220/2,818
tabulation: Freq. Value
              23 0
              575 1
              2,220 .

```

---

**t1\_3\_af\_oct** **African lang. ORF Word 3 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,220/2,818

tabulation: Freq. Value
              99  0
              499  1
             2,220 .

```

---

**t1\_4\_af\_oct** **African lang. ORF Word 4 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,220/2,818

tabulation: Freq. Value
              43  0
             555  1
             2,220 .

```

---

**t1\_5\_af\_oct** **African lang. ORF Word 5 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,225/2,818

tabulation: Freq. Value
              22  0
             571  1
            2,225 .

```

---

**t1\_6\_af\_oct** **African lang. ORF Word 6 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,226/2,818

tabulation: Freq. Value
              33  0
             559  1
            2,226 .

```

---

**t1\_7\_af\_oct** **African lang. ORF Word 7 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,227/2,818

tabulation: Freq. Value
              31  0
             560  1
            2,227 .

```

---

**t1\_8\_af\_oct** **African lang. ORF Word 8 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,230/2,818

      tabulation: Freq. Value
                   39  0
                   549 1
                   2,230 .

```

---

**t1\_9\_af\_oct** **African lang. ORF Word 9 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,231/2,818

      tabulation: Freq. Value
                   19  0
                   568 1
                   2,231 .

```

---

**t1\_10\_af\_oct** **African lang. ORF Word 10 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,231/2,818

      tabulation: Freq. Value
                   19  0
                   568 1
                   2,231 .

```

---

**t1\_11\_af\_oct** **African lang. ORF Word 11 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,232/2,818

      tabulation: Freq. Value
                   29  0
                   557 1
                   2,232 .

```

---

**t1\_12\_af\_oct** **African lang. ORF Word 12 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,235/2,818

      tabulation: Freq. Value
                   56  0
                   527 1
                   2,235 .

```

```
t1 13 af oct      African lang. ORF Word 13 in passage read correctly==1
```

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,235/2,818

      tabulation: Freq. Value
                   41  0
                   542 1
                   2,235 .

```

t1 14 af oct African lang. ORF Word 14 in passage read correctly==1

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing.: 2,237/2,818

tabulation: Freq. Value
              33  0
              548  1
              2,237 .

```

t1 15 af oct African lang. ORF Word 15 in passage read correctly==1

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,240/2,818

      tabulation: Freq. Value
                   68  0
                   510 1
                   2,240 .

```

t1 16 af oct African lang. ORF Word 16 in passage read correctly==1

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,242/2,818

  tabulation: Freq.  Value
               43      0
               533      1
               2,242    .

```

```
t1 17 af oct      African lang. ORF Word 17 in passage read correctly==1
```

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,245/2,818

      tabulation: Freq. Value
                   10 0
                   563 1
                   2,245 .

```

---

**t1\_18\_af\_oct** **African lang. ORF Word 18 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,249/2,818

      tabulation: Freq. Value
                   14  0
                   555  1
                   2,249 .

```

---

**t1\_19\_af\_oct** **African lang. ORF Word 19 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,251/2,818

      tabulation: Freq. Value
                   35  0
                   532  1
                   2,251 .

```

---

**t1\_20\_af\_oct** **African lang. ORF Word 20 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,256/2,818

      tabulation: Freq. Value
                   23  0
                   539  1
                   2,256 .

```

---

**t1\_21\_af\_oct** **African lang. ORF Word 21 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,256/2,818

      tabulation: Freq. Value
                   27  0
                   535  1
                   2,256 .

```

---

**t1\_22\_af\_oct** **African lang. ORF Word 22 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,256/2,818

      tabulation: Freq. Value
                   12  0
                   550  1
                   2,256 .

```



African lang. ORF Word 23 in passage read correctly==1

```

tabulation:  Freq.  Value
              17     0
              544     1
             2,257     .

```

African lang. ORF Word 24 in passage read correctly==1

tabulation:	Freq.	Value
	26	0
	531	1
	2,261	.

African lang. ORF Word 25 in passage read correctly==1

tabulation:	Freq.	Value
	36	0
	516	1
	2,266	.

African lang. ORF Word 26 in passage read correctly==1

tabulation:	Freq.	Value
	29	0
	522	1
	2,267	.

African lang. ORF Word 27 in passage read correctly==1

```

tabulation:  Freq.  Value
              49    0
              500    1
             2,269    .

```

---

**t1\_28\_af\_oct** **African lang. ORF Word 28 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,279/2,818

      tabulation: Freq. Value
                   160  0
                   379  1
                   2,279 .

```

---

**t1\_29\_af\_oct** **African lang. ORF Word 29 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,295/2,818

      tabulation: Freq. Value
                   97  0
                   426  1
                   2,295 .

```

---

**t1\_30\_af\_oct** **African lang. ORF Word 30 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,306/2,818

      tabulation: Freq. Value
                   22  0
                   490  1
                   2,306 .

```

---

**t1\_31\_af\_oct** **African lang. ORF Word 31 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,324/2,818

      tabulation: Freq. Value
                   39  0
                   455  1
                   2,324 .

```

---

**t1\_32\_af\_oct** **African lang. ORF Word 32 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,340/2,818

      tabulation: Freq. Value
                   27  0
                   451  1
                   2,340 .

```

---

**t1\_33\_af\_oct** **African lang. ORF Word 33 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,345/2,818

      tabulation:  Freq.  Value
                   11      0
                   462      1
                   2,345    .

```

---

**t1\_34\_af\_oct** **African lang. ORF Word 34 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,354/2,818

      tabulation:  Freq.  Value
                   21      0
                   443      1
                   2,354    .

```

---

**t1\_35\_af\_oct** **African lang. ORF Word 35 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,370/2,818

      tabulation:  Freq.  Value
                   10      0
                   438      1
                   2,370    .

```

---

**t1\_36\_af\_oct** **African lang. ORF Word 36 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,382/2,818

      tabulation:  Freq.  Value
                   12      0
                   424      1
                   2,382    .

```

---

**t1\_37\_af\_oct** **African lang. ORF Word 37 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,385/2,818

      tabulation:  Freq.  Value
                   16      0
                   417      1
                   2,385    .

```

---

**t1\_38\_af\_oct** **African lang. ORF Word 38 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,394/2,818

      tabulation: Freq. Value
                   6 0
                   418 1
                   2,394 .

```

---

**t1\_39\_af\_oct** **African lang. ORF Word 39 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,400/2,818

      tabulation: Freq. Value
                   7 0
                   411 1
                   2,400 .

```

---

**t1\_40\_af\_oct** **African lang. ORF Word 40 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,405/2,818

      tabulation: Freq. Value
                   1 0
                   412 1
                   2,405 .

```

---

**t1\_41\_af\_oct** **African lang. ORF Word 41 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,411/2,818

      tabulation: Freq. Value
                   5 0
                   402 1
                   2,411 .

```

---

**t1\_42\_af\_oct** **African lang. ORF Word 42 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,415/2,818

      tabulation: Freq. Value
                   25 0
                   378 1
                   2,415 .

```

---

**t1\_43\_af\_oct** **African lang. ORF Word 43 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,425/2,818

      tabulation: Freq. Value
                   44  0
                   349  1
                   2,425 .

```

---

**t1\_44\_af\_oct** **African lang. ORF Word 44 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,433/2,818

      tabulation: Freq. Value
                   4  0
                   381 1
                   2,433 .

```

---

**t1\_45\_af\_oct** **African lang. ORF Word 45 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,439/2,818

      tabulation: Freq. Value
                   18  0
                   361  1
                   2,439 .

```

---

**t1\_46\_af\_oct** **African lang. ORF Word 46 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,459/2,818

      tabulation: Freq. Value
                   4  0
                   355 1
                   2,459 .

```

---

**t1\_47\_af\_oct** **African lang. ORF Word 47 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,467/2,818

      tabulation: Freq. Value
                   4  0
                   347  1
                   2,467 .

```

t1_48_af_oct	African lang. ORF Word 48 in passage read correctly==1
--------------	--

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,478/2,818

      tabulation:  Freq.  Value
                   17      0
                   323      1
                   2,478    .

```

t1_49_af_oct	African lang. ORF Word 49 in passage read correctly==1
--------------	--

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units: 1
                        missing.: 2,487/2,818

      tabulation:  Freq.  Value
                   3      0
                   328    1
                   2,487  .

```

t1_50_af_oct	African lang. ORF Word 50 in passage read correctly==1
--------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .. 2,493/2,818

      tabulation: Freq. Value
                   5      0
                   320    1
                   2,493 .

```

t1_51_af_oct	African lang. ORF Word 51 in passage read correctly==1
--------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,508/2,818

      tabulation: Freq. Value
                   5      0
                  305     1
                 2,508    .

```

t1_52_af_oct	African lang. ORF Word 52 in passage read correctly==1
--------------	--

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing.: 2,521/2,818

tabulation: Freq. Value
              3 0
             294 1
            2,521 .

```

---

**t1\_53\_af\_oct**                      **African lang. ORF Word 53 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,524/2,818

      tabulation:  Freq.  Value
                   6      0
                   288     1
                   2,524    .

```

---

**t1\_54\_af\_oct**                      **African lang. ORF Word 54 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,537/2,818

      tabulation:  Freq.  Value
                   7      0
                   274     1
                   2,537    .

```

---

**t1\_55\_af\_oct**                      **African lang. ORF Word 55 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,550/2,818

      tabulation:  Freq.  Value
                   5      0
                   263     1
                   2,550    .

```

---

**t1\_56\_af\_oct**                      **African lang. ORF Word 56 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,552/2,818

      tabulation:  Freq.  Value
                   9      0
                   257     1
                   2,552    .

```

---

**t1\_57\_af\_oct**                      **African lang. ORF Word 57 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,560/2,818

      tabulation:  Freq.  Value
                   4      0
                   254     1
                   2,560    .

```





---

**t1\_63\_af\_oct**                      **African lang. ORF Word 63 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,635/2,818

      tabulation:  Freq.  Value
                   11     0
                   172     1
                   2,635    .

```

---

**t1\_64\_af\_oct**                      **African lang. ORF Word 64 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,652/2,818

      tabulation:  Freq.  Value
                   1     0
                   165     1
                   2,652    .

```

---

**t1\_65\_af\_oct**                      **African lang. ORF Word 65 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,655/2,818

      tabulation:  Freq.  Value
                   1     0
                   162     1
                   2,655    .

```

---

**t1\_66\_af\_oct**                      **African lang. ORF Word 66 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,666/2,818

      tabulation:  Freq.  Value
                   2     0
                   150     1
                   2,666    .

```

---

**t1\_67\_af\_oct**                      **African lang. ORF Word 67 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,678/2,818

      tabulation:  Freq.  Value
                   4     0
                   136     1
                   2,678    .

```

---

**t1\_68\_af\_oct** **African lang. ORF Word 68 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,687/2,818

      tabulation:  Freq.  Value
                   1      0
                   130     1
                   2,687    .

```

---

**t1\_69\_af\_oct** **African lang. ORF Word 69 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,690/2,818

      tabulation:  Freq.  Value
                   2      0
                   126     1
                   2,690    .

```

---

**t1\_70\_af\_oct** **African lang. ORF Word 70 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,690/2,818

      tabulation:  Freq.  Value
                   2      0
                   126     1
                   2,690    .

```

---

**t1\_71\_af\_oct** **African lang. ORF Word 71 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,693/2,818

      tabulation:  Freq.  Value
                   1      0
                   124     1
                   2,693    .

```

---

**t1\_72\_af\_oct** **African lang. ORF Word 72 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,697/2,818

      tabulation:  Freq.  Value
                   3      0
                   118     1
                   2,697    .

```

---

**t1\_73\_af\_oct** **African lang. ORF Word 73 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,698/2,818

      tabulation:  Freq.  Value
                   1      0
                   119     1
                   2,698    .

```

---

**t1\_74\_af\_oct** **African lang. ORF Word 74 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,698/2,818

      tabulation:  Freq.  Value
                   5      0
                   115     1
                   2,698    .

```

---

**t1\_75\_af\_oct** **African lang. ORF Word 75 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,712/2,818

      tabulation:  Freq.  Value
                   3      0
                   103     1
                   2,712    .

```

---

**t1\_76\_af\_oct** **African lang. ORF Word 76 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,720/2,818

      tabulation:  Freq.  Value
                   1      0
                   97     1
                   2,720    .

```

---

**t1\_77\_af\_oct** **African lang. ORF Word 77 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,726/2,818

      tabulation:  Freq.  Value
                   1      0
                   91     1
                   2,726    .

```

---

**t1\_78\_af\_oct**                      **African lang. ORF Word 78 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,726/2,818

      tabulation:  Freq.  Value
                   92    1
                   2,726 .

```

---

**t1\_79\_af\_oct**                      **African lang. ORF Word 79 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,728/2,818

      tabulation:  Freq.  Value
                   1    0
                   89    1
                   2,728 .

```

---

**t1\_80\_af\_oct**                      **African lang. ORF Word 80 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,734/2,818

      tabulation:  Freq.  Value
                   1    0
                   83    1
                   2,734 .

```

---

**t1\_81\_af\_oct**                      **African lang. ORF Word 81 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                        units:  1
                        missing .: 2,737/2,818

      tabulation:  Freq.  Value
                   2    0
                   79    1
                   2,737 .

```

---

**t1\_82\_af\_oct**                      **African lang. ORF Word 82 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,740/2,818

      tabulation:  Freq.  Value
                   78    1
                   2,740 .

```

---

**t1\_83\_af\_oct**                      **African lang. ORF Word 83 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,750/2,818

      tabulation:  Freq.  Value
                   68    1
                   2,750  .

```

---

**t1\_84\_af\_oct**                      **African lang. ORF Word 84 in passage read correctly==1**

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,753/2,818

      tabulation:  Freq.  Value
                   65    1
                   2,753  .

```

---

**t1\_85\_af\_oct**                      **African lang. ORF Word 85 in passage read correctly==1**

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,754/2,818

      tabulation:  Freq.  Value
                   64    1
                   2,754  .

```

---

**t1\_86\_af\_oct**                      **African lang. ORF Word 86 in passage read correctly==1**

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,754/2,818

      tabulation:  Freq.  Value
                   64    1
                   2,754  .

```

---

**t1\_87\_af\_oct**                      **African lang. ORF Word 87 in passage read correctly==1**

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,760/2,818

      tabulation:  Freq.  Value
                   58    1
                   2,760  .

```

---

**t1\_88\_af\_oct**                      **African lang. ORF Word 88 in passage read correctly==1**

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,760/2,818

```

```

tabulation:  Freq.  Value
              58    1
            2,760    .

```

---

```

t1_89_af_oct      African lang. ORF Word 89 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,761/2,818

tabulation:  Freq.  Value
              57    1
            2,761    .

```

---

```

t1_90_af_oct      African lang. ORF Word 90 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,763/2,818

tabulation:  Freq.  Value
              55    1
            2,763    .

```

---

```

t1_91_af_oct      African lang. ORF Word 91 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,766/2,818

tabulation:  Freq.  Value
              1    0
              51    1
            2,766    .

```

---

```

t1_92_af_oct      African lang. ORF Word 92 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,769/2,818

tabulation:  Freq.  Value
              49    1
            2,769    .

```

---

```

t1_93_af_oct      African lang. ORF Word 93 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,769/2,818

tabulation:  Freq.  Value
              49    1
            2,769    .

```

---

<b>t1_94_af_oct</b>	<b>African lang. ORF Word 94 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,771/2,818

      tabulation:  Freq.  Value
                   47    1
                   2,771  .

```

---

<b>t1_95_af_oct</b>	<b>African lang. ORF Word 95 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,772/2,818

      tabulation:  Freq.  Value
                   46    1
                   2,772  .

```

---

<b>t1_96_af_oct</b>	<b>African lang. ORF Word 96 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,772/2,818

      tabulation:  Freq.  Value
                   46    1
                   2,772  .

```

---

<b>t1_97_af_oct</b>	<b>African lang. ORF Word 97 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,773/2,818

      tabulation:  Freq.  Value
                   45    1
                   2,773  .

```

---

<b>t1_98_af_oct</b>	<b>African lang. ORF Word 98 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,775/2,818

      tabulation:  Freq.  Value
                   43    1
                   2,775  .

```

---

<b>t1_99_af_oct</b>	<b>African lang. ORF Word 99 in passage read correctly==1</b>
---------------------	---

---

```

      type:  numeric (byte)

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 2,778/2,818

```

```

tabulation: Freq. Value
             40  1
            2,778 .

```

---

```

t1_100_af_oct      African lang. ORF Word 100 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [0,1]
unique values: 2
units: 1
missing .: 2,780/2,818

```

```

tabulation: Freq. Value
             1  0
            37  1
            2,780 .

```

---

```

t1_101_af_oct      African lang. ORF Word 101 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [0,1]
unique values: 2
units: 1
missing .: 2,780/2,818

```

```

tabulation: Freq. Value
             3  0
            35  1
            2,780 .

```

---

```

t1_102_af_oct      African lang. ORF Word 102 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 2,782/2,818

```

```

tabulation: Freq. Value
             36  1
            2,782 .

```

---

```

t1_103_af_oct      African lang. ORF Word 103 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [0,1]
unique values: 2
units: 1
missing .: 2,787/2,818

```

```

tabulation: Freq. Value
             1  0
            30  1
            2,787 .

```

---

```

t1_104_af_oct      African lang. ORF Word 104 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [0,1]
unique values: 2
units: 1
missing .: 2,787/2,818

```



```

tabulation:  Freq.  Value
              1      0
              30      1
            2,787    .

```

---

**t1\_105\_af\_oct**                      **African lang. ORF Word 105 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]                units:  1
unique values: 1            missing .: 2,789/2,818

tabulation:  Freq.  Value
              29      1
            2,789    .

```

---

**t1\_106\_af\_oct**                      **African lang. ORF Word 106 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]                units:  1
unique values: 1            missing .: 2,789/2,818

tabulation:  Freq.  Value
              29      1
            2,789    .

```

---

**t1\_107\_af\_oct**                      **African lang. ORF Word 107 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]                units:  1
unique values: 1            missing .: 2,793/2,818

tabulation:  Freq.  Value
              25      1
            2,793    .

```

---

**t1\_108\_af\_oct**                      **African lang. ORF Word 108 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]                units:  1
unique values: 1            missing .: 2,795/2,818

tabulation:  Freq.  Value
              23      1
            2,795    .

```

---

**t1\_109\_af\_oct**                      **African lang. ORF Word 109 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]                units:  1
unique values: 1            missing .: 2,795/2,818

tabulation:  Freq.  Value
              23      1
            2,795    .

```

---

<b>t1_110_af_oct</b>	<b>African lang. ORF Word 110 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,795/2,818

      tabulation:  Freq.  Value
                   23    1
                   2,795  .

```

---

<b>t1_111_af_oct</b>	<b>African lang. ORF Word 111 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,795/2,818

      tabulation:  Freq.  Value
                   23    1
                   2,795  .

```

---

<b>t1_112_af_oct</b>	<b>African lang. ORF Word 112 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,795/2,818

      tabulation:  Freq.  Value
                   23    1
                   2,795  .

```

---

<b>t1_113_af_oct</b>	<b>African lang. ORF Word 113 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,795/2,818

      tabulation:  Freq.  Value
                   23    1
                   2,795  .

```

---

<b>t1_114_af_oct</b>	<b>African lang. ORF Word 114 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,795/2,818

      tabulation:  Freq.  Value
                   23    1
                   2,795  .

```

---

<b>t1_115_af_oct</b>	<b>African lang. ORF Word 115 in passage read correctly==1</b>
----------------------	--

---

```

      type:  numeric (byte)

```

range: [0,1] units: 1  
unique values: 2 missing .: 2,796/2,818

tabulation: Freq. Value  
1 0  
21 1  
2,796 .

---

**t1\_116\_af\_oct** **African lang. ORF Word 116 in passage read correctly==1**

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,797/2,818

tabulation: Freq. Value  
21 1  
2,797 .

---

**t1\_117\_af\_oct** **African lang. ORF Word 117 in passage read correctly==1**

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,797/2,818

tabulation: Freq. Value  
21 1  
2,797 .

---

**t1\_118\_af\_oct** **African lang. ORF Word 118 in passage read correctly==1**

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,797/2,818

tabulation: Freq. Value  
21 1  
2,797 .

---

**t1\_119\_af\_oct** **African lang. ORF Word 119 in passage read correctly==1**

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,798/2,818

tabulation: Freq. Value  
20 1  
2,798 .

---

**t1\_120\_af\_oct** **African lang. ORF Word 120 in passage read correctly==1**

---

type: numeric (**byte**)

range: [1,1] units: 1  
unique values: 1 missing .: 2,799/2,818

$$\begin{array}{r} 19 \quad 1 \\ 2,799 \quad . \end{array}$$

t1_121_af_oct	African lang. ORF Word 121 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
      units:  1
      missing.:  2,799/2,818

      tabulation:  Freq.  Value
                   1      0
                   18      1
                   2,799  .

```

t1_122_af_oct	African lang. ORF Word 122 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,799/2,818

      tabulation:  Freq.  Value
                   19      1
                   2,799    .

```

t1_123_af_oct	African lang. ORF Word 123 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,799/2,818

      tabulation: Freq. Value
                   19 1
                   2,799 .

```

t1_124_af_oct	African lang. ORF Word 124 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,800/2,818

      tabulation: Freq. Value
                   18 1
                   2,800 .

```

t1_125_af_oct	African lang. ORF Word 125 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,800/2,818

      tabulation: Freq. Value
                   18 1
                   2,800 .

```

---

<b>t1_126_af_oct</b>	<b>African lang. ORF Word 126 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,800/2,818

      tabulation: Freq. Value
                   18  1
                   2,800 .

```

---

<b>t1_127_af_oct</b>	<b>African lang. ORF Word 127 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,801/2,818

      tabulation: Freq. Value
                   17  1
                   2,801 .

```

---

<b>t1_128_af_oct</b>	<b>African lang. ORF Word 128 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,801/2,818

      tabulation: Freq. Value
                   17  1
                   2,801 .

```

---

<b>t1_129_af_oct</b>	<b>African lang. ORF Word 129 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,801/2,818

      tabulation: Freq. Value
                   17  1
                   2,801 .

```

---

<b>t1_130_af_oct</b>	<b>African lang. ORF Word 130 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,801/2,818

      tabulation: Freq. Value
                   17  1
                   2,801 .

```

---

<b>t1_131_af_oct</b>	<b>African lang. ORF Word 131 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,801/2,818

```

```

tabulation: Freq. Value
             17  1
            2,801  .

```

---

```

t1_132_af_oct      African lang. ORF Word 132 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,801/2,818

```

```

tabulation: Freq. Value
             17  1
            2,801  .

```

---

```

t1_133_af_oct      African lang. ORF Word 133 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,801/2,818

```

```

tabulation: Freq. Value
             17  1
            2,801  .

```

---

```

t1_134_af_oct      African lang. ORF Word 134 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,802/2,818

```

```

tabulation: Freq. Value
             16  1
            2,802  .

```

---

```

t1_135_af_oct      African lang. ORF Word 135 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,802/2,818

```

```

tabulation: Freq. Value
             16  1
            2,802  .

```

---

```

t1_136_af_oct      African lang. ORF Word 136 in passage read correctly==1

```

---

```

      type: numeric (byte)

```

```

      range: [1,1]                units: 1
unique values: 1                missing .: 2,802/2,818

```

```

tabulation: Freq. Value
             16  1
            2,802  .

```

---

<b>t1_137_af_oct</b>	<b>African lang. ORF Word 137 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,802/2,818

      tabulation: Freq. Value
                   16 1
                   2,802 .

```

---

<b>t1_138_af_oct</b>	<b>African lang. ORF Word 138 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,802/2,818

      tabulation: Freq. Value
                   16 1
                   2,802 .

```

---

<b>t1_139_af_oct</b>	<b>African lang. ORF Word 139 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,802/2,818

      tabulation: Freq. Value
                   16 1
                   2,802 .

```

---

<b>t1_140_af_oct</b>	<b>African lang. ORF Word 140 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,802/2,818

      tabulation: Freq. Value
                   16 1
                   2,802 .

```

---

<b>t1_141_af_oct</b>	<b>African lang. ORF Word 141 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,802/2,818

      tabulation: Freq. Value
                   16 1
                   2,802 .

```

---

<b>t1_142_af_oct</b>	<b>African lang. ORF Word 142 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,803/2,818

```

```

tabulation: Freq. Value
             15  1
             2,803 .

```

---

```

t1_143_af_oct                African lang. ORF Word 143 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,804/2,818

```

```

tabulation: Freq. Value
             14  1
             2,804 .

```

---

```

t1_144_af_oct                African lang. ORF Word 144 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,804/2,818

```

```

tabulation: Freq. Value
             14  1
             2,804 .

```

---

```

t1_145_af_oct                African lang. ORF Word 145 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,804/2,818

```

```

tabulation: Freq. Value
             14  1
             2,804 .

```

---

```

t1_146_af_oct                African lang. ORF Word 146 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,804/2,818

```

```

tabulation: Freq. Value
             14  1
             2,804 .

```

---

```

t1_147_af_oct                African lang. ORF Word 147 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]                units: 1
unique values: 1                missing .: 2,804/2,818

```

```

tabulation: Freq. Value
             14  1
             2,804 .

```



---

<b>t1_148_af_oct</b>	<b>African lang. ORF Word 148 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_149_af_oct</b>	<b>African lang. ORF Word 149 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_150_af_oct</b>	<b>African lang. ORF Word 150 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_151_af_oct</b>	<b>African lang. ORF Word 151 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_152_af_oct</b>	<b>African lang. ORF Word 152 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing.: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_153_af_oct</b>	<b>African lang. ORF Word 153 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)

```

```

        range: [0,1]
unique values: 2
        units: 1
missing .: 2,804/2,818

```

```

tabulation: Freq. Value
              1  0
              13  1
            2,804 .

```

---

```

t1_154_af_oct      African lang. ORF Word 154 in passage read correctly==1

```

---

```

type: numeric (byte)

```

```

        range: [0,1]
unique values: 2
        units: 1
missing .: 2,804/2,818

```

```

tabulation: Freq. Value
              1  0
              13  1
            2,804 .

```

---

```

t1_155_af_oct      African lang. ORF Word 155 in passage read correctly==1

```

---

```

type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,804/2,818

```

```

tabulation: Freq. Value
              14  1
            2,804 .

```

---

```

t1_156_af_oct      African lang. ORF Word 156 in passage read correctly==1

```

---

```

type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,804/2,818

```

```

tabulation: Freq. Value
              14  1
            2,804 .

```

---

```

t1_157_af_oct      African lang. ORF Word 157 in passage read correctly==1

```

---

```

type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,806/2,818

```

```

tabulation: Freq. Value
              12  1
            2,806 .

```

---

```

t1_158_af_oct      African lang. ORF Word 158 in passage read correctly==1

```

---

```

type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,806/2,818

```

```

tabulation:  Freq.  Value
              12    1
            2,806  .

```

---

**t1\_159\_af\_oct**                      **African lang. ORF Word 159 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,806/2,818

tabulation:  Freq.  Value
              12    1
            2,806  .

```

---

**t1\_160\_af\_oct**                      **African lang. ORF Word 160 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,808/2,818

tabulation:  Freq.  Value
              10    1
            2,808  .

```

---

**t1\_161\_af\_oct**                      **African lang. ORF Word 161 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,808/2,818

tabulation:  Freq.  Value
              10    1
            2,808  .

```

---

**t1\_162\_af\_oct**                      **African lang. ORF Word 162 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,808/2,818

tabulation:  Freq.  Value
              10    1
            2,808  .

```

---

**t1\_163\_af\_oct**                      **African lang. ORF Word 163 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1      missing .: 2,808/2,818

tabulation:  Freq.  Value
              10    1
            2,808  .

```

---

<b>t1_164_af_oct</b>	<b>African lang. ORF Word 164 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,808/2,818

      tabulation: Freq. Value
                   10 1
                   2,808 .

```

---

<b>t1_165_af_oct</b>	<b>African lang. ORF Word 165 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,808/2,818

      tabulation: Freq. Value
                   10 1
                   2,808 .

```

---

<b>t1_166_af_oct</b>	<b>African lang. ORF Word 166 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,808/2,818

      tabulation: Freq. Value
                   10 1
                   2,808 .

```

---

<b>t1_167_af_oct</b>	<b>African lang. ORF Word 167 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
      units: .
      missing .: 2,818/2,818

      tabulation: Freq. Value
                   2,818 .

```

---

<b>t1_168_af_oct</b>	<b>African lang. ORF Word 168 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
      units: .
      missing .: 2,818/2,818

      tabulation: Freq. Value
                   2,818 .

```

---

<b>t1_169_af_oct</b>	<b>African lang. ORF Word 169 in passage read correctly==1</b>
----------------------	--

---

```

      type: numeric (byte)
      range: [.,.]
unique values: 0
      units: .
      missing .: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_170_af_oct      African lang. ORF Word 170 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_171_af_oct      African lang. ORF Word 171 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_172_af_oct      African lang. ORF Word 172 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_173_af_oct      African lang. ORF Word 173 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_174_af_oct      African lang. ORF Word 174 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_175_af_oct      African lang. ORF Word 175 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

tabulation: Freq. Value  
2,818 .

---

**t1\_176\_af\_oct** **African lang. ORF Word 176 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

tabulation: Freq. Value  
2,818 .

---

**t1\_177\_af\_oct** **African lang. ORF Word 177 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

tabulation: Freq. Value  
2,818 .

---

**t1\_178\_af\_oct** **African lang. ORF Word 178 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

tabulation: Freq. Value  
2,818 .

---

**t1\_179\_af\_oct** **African lang. ORF Word 179 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

tabulation: Freq. Value  
2,818 .

---

**t1\_180\_af\_oct** **African lang. ORF Word 180 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

tabulation: Freq. Value  
2,818 .

---

**t1\_181\_af\_oct** **African lang. ORF Word 181 in passage read correctly==1**

---

type: numeric (**byte**)

range: [.,.] units: .  
unique values: 0 missing .: 2,818/2,818

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_182_af_oct      African lang. ORF Word 182 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_183_af_oct      African lang. ORF Word 183 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_184_af_oct      African lang. ORF Word 184 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_185_af_oct      African lang. ORF Word 185 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_186_af_oct      African lang. ORF Word 186 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_187_af_oct      African lang. ORF Word 187 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_188_af_oct      African lang. ORF Word 188 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_189_af_oct      African lang. ORF Word 189 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_190_af_oct      African lang. ORF Word 190 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_191_af_oct      African lang. ORF Word 191 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_192_af_oct      African lang. ORF Word 192 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_193_af_oct      African lang. ORF Word 193 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```



```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_194_af_oct      African lang. ORF Word 194 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_195_af_oct      African lang. ORF Word 195 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_196_af_oct      African lang. ORF Word 196 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_197_af_oct      African lang. ORF Word 197 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_198_af_oct      African lang. ORF Word 198 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_199_af_oct      African lang. ORF Word 199 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_200_af_oct      African lang. ORF Word 200 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_201_af_oct      African lang. ORF Word 201 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_202_af_oct      African lang. ORF Word 202 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_203_af_oct      African lang. ORF Word 203 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_204_af_oct      African lang. ORF Word 204 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_205_af_oct      African lang. ORF Word 205 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_206_af_oct      African lang. ORF Word 206 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_207_af_oct      African lang. ORF Word 207 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_208_af_oct      African lang. ORF Word 208 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_209_af_oct      African lang. ORF Word 209 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_210_af_oct      African lang. ORF Word 210 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_211_af_oct      African lang. ORF Word 211 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_212_af_oct      African lang. ORF Word 212 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_213_af_oct      African lang. ORF Word 213 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_214_af_oct      African lang. ORF Word 214 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_215_af_oct      African lang. ORF Word 215 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_216_af_oct      African lang. ORF Word 216 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_217_af_oct      African lang. ORF Word 217 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_218_af_oct      African lang. ORF Word 218 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_219_af_oct      African lang. ORF Word 219 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_220_af_oct      African lang. ORF Word 220 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_221_af_oct      African lang. ORF Word 221 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_222_af_oct      African lang. ORF Word 222 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_223_af_oct      African lang. ORF Word 223 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_224_af_oct      African lang. ORF Word 224 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_225_af_oct      African lang. ORF Word 225 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_226_af_oct      African lang. ORF Word 226 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_227_af_oct      African lang. ORF Word 227 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_228_af_oct      African lang. ORF Word 228 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_229_af_oct      African lang. ORF Word 229 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_230_af_oct      African lang. ORF Word 230 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_231_af_oct      African lang. ORF Word 231 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_232_af_oct      African lang. ORF Word 232 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_233_af_oct      African lang. ORF Word 233 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_234_af_oct      African lang. ORF Word 234 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_235_af_oct      African lang. ORF Word 235 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_236_af_oct      African lang. ORF Word 236 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_237_af_oct      African lang. ORF Word 237 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_238_af_oct      African lang. ORF Word 238 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_239_af_oct      African lang. ORF Word 239 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_240_af_oct      African lang. ORF Word 240 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_241_af_oct      African lang. ORF Word 241 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```



```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_242_af_oct      African lang. ORF Word 242 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_243_af_oct      African lang. ORF Word 243 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_244_af_oct      African lang. ORF Word 244 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_245_af_oct      African lang. ORF Word 245 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_246_af_oct      African lang. ORF Word 246 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_247_af_oct      African lang. ORF Word 247 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_248_af_oct      African lang. ORF Word 248 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_249_af_oct      African lang. ORF Word 249 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_250_af_oct      African lang. ORF Word 250 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_251_af_oct      African lang. ORF Word 251 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_252_af_oct      African lang. ORF Word 252 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

tabulation: Freq. Value
            2,818 .

```

---

```

t1_253_af_oct      African lang. ORF Word 253 in passage read correctly==1

```

---

```

type: numeric (byte)

range: [.,.]          units: .
unique values: 0      missing .: 2,818/2,818

```

```

tabulation: Freq. Value
2,818 .

```

---

```

t1_254_af_oct          African lang. ORF Word 254 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
2,818 .

```

---

```

t1_255_af_oct          African lang. ORF Word 255 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
2,818 .

```

---

```

t1_256_af_oct          African lang. ORF Word 256 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
2,818 .

```

---

```

t1_257_af_oct          African lang. ORF Word 257 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
2,818 .

```

---

```

t1_258_af_oct          African lang. ORF Word 258 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818
tabulation: Freq. Value
2,818 .

```

---

```

t1_259_af_oct          African lang. ORF Word 259 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .. 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_260_af_oct      African lang. ORF Word 260 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_261_af_oct      African lang. ORF Word 261 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_262_af_oct      African lang. ORF Word 262 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_263_af_oct      African lang. ORF Word 263 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_264_af_oct      African lang. ORF Word 264 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
            2,818 .

```

---

```

t1_265_af_oct      African lang. ORF Word 265 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_266_af_oct      African lang. ORF Word 266 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_267_af_oct      African lang. ORF Word 267 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_268_af_oct      African lang. ORF Word 268 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_269_af_oct      African lang. ORF Word 269 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_270_af_oct      African lang. ORF Word 270 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_271_af_oct      African lang. ORF Word 271 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_272_af_oct      African lang. ORF Word 272 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_273_af_oct      African lang. ORF Word 273 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_274_af_oct      African lang. ORF Word 274 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_275_af_oct      African lang. ORF Word 275 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_276_af_oct      African lang. ORF Word 276 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_277_af_oct      African lang. ORF Word 277 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_278_af_oct      African lang. ORF Word 278 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_279_af_oct      African lang. ORF Word 279 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_280_af_oct      African lang. ORF Word 280 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_281_af_oct      African lang. ORF Word 281 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_282_af_oct      African lang. ORF Word 282 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_283_af_oct      African lang. ORF Word 283 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_284_af_oct      African lang. ORF Word 284 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_285_af_oct      African lang. ORF Word 285 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_286_af_oct      African lang. ORF Word 286 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_287_af_oct      African lang. ORF Word 287 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_288_af_oct      African lang. ORF Word 288 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_289_af_oct      African lang. ORF Word 289 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing ..: 2,818/2,818

```



```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_290_af_oct      African lang. ORF Word 290 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_291_af_oct      African lang. ORF Word 291 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_292_af_oct      African lang. ORF Word 292 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_293_af_oct      African lang. ORF Word 293 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_294_af_oct      African lang. ORF Word 294 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818
tabulation: Freq. Value
            2,818 .

```

---

```

t1_295_af_oct      African lang. ORF Word 295 in passage read correctly==1

```

---

```

type: numeric (byte)
range: [.,.]
unique values: 0
units: .
missing .: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_296_af_oct      African lang. ORF Word 296 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_297_af_oct      African lang. ORF Word 297 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_298_af_oct      African lang. ORF Word 298 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_299_af_oct      African lang. ORF Word 299 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_300_af_oct      African lang. ORF Word 300 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_301_af_oct      African lang. ORF Word 301 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation: Freq. Value
            2,818 .

```

---

```

t1_302_af_oct      African lang. ORF Word 302 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_303_af_oct      African lang. ORF Word 303 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_304_af_oct      African lang. ORF Word 304 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_305_af_oct      African lang. ORF Word 305 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_306_af_oct      African lang. ORF Word 306 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818
            tabulation: Freq. Value
                       2,818 .

```

---

```

t1_307_af_oct      African lang. ORF Word 307 in passage read correctly==1

```

---

```

            type: numeric (byte)
            range: [.,.]
unique values: 0
            units: .
            missing.: 2,818/2,818

```

```

tabulation:  Freq.  Value
              2,818  .

```

---

```

t1_308_af_oct      African lang. ORF Word 308 in passage read correctly==1

```

---

```

type:  numeric (byte)

range:  [.,.]          units:  .
unique values:  0      missing .:  2,818/2,818

tabulation:  Freq.  Value
              2,818  .

```

---

```

discontinued_af_oct      Discontinued English ORF posttest assessment

```

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values:  1      missing .:  1/2,818
unique mv codes:  2      missing .*:  2,800/2,818

tabulation:  Freq.  Value
              17  1
              1  .
            2,800  .n

```

---

```

compl_af_oct      Gr6. Afr. ORF comp. posttest Q1 correct==1

```

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,239/2,818

tabulation:  Freq.  Value
              228  0
              351  1
            2,239  .

```

---

```

comp2_af_oct      Gr6. Afr. ORF comp. posttest Q2 correct==1

```

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,260/2,818

tabulation:  Freq.  Value
              63  0
              495  1
            2,260  .

```

---

```

comp3_af_oct      Gr6. Afr. ORF comp. posttest Q3 correct==1

```

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,390/2,818

tabulation:  Freq.  Value
              80  0
              348  1
            2,390  .

```

[illegible]

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .. 2,430/2,818

      tabulation: Freq. Value
                   45 0
                   343 1
                   2,430 .

```

[illegible]

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,519/2,818

      tabulation: Freq. Value
                   148  0
                   151  1
                   2,519 .

```

[illegible]

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,755/2,818

      tabulation: Freq.  Value
                   13    0
                   50    1
                  2,755  .

```

[illegible]

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .: 2,809/2,818

      tabulation: Freq. Value
                   3 0
                   6 1
                  2,809 .

```

comp8 af oct Gr6. Afr. ORF comp. posttest Q8 correct==1

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
units: 1
missing.: 2,808/2,818

      tabulation: Freq. Value
                  10 1
                  2,808 .

```

---

<b>comp9_af_oct</b>	<b>Gr6. Afr. ORF comp. posttest Q9 correct==1</b>
---------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
      missing.: 2,808/2,818

      tabulation:  Freq.  Value
                   10    1
                   2,808 .

```

---

<b>comp10_af_oct</b>	<b>Gr6. Afr. ORF comp. posttest Q10 correct==1</b>
----------------------	--

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,808/2,818

      tabulation:  Freq.  Value
                   1    0
                   9    1
                   2,808 .

```

---

<b>end_time_af_oct</b>	<b>Time at end of Afr. lang ORF assessment posttest</b>
------------------------	---

---

```

      type:  string (str11)
unique values: 28
      missing "": 1/2,818

      examples: "1.50944E+12"
                "NA"
                "NA"
                "NA"

```

---

<b>timestamp_0_af_oct</b>	<b>(unlabeled)</b>
---------------------------	--------------------

---

```

      type:  string (str11)
unique values: 29
      missing "": 1/2,818

      examples: "1.50944E+12"
                "NA"
                "NA"
                "NA"

```

---

<b>timestamp_1_af_oct</b>	<b>(unlabeled)</b>
---------------------------	--------------------

---

```

      type:  string (str11)
unique values: 29
      missing "": 1/2,818

      examples: "1.50944E+12"
                "NA"
                "NA"
                "NA"

```

---

<b>timestamp_2_af_oct</b>	<b>(unlabeled)</b>
---------------------------	--------------------

---

```

      type:  string (str11)

```

unique values: 29 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**timestamp\_3\_af\_oct** (unlabeled)

---

type: string (str11)

unique values: 29 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**timestamp\_4\_af\_oct** (unlabeled)

---

type: string (str11)

unique values: 28 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**timestamp\_5\_af\_oct** (unlabeled)

---

type: string (str11)

unique values: 28 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**timestamp\_6\_af\_oct** (unlabeled)

---

type: string (str11)

unique values: 28 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**timestamp\_7\_af\_oct** (unlabeled)

---

type: string (str11)

unique values: 28 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

**ORF\_ITEM\_ENG\_OCT** **ENG ORF ITEM LEVEL RESULTS POST-TEST**


---

```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,818/2,818
tabulation: Freq. Value
             2,818 ""

```

---

**date\_assessed\_eng\_oct** **Date of assessment posttest**


---

```

type: string (str10)
unique values: 15 missing "": 1/2,818
examples: "2017/10/31"
           "NA"
           "NA"
           "NA"

```

---

**fieldworker\_code\_oct** **ORF Fieldworker code october**


---

```

type: numeric (float)
range: [1,14] units: 1
unique values: 12 missing .: 1/2,818
unique mv codes: 2 missing .*: 2,218/2,818

mean: 6.9616
std. dev: 3.60929

percentiles:      10%      25%      50%      75%      90%
                  2         4         7         11         12

```

---

**fieldworker\_code\_feb** **ORF Fieldworker code february**


---

```

type: string (str2)
unique values: 11 missing "": 0/2,818
examples: "6"
           "NA"
           "NA"
           "NA"

```

---

**start\_time\_eng\_oct** **Time at start of Afr. lang ORF assessment pretest**


---

```

type: string (str11)
unique values: 29 missing "": 1/2,818
examples: "1.50944E+12"
           "NA"
           "NA"
           "NA"

```

---

**assess\_time\_eng\_oct** **(unlabeled)**


---

```

type: string (str8)

```



unique values: 242                      missing "": 1/2,818  
 examples: "14:33:00"  
           "NA"  
           "NA"  
           "NA"

---

<b>class_eng_oct</b>	<b>Class name if letter</b>
----------------------	-----------------------------

---

type: string (**str5**)  
 unique values: 6                      missing "": 1/2,818  
 tabulation: Freq. Value  
               1 ""  
              2,221 "NA"  
              381 "a"  
              153 "b"  
               35 "c"  
               15 "d"  
               12 "other"

---

<b>class_other_eng_oct</b>	<b>Other Class name</b>
----------------------------	-------------------------

---

type: string (**str2**)  
 unique values: 2                      missing "": 1/2,818  
 tabulation: Freq. Value  
               1 ""  
              2,805 "NA"  
               12 "k"

---

<b>t1_time_remain_eng_oct</b>	<b>Time remaining on Eng lang ORF assessment posttest</b>
-------------------------------	---

---

type: string (**str2**)  
 unique values: 6                      missing "": 1/2,818  
 tabulation: Freq. Value  
               1 ""  
              595 "0"  
               1 "12"  
               1 "19"  
               1 "26"  
               1 "34"  
              2,218 "NA"

---

<b>t1_attempted_eng_oct</b>	<b>Number of words in passage attempted - Post-test</b>
-----------------------------	---

---

type: numeric (**int**)  
 label: **na**, but 146 nonmissing values are not labeled  
 range: [1,193]                      units: 1  
 unique values: 146                      missing .: 1/2,818  
 unique mv codes: 2                      missing .\*: 2,218/2,818  
 examples: 156  
           .n not applicable  
           .n not applicable  
           .n not applicable

Eng. ORF Word 1 in passage read correctly==1

```

tabulation:  Freq.  Value
              65     0
              534     1
             2,219     .

```

Eng. ORF Word 2 in passage read correctly==1

```

tabulation:  Freq.  Value
              17    0
              579    1
             2,222    .

```

Eng. ORF Word 3 in passage read correctly==1

tabulation:	Freq.	Value
	23	0
	573	1
	2,222	.

Eng. ORF Word 4 in passage read correctly==1

tabulation:	Freq.	Value
	15	0
	580	1
	2,223	.

Eng. ORF Word 5 in passage read correctly==1

```

tabulation:  Freq.  Value
              14    0
              581    1
              2,223  .

```

t1_6_eng_oct	Eng. ORF Word 6 in passage read correctly==1
--------------	--

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,225/2,818

      tabulation:  Freq.  Value
                   63      0
                   530     1
                   2,225    .

```

t1_7_eng_oct	Eng. ORF Word 7 in passage read correctly==1
--------------	--

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,225/2,818

      tabulation:  Freq.  Value
                   78      0
                   515     1
                   2,225    .

```

t1_8_eng_oct	Eng. ORF Word 8 in passage read correctly==1
--------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,226/2,818

      tabulation: Freq. Value
                   98 0
                   494 1
                   2,226 .

```

t1_9_eng_oct	Eng. ORF Word 9 in passage read correctly==1
--------------	--

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing : 2,228/2,818

      tabulation: Freq. Value
                   30 0
                   560 1
                   2,228 .

```

t1_10_eng_oct	Eng. ORF Word 10 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .: 2,228/2,818

      tabulation: Freq. Value
                   90 0
                   500 1
                   2,228 .

```

---

**t1\_11\_eng\_oct** **Eng. ORF Word 11 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,228/2,818

      tabulation: Freq. Value
                   57  0
                   533 1
                   2,228 .

```

---

**t1\_12\_eng\_oct** **Eng. ORF Word 12 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,231/2,818

      tabulation: Freq. Value
                   63  0
                   524 1
                   2,231 .

```

---

**t1\_13\_eng\_oct** **Eng. ORF Word 13 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,234/2,818

      tabulation: Freq. Value
                   73  0
                   511 1
                   2,234 .

```

---

**t1\_14\_eng\_oct** **Eng. ORF Word 14 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,235/2,818

      tabulation: Freq. Value
                   11  0
                   572 1
                   2,235 .

```

---

**t1\_15\_eng\_oct** **Eng. ORF Word 15 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,235/2,818

      tabulation: Freq. Value
                   24  0
                   559 1
                   2,235 .

```

t1_16_eng_oct	Eng. ORF Word 16 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,237/2,818

      tabulation:  Freq.  Value
                   87      0
                   494     1
                   2,237    .

```

t1_17_eng_oct	Eng. ORF Word 17 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,238/2,818

      tabulation:  Freq.  Value
                   21      0
                   559     1
                   2,238    .

```

t1_18_eng_oct	Eng. ORF Word 18 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .. 2,238/2,818

      tabulation: Freq. Value
                   22      0
                   558     1
                   2,238    .

```

t1_19_eng_oct	Eng. ORF Word 19 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,239/2,818

      tabulation: Freq. Value
                   26      0
                   553     1
                   2,239    .

```

t1_20_eng_oct	Eng. ORF Word 20 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,239/2,818

      tabulation: Freq. Value
                   27 0
                   552 1
                   2,239 .

```

t1_21_eng_oct	Eng. ORF Word 21 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,242/2,818

      tabulation:  Freq.  Value
                   27      0
                   549      1
                   2,242    .

```

t1_22_eng_oct	Eng. ORF Word 22 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,242/2,818

      tabulation:  Freq.  Value
                   56      0
                   520     1
                   2,242    .

```

t1_23_eng_oct	Eng. ORF Word 23 in passage read correctly==1
---------------	---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing.: 2,243/2,818

tabulation: Freq. Value
             103  0
             472  1
            2,243  .

```

t1_24_eng_oct	Eng. ORF Word 24 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,246/2,818

      tabulation: Freq. Value
                   8      0
                   564    1
                   2,246  .

```

t1_25_eng_oct	Eng. ORF Word 25 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,248/2,818

      tabulation: Freq. Value
                   136  0
                   434  1
                   2,248 .

```

---

**t1\_26\_eng\_oct** **Eng. ORF Word 26 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,249/2,818

      tabulation: Freq. Value
                   7 0
                   562 1
                   2,249 .

```

---

**t1\_27\_eng\_oct** **Eng. ORF Word 27 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,250/2,818

      tabulation: Freq. Value
                   32 0
                   536 1
                   2,250 .

```

---

**t1\_28\_eng\_oct** **Eng. ORF Word 28 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,251/2,818

      tabulation: Freq. Value
                   62 0
                   505 1
                   2,251 .

```

---

**t1\_29\_eng\_oct** **Eng. ORF Word 29 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,254/2,818

      tabulation: Freq. Value
                   9 0
                   555 1
                   2,254 .

```

---

**t1\_30\_eng\_oct** **Eng. ORF Word 30 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,256/2,818

      tabulation: Freq. Value
                   33 0
                   529 1
                   2,256 .

```

---

**t1\_31\_eng\_oct** **Eng. ORF Word 31 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,256/2,818

tabulation: Freq. Value
              23  0
              539  1
             2,256  .

```

---

**t1\_32\_eng\_oct** **Eng. ORF Word 32 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,258/2,818

tabulation: Freq. Value
              13  0
             547  1
            2,258  .

```

---

**t1\_33\_eng\_oct** **Eng. ORF Word 33 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,259/2,818

tabulation: Freq. Value
              21  0
             538  1
            2,259  .

```

---

**t1\_34\_eng\_oct** **Eng. ORF Word 34 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,259/2,818

tabulation: Freq. Value
              27  0
             532  1
            2,259  .

```

---

**t1\_35\_eng\_oct** **Eng. ORF Word 35 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,263/2,818

tabulation: Freq. Value
              24  0
             531  1
            2,263  .

```



t1_36_eng_oct	Eng. ORF Word 36 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,264/2,818

      tabulation:  Freq.  Value
                   55      0
                   499     1
                   2,264    .

```

t1_37_eng_oct	Eng. ORF Word 37 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                        units:  1
                        missing.:  2,265/2,818

      tabulation:  Freq.  Value
                   23      0
                   530     1
                  2,265    .

```

t1_38_eng_oct	Eng. ORF Word 38 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,265/2,818

      tabulation: Freq. Value
                   2 0
                   551 1
                   2,265 .

```

t1_39_eng_oct	Eng. ORF Word 39 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,265/2,818

      tabulation: Freq. Value
                   7 0
                   546 1
                   2,265 .

```

t1_40_eng_oct	Eng. ORF Word 40 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,265/2,818

      tabulation: Freq. Value
                   37 0
                   516 1
                   2,265 .

```

---

**t1\_41\_eng\_oct** **Eng. ORF Word 41 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,267/2,818

      tabulation: Freq. Value
                   58  0
                   493 1
                   2,267 .

```

---

**t1\_42\_eng\_oct** **Eng. ORF Word 42 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,268/2,818

      tabulation: Freq. Value
                   9  0
                   541 1
                   2,268 .

```

---

**t1\_43\_eng\_oct** **Eng. ORF Word 43 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,269/2,818

      tabulation: Freq. Value
                   25  0
                   524 1
                   2,269 .

```

---

**t1\_44\_eng\_oct** **Eng. ORF Word 44 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,269/2,818

      tabulation: Freq. Value
                   57  0
                   492 1
                   2,269 .

```

---

**t1\_45\_eng\_oct** **Eng. ORF Word 45 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,273/2,818

      tabulation: Freq. Value
                   13  0
                   532 1
                   2,273 .

```

t1_46_eng_oct	Eng. ORF Word 46 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing.:  2,274/2,818

      tabulation:  Freq.  Value
                   7      0
                   537    1
                   2,274  .

```

t1_47_eng_oct	Eng. ORF Word 47 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,276/2,818

      tabulation:  Freq.  Value
                   41      0
                   501     1
                   2,276    .

```

t1_48_eng_oct	Eng. ORF Word 48 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,278/2,818

      tabulation: Freq. Value
                   35 0
                   505 1
                   2,278 .

```

t1_49_eng_oct	Eng. ORF Word 49 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
units: 1
missing.: 2,282/2,818

tabulation: Freq. Value
              71    0
             465    1
            2,282    .

```

t1_50_eng_oct	Eng. ORF Word 50 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
units: 1
missing.: 2,284/2,818

tabulation: Freq. Value
              22    0
              512    1
             2,284    .

```

---

**t1\_51\_eng\_oct** **Eng. ORF Word 51 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,284/2,818

tabulation: Freq. Value
              6 0
             528 1
            2,284 .

```

---

**t1\_52\_eng\_oct** **Eng. ORF Word 52 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,287/2,818

tabulation: Freq. Value
              1 0
             530 1
            2,287 .

```

---

**t1\_53\_eng\_oct** **Eng. ORF Word 53 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,287/2,818

tabulation: Freq. Value
              2 0
             529 1
            2,287 .

```

---

**t1\_54\_eng\_oct** **Eng. ORF Word 54 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,287/2,818

tabulation: Freq. Value
              17 0
             514 1
            2,287 .

```

---

**t1\_55\_eng\_oct** **Eng. ORF Word 55 in passage read correctly==1**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 2,288/2,818

tabulation: Freq. Value
              25 0
             505 1
            2,288 .

```

---

**t1\_56\_eng\_oct** **Eng. ORF Word 56 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,292/2,818

      tabulation:  Freq.  Value
                   11      0
                   515      1
                   2,292    .

```

---

**t1\_57\_eng\_oct** **Eng. ORF Word 57 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,294/2,818

      tabulation:  Freq.  Value
                   25      0
                   499      1
                   2,294    .

```

---

**t1\_58\_eng\_oct** **Eng. ORF Word 58 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,294/2,818

      tabulation:  Freq.  Value
                   24      0
                   500      1
                   2,294    .

```

---

**t1\_59\_eng\_oct** **Eng. ORF Word 59 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,297/2,818

      tabulation:  Freq.  Value
                   1      0
                   520      1
                   2,297    .

```

---

**t1\_60\_eng\_oct** **Eng. ORF Word 60 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,297/2,818

      tabulation:  Freq.  Value
                   23      0
                   498      1
                   2,297    .

```



t1_66_eng_oct	Eng. ORF Word 66 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,324/2,818

      tabulation:  Freq.  Value
                   77      0
                   417     1
                   2,324    .

```

t1_67_eng_oct	Eng. ORF Word 67 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                                units: 1
                                missing.: 2,329/2,818

      tabulation:  Freq.  Value
                   5      0
                   484    1
                   2,329  .

```

t1_68_eng_oct	Eng. ORF Word 68 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,330/2,818

      tabulation:  Freq.  Value
                   6      0
                   482     1
                   2,330  .

```

t1_69_eng_oct	Eng. ORF Word 69 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,333/2,818

      tabulation: Freq. Value
                   58 0
                   427 1
                   2,333 .

```

t1_70_eng_oct	Eng. ORF Word 70 in passage read correctly==1
---------------	---

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing.: 2,340/2,818

tabulation: Freq. Value
              74 0
              404 1
             2,340 .

```

---

**t1\_71\_eng\_oct** **Eng. ORF Word 71 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,353/2,818

      tabulation: Freq. Value
                   2 0
                   463 1
                   2,353 .

```

---

**t1\_72\_eng\_oct** **Eng. ORF Word 72 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,355/2,818

      tabulation: Freq. Value
                   9 0
                   454 1
                   2,355 .

```

---

**t1\_73\_eng\_oct** **Eng. ORF Word 73 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,362/2,818

      tabulation: Freq. Value
                   10 0
                   446 1
                   2,362 .

```

---

**t1\_74\_eng\_oct** **Eng. ORF Word 74 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,362/2,818

      tabulation: Freq. Value
                   10 0
                   446 1
                   2,362 .

```

---

**t1\_75\_eng\_oct** **Eng. ORF Word 75 in passage read correctly==1**


---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,368/2,818

      tabulation: Freq. Value
                   54 0
                   396 1
                   2,368 .

```



---

**t1\_76\_eng\_oct** **Eng. ORF Word 76 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,375/2,818

      tabulation:  Freq.  Value
                   7      0
                   436     1
                   2,375    .

```

---

**t1\_77\_eng\_oct** **Eng. ORF Word 77 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,380/2,818

      tabulation:  Freq.  Value
                   39      0
                   399     1
                   2,380    .

```

---

**t1\_78\_eng\_oct** **Eng. ORF Word 78 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,383/2,818

      tabulation:  Freq.  Value
                   13      0
                   422     1
                   2,383    .

```

---

**t1\_79\_eng\_oct** **Eng. ORF Word 79 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,384/2,818

      tabulation:  Freq.  Value
                   12      0
                   422     1
                   2,384    .

```

---

**t1\_80\_eng\_oct** **Eng. ORF Word 80 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,390/2,818

      tabulation:  Freq.  Value
                   36      0
                   392     1
                   2,390    .

```

---

**t1\_81\_eng\_oct** **Eng. ORF Word 81 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,394/2,818

      tabulation: Freq. Value
                   29  0
                   395  1
                   2,394 .

```

---

**t1\_82\_eng\_oct** **Eng. ORF Word 82 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,400/2,818

      tabulation: Freq. Value
                   7  0
                   411 1
                   2,400 .

```

---

**t1\_83\_eng\_oct** **Eng. ORF Word 83 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,401/2,818

      tabulation: Freq. Value
                   6  0
                   411 1
                   2,401 .

```

---

**t1\_84\_eng\_oct** **Eng. ORF Word 84 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,417/2,818

      tabulation: Freq. Value
                   14  0
                   387 1
                   2,417 .

```

---

**t1\_85\_eng\_oct** **Eng. ORF Word 85 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,427/2,818

      tabulation: Freq. Value
                   12  0
                   379 1
                   2,427 .

```

t1_86_eng_oct	Eng. ORF Word 86 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values:  2
                                units:  1
                                missing .:  2,429/2,818

      tabulation:  Freq.  Value
                   97      0
                   292     1
                   2,429    .

```

t1_87_eng_oct	Eng. ORF Word 87 in passage read correctly==1
---------------	---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
                                units: 1
                                missing.: 2,441/2,818

      tabulation:  Freq.  Value
                   4      0
                   373    1
                   2,441  .

```

t1_88_eng_oct	Eng. ORF Word 88 in passage read correctly==1
---------------	---

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing.: 2,446/2,818

      tabulation: Freq. Value
                   19 0
                   353 1
                   2,446 .

```

t1 89 eng oct Eng. ORF Word 89 in passage read correctly==1

```

      type: numeric (byte)
      range: [0,1]
      unique values: 2
      units: 1
      missing .: 2,452/2,818

      tabulation: Freq. Value
                   6 0
                   360 1
                   2,452 .

```

```
t1 90 eng oct                               Eng. ORF Word 90 in passage read correctly==1
```

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,454/2,818

tabulation: Freq. Value
             28 0
             336 1
             2,454 .

```

---

**t1\_91\_eng\_oct** **Eng. ORF Word 91 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,458/2,818

      tabulation:  Freq.  Value
                   8      0
                   352     1
                   2,458    .

```

---

**t1\_92\_eng\_oct** **Eng. ORF Word 92 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,475/2,818

      tabulation:  Freq.  Value
                   10      0
                   333     1
                   2,475    .

```

---

**t1\_93\_eng\_oct** **Eng. ORF Word 93 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,480/2,818

      tabulation:  Freq.  Value
                   10      0
                   328     1
                   2,480    .

```

---

**t1\_94\_eng\_oct** **Eng. ORF Word 94 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,485/2,818

      tabulation:  Freq.  Value
                   4      0
                   329     1
                   2,485    .

```

---

**t1\_95\_eng\_oct** **Eng. ORF Word 95 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,489/2,818

      tabulation:  Freq.  Value
                   6      0
                   323     1
                   2,489    .

```

---

**t1\_96\_eng\_oct** **Eng. ORF Word 96 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,492/2,818

      tabulation: Freq. Value
                   9 0
                   317 1
                   2,492 .

```

---

**t1\_97\_eng\_oct** **Eng. ORF Word 97 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,495/2,818

      tabulation: Freq. Value
                   9 0
                   314 1
                   2,495 .

```

---

**t1\_98\_eng\_oct** **Eng. ORF Word 98 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,496/2,818

      tabulation: Freq. Value
                   7 0
                   315 1
                   2,496 .

```

---

**t1\_99\_eng\_oct** **Eng. ORF Word 99 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,500/2,818

      tabulation: Freq. Value
                   4 0
                   314 1
                   2,500 .

```

---

**t1\_100\_eng\_oct** **Eng. ORF Word 100 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,514/2,818

      tabulation: Freq. Value
                   4 0
                   300 1
                   2,514 .

```



---

**t1\_106\_eng\_oct** **Eng. ORF Word 106 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,545/2,818

      tabulation: Freq. Value
                   12  0
                   261 1
                   2,545 .

```

---

**t1\_107\_eng\_oct** **Eng. ORF Word 107 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,549/2,818

      tabulation: Freq. Value
                   13  0
                   256 1
                   2,549 .

```

---

**t1\_108\_eng\_oct** **Eng. ORF Word 108 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,552/2,818

      tabulation: Freq. Value
                   53  0
                   213 1
                   2,552 .

```

---

**t1\_109\_eng\_oct** **Eng. ORF Word 109 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,555/2,818

      tabulation: Freq. Value
                   3  0
                   260 1
                   2,555 .

```

---

**t1\_110\_eng\_oct** **Eng. ORF Word 110 in passage read correctly==1**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,564/2,818

      tabulation: Freq. Value
                   3  0
                   251 1
                   2,564 .

```

---

**t1\_111\_eng\_oct** Eng. ORF Word 111 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,568/2,818

      tabulation: Freq. Value
                   4 0
                   246 1
                   2,568 .

```

---

**t1\_112\_eng\_oct** Eng. ORF Word 112 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,571/2,818

      tabulation: Freq. Value
                   3 0
                   244 1
                   2,571 .

```

---

**t1\_113\_eng\_oct** Eng. ORF Word 113 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,584/2,818

      tabulation: Freq. Value
                   9 0
                   225 1
                   2,584 .

```

---

**t1\_114\_eng\_oct** Eng. ORF Word 114 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,585/2,818

      tabulation: Freq. Value
                   5 0
                   228 1
                   2,585 .

```

---

**t1\_115\_eng\_oct** Eng. ORF Word 115 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,589/2,818

      tabulation: Freq. Value
                   5 0
                   224 1
                   2,589 .

```





---

**t1\_121\_eng\_oct** **Eng. ORF Word 121 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,640/2,818

      tabulation:  Freq.  Value
                   2      0
                   176     1
                   2,640    .

```

---

**t1\_122\_eng\_oct** **Eng. ORF Word 122 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,642/2,818

      tabulation:  Freq.  Value
                   8      0
                   168     1
                   2,642    .

```

---

**t1\_123\_eng\_oct** **Eng. ORF Word 123 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,650/2,818

      tabulation:  Freq.  Value
                   5      0
                   163     1
                   2,650    .

```

---

**t1\_124\_eng\_oct** **Eng. ORF Word 124 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,656/2,818

      tabulation:  Freq.  Value
                   5      0
                   157     1
                   2,656    .

```

---

**t1\_125\_eng\_oct** **Eng. ORF Word 125 in passage read correctly==1**


---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
      missing.: 2,661/2,818

      tabulation:  Freq.  Value
                   1      0
                   156     1
                   2,661    .

```

---

**t1\_126\_eng\_oct** Eng. ORF Word 126 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,662/2,818

      tabulation: Freq. Value
                   1 0
                   155 1
                   2,662 .

```

---

**t1\_127\_eng\_oct** Eng. ORF Word 127 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,685/2,818

      tabulation: Freq. Value
                   2 0
                   131 1
                   2,685 .

```

---

**t1\_128\_eng\_oct** Eng. ORF Word 128 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,690/2,818

      tabulation: Freq. Value
                   1 0
                   127 1
                   2,690 .

```

---

**t1\_129\_eng\_oct** Eng. ORF Word 129 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,692/2,818

      tabulation: Freq. Value
                   1 0
                   125 1
                   2,692 .

```

---

**t1\_130\_eng\_oct** Eng. ORF Word 130 in passage read correctly==1

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing.: 2,694/2,818

      tabulation: Freq. Value
                   1 0
                   123 1
                   2,694 .

```

---

<b>t1_131_eng_oct</b>	<b>Eng. ORF Word 131 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,695/2,818

      tabulation: Freq. Value
                   123  1
                   2,695 .

```

---

<b>t1_132_eng_oct</b>	<b>Eng. ORF Word 132 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,699/2,818

      tabulation: Freq. Value
                   119  1
                   2,699 .

```

---

<b>t1_133_eng_oct</b>	<b>Eng. ORF Word 133 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,700/2,818

      tabulation: Freq. Value
                   118  1
                   2,700 .

```

---

<b>t1_134_eng_oct</b>	<b>Eng. ORF Word 134 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,700/2,818

      tabulation: Freq. Value
                   118  1
                   2,700 .

```

---

<b>t1_135_eng_oct</b>	<b>Eng. ORF Word 135 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,717/2,818

      tabulation: Freq. Value
                   6  0
                   95  1
                   2,717 .

```

---

<b>t1_136_eng_oct</b>	<b>Eng. ORF Word 136 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)

```

range: [1,1] units: 1  
unique values: 1 missing : 2,726/2,818

tabulation: Freq. Value  
92 1  
2,726 .

---

**t1\_137\_eng\_oct** **Eng. ORF Word 137 in passage read correctly==1**

---

type: numeric (**byte**)

range: [0,1] units: 1  
unique values: 2 missing : 2,727/2,818

tabulation: Freq. Value  
2 0  
89 1  
2,727 .

---

**t1\_138\_eng\_oct** **Eng. ORF Word 138 in passage read correctly==1**

---

type: numeric (**byte**)

range: [0,1] units: 1  
unique values: 2 missing : 2,730/2,818

tabulation: Freq. Value  
2 0  
86 1  
2,730 .

---

**t1\_139\_eng\_oct** **Eng. ORF Word 139 in passage read correctly==1**

---

type: numeric (**byte**)

range: [0,1] units: 1  
unique values: 2 missing : 2,735/2,818

tabulation: Freq. Value  
1 0  
82 1  
2,735 .

---

**t1\_140\_eng\_oct** **Eng. ORF Word 140 in passage read correctly==1**

---

type: numeric (**byte**)

range: [0,1] units: 1  
unique values: 2 missing : 2,736/2,818

tabulation: Freq. Value  
2 0  
80 1  
2,736 .

---

**t1\_141\_eng\_oct** **Eng. ORF Word 141 in passage read correctly==1**

---

type: numeric (**byte**)

range: [0,1] units: 1  
unique values: 2 missing : 2,738/2,818

```

tabulation:  Freq.  Value
              1      0
             79      1
            2,738    .

```

---

**t1\_142\_eng\_oct** Eng. ORF Word 142 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,743/2,818

tabulation:  Freq.  Value
              4      0
             71      1
            2,743    .

```

---

**t1\_143\_eng\_oct** Eng. ORF Word 143 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,745/2,818

tabulation:  Freq.  Value
              3      0
             70      1
            2,745    .

```

---

**t1\_144\_eng\_oct** Eng. ORF Word 144 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,753/2,818

tabulation:  Freq.  Value
              3      0
             62      1
            2,753    .

```

---

**t1\_145\_eng\_oct** Eng. ORF Word 145 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,753/2,818

tabulation:  Freq.  Value
              2      0
             63      1
            2,753    .

```

---

**t1\_146\_eng\_oct** Eng. ORF Word 146 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2      missing .: 2,754/2,818

```

```

tabulation:  Freq.  Value
              1      0
             63      1
            2,754    .

```

---

**t1\_147\_eng\_oct** Eng. ORF Word 147 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,755/2,818

tabulation:  Freq.  Value
              1      0
             62      1
            2,755    .

```

---

**t1\_148\_eng\_oct** Eng. ORF Word 148 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values: 2        missing .: 2,767/2,818

tabulation:  Freq.  Value
              5      0
             46      1
            2,767    .

```

---

**t1\_149\_eng\_oct** Eng. ORF Word 149 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1        missing .: 2,769/2,818

tabulation:  Freq.  Value
              49      1
            2,769    .

```

---

**t1\_150\_eng\_oct** Eng. ORF Word 150 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1        missing .: 2,770/2,818

tabulation:  Freq.  Value
              48      1
            2,770    .

```

---

**t1\_151\_eng\_oct** Eng. ORF Word 151 in passage read correctly==1

---

```

type:  numeric (byte)

range:  [1,1]          units:  1
unique values: 1        missing .: 2,771/2,818

tabulation:  Freq.  Value
              47      1
            2,771    .

```

---

<b>t1_152_eng_oct</b>	<b>Eng. ORF Word 152 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,775/2,818

      tabulation: Freq. Value
                   43  1
                   2,775 .

```

---

<b>t1_153_eng_oct</b>	<b>Eng. ORF Word 153 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,775/2,818

      tabulation: Freq. Value
                   1  0
                   42  1
                   2,775 .

```

---

<b>t1_154_eng_oct</b>	<b>Eng. ORF Word 154 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,778/2,818

      tabulation: Freq. Value
                   40  1
                   2,778 .

```

---

<b>t1_155_eng_oct</b>	<b>Eng. ORF Word 155 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,778/2,818

      tabulation: Freq. Value
                   1  0
                   39  1
                   2,778 .

```

---

<b>t1_156_eng_oct</b>	<b>Eng. ORF Word 156 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,780/2,818

      tabulation: Freq. Value
                   38  1
                   2,780 .

```

---

<b>t1_157_eng_oct</b>	<b>Eng. ORF Word 157 in passage read correctly==1</b>
-----------------------	---

---



```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,782/2,818

      tabulation:  Freq.  Value
                   1      0
                   35      1
                   2,782  .

```

---

<b>t1_158_eng_oct</b>	<b>Eng. ORF Word 158 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,783/2,818

      tabulation:  Freq.  Value
                   35      1
                   2,783  .

```

---

<b>t1_159_eng_oct</b>	<b>Eng. ORF Word 159 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,788/2,818

      tabulation:  Freq.  Value
                   30      1
                   2,788  .

```

---

<b>t1_160_eng_oct</b>	<b>Eng. ORF Word 160 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,790/2,818

      tabulation:  Freq.  Value
                   28      1
                   2,790  .

```

---

<b>t1_161_eng_oct</b>	<b>Eng. ORF Word 161 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,792/2,818

      tabulation:  Freq.  Value
                   26      1
                   2,792  .

```

---

<b>t1_162_eng_oct</b>	<b>Eng. ORF Word 162 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
      units:  1
missing  .:  2,796/2,818

```

```

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_163\_eng\_oct** **Eng. ORF Word 163 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,796/2,818

tabulation:  Freq.  Value
              22    1
            2,796    .

```

---

**t1\_164\_eng\_oct** **Eng. ORF Word 164 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,797/2,818

tabulation:  Freq.  Value
              21    1
            2,797    .

```

---

**t1\_165\_eng\_oct** **Eng. ORF Word 165 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 2,797/2,818

tabulation:  Freq.  Value
              1    0
              20    1
            2,797    .

```

---

**t1\_166\_eng\_oct** **Eng. ORF Word 166 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,797/2,818

tabulation:  Freq.  Value
              21    1
            2,797    .

```

---

**t1\_167\_eng\_oct** **Eng. ORF Word 167 in passage read correctly==1**

---

```

type:  numeric (byte)

range:  [1,1]
unique values: 1
units:  1
missing .: 2,798/2,818

tabulation:  Freq.  Value
              20    1
            2,798    .

```

---

<b>t1_168_eng_oct</b>	<b>Eng. ORF Word 168 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,804/2,818

      tabulation: Freq. Value
                   14 1
                   2,804 .

```

---

<b>t1_169_eng_oct</b>	<b>Eng. ORF Word 169 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,807/2,818

      tabulation: Freq. Value
                   11 1
                   2,807 .

```

---

<b>t1_170_eng_oct</b>	<b>Eng. ORF Word 170 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,807/2,818

      tabulation: Freq. Value
                   11 1
                   2,807 .

```

---

<b>t1_171_eng_oct</b>	<b>Eng. ORF Word 171 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,810/2,818

      tabulation: Freq. Value
                   8 1
                   2,810 .

```

---

<b>t1_172_eng_oct</b>	<b>Eng. ORF Word 172 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,812/2,818

      tabulation: Freq. Value
                   6 1
                   2,812 .

```

---

<b>t1_173_eng_oct</b>	<b>Eng. ORF Word 173 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)

```

```

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,812/2,818

      tabulation: Freq. Value
                   6 1
                   2,812 .

```

---

**t1\_174\_eng\_oct** **Eng. ORF Word 174 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

**t1\_175\_eng\_oct** **Eng. ORF Word 175 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

**t1\_176\_eng\_oct** **Eng. ORF Word 176 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

**t1\_177\_eng\_oct** **Eng. ORF Word 177 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

**t1\_178\_eng\_oct** **Eng. ORF Word 178 in passage read correctly==1**

---

```

      type: numeric (byte)

      range: [1,1]
unique values: 1
      units: 1
missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

<b>t1_179_eng_oct</b>	<b>Eng. ORF Word 179 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,814/2,818

      tabulation: Freq. Value
                   4 1
                   2,814 .

```

---

<b>t1_180_eng_oct</b>	<b>Eng. ORF Word 180 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_181_eng_oct</b>	<b>Eng. ORF Word 181 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_182_eng_oct</b>	<b>Eng. ORF Word 182 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_183_eng_oct</b>	<b>Eng. ORF Word 183 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      range: [1,1]
unique values: 1
      units: 1
      missing .: 2,815/2,818

      tabulation: Freq. Value
                   3 1
                   2,815 .

```

---

<b>t1_184_eng_oct</b>	<b>Eng. ORF Word 184 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,816/2,818

```

```

tabulation: Freq. Value
              2 1
            2,816 .

```

---

```

t1_185_eng_oct                               Eng. ORF Word 185 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,817/2,818

```

```

tabulation: Freq. Value
              1 1
            2,817 .

```

---

```

t1_186_eng_oct                               Eng. ORF Word 186 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,817/2,818

```

```

tabulation: Freq. Value
              1 1
            2,817 .

```

---

```

t1_187_eng_oct                               Eng. ORF Word 187 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,817/2,818

```

```

tabulation: Freq. Value
              1 1
            2,817 .

```

---

```

t1_188_eng_oct                               Eng. ORF Word 188 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,817/2,818

```

```

tabulation: Freq. Value
              1 1
            2,817 .

```

---

```

t1_189_eng_oct                               Eng. ORF Word 189 in passage read correctly==1

```

---

```

        type: numeric (byte)

```

```

        range: [1,1]
unique values: 1
        units: 1
missing .: 2,817/2,818

```

```

tabulation: Freq. Value
              1 1
            2,817 .

```

---

<b>t1_190_eng_oct</b>	<b>Eng. ORF Word 190 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,817/2,818

      tabulation:  Freq.  Value
                   1    1
                   2,817 .

```

---

<b>t1_191_eng_oct</b>	<b>Eng. ORF Word 191 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,817/2,818

      tabulation:  Freq.  Value
                   1    1
                   2,817 .

```

---

<b>t1_192_eng_oct</b>	<b>Eng. ORF Word 192 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,817/2,818

      tabulation:  Freq.  Value
                   1    1
                   2,817 .

```

---

<b>t1_193_eng_oct</b>	<b>Eng. ORF Word 193 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,817/2,818

      tabulation:  Freq.  Value
                   1    1
                   2,817 .

```

---

<b>t1_194_eng_oct</b>	<b>Eng. ORF Word 194 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)
      range:  [.,.]
unique values: 0
                        units:  .
                        missing .: 2,818/2,818

      tabulation:  Freq.  Value
                   2,818 .

```

---

<b>t1_195_eng_oct</b>	<b>Eng. ORF Word 195 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)

```

```

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_196_eng_oct                               Eng. ORF Word 196 in passage read correctly==1

```

---

```

      type:  numeric (byte)

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_197_eng_oct                               Eng. ORF Word 197 in passage read correctly==1

```

---

```

      type:  numeric (byte)

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_198_eng_oct                               Eng. ORF Word 198 in passage read correctly==1

```

---

```

      type:  numeric (byte)

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_199_eng_oct                               Eng. ORF Word 199 in passage read correctly==1

```

---

```

      type:  numeric (byte)

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_200_eng_oct                               Eng. ORF Word 200 in passage read correctly==1

```

---

```

      type:  numeric (byte)

      range:  [...]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

```

t1_201_eng_oct                               Eng. ORF Word 201 in passage read correctly==1

```

---

```

      type:  numeric (byte)

```



```

      range:  [,.,.]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

<b>t1_202_eng_oct</b>	<b>Eng. ORF Word 202 in passage read correctly==1</b>
-----------------------	---

---

```

      type:  numeric (byte)

      range:  [,.,.]
unique values: 0
      units:  .
missing  .:  2,818/2,818

      tabulation:  Freq.  Value
                   2,818  .

```

---

<b>discontinued_eng_oct</b>	<b>Discontinued English ORF posttest assessment</b>
-----------------------------	---

---

```

      type:  numeric (byte)

      range:  [1,1]
unique values: 1
unique mv codes: 2
      units:  1
missing  .:  1/2,818
missing .*:  2,798/2,818

      tabulation:  Freq.  Value
                   19  1
                   1  .
                   2,798 .n

```

---

<b>compl_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q1 correct==1</b>
----------------------	--

---

```

      type:  numeric (byte)

      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,235/2,818

      tabulation:  Freq.  Value
                   18  0
                   565  1
                   2,235 .

```

---

<b>comp2_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q2 correct==1</b>
----------------------	--

---

```

      type:  numeric (byte)

      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,270/2,818

      tabulation:  Freq.  Value
                   274  0
                   274  1
                   2,270 .

```

---

<b>comp3_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q3 correct==1</b>
----------------------	--

---

```

      type:  numeric (byte)

      range:  [0,1]
unique values: 2
      units:  1
missing  .:  2,299/2,818

```

```

tabulation:  Freq.  Value
              188    0
              331    1
              2,299  .

```

---

**comp4\_eng\_oct** **Gr6. Eng ORF comp. posttest Q4 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,418/2,818

tabulation:  Freq.  Value
              96    0
              304    1
              2,418  .

```

---

**comp5\_eng\_oct** **Gr6. Eng ORF comp. posttest Q5 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,515/2,818

tabulation:  Freq.  Value
              180    0
              123    1
              2,515  .

```

---

**comp6\_eng\_oct** **Gr6. Eng ORF comp. posttest Q6 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,639/2,818

tabulation:  Freq.  Value
              18     0
              161    1
              2,639  .

```

---

**comp7\_eng\_oct** **Gr6. Eng ORF comp. posttest Q7 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,796/2,818

tabulation:  Freq.  Value
              3      0
              19     1
              2,796  .

```

---

**comp8\_eng\_oct** **Gr6. Eng ORF comp. posttest Q8 correct==1**

---

```

type:  numeric (byte)

range:  [0,1]          units:  1
unique values:  2      missing .:  2,815/2,818

```

```

tabulation:  Freq.  Value
              1      0
              2      1
            2,815    .

```

---

**end\_time\_eng\_oct** Time at end of Eng. lang ORF assessment pretest

---

```

type:  string (str11)
unique values:  28                      missing "":  1/2,818
examples:  "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

**timestamp\_0\_eng\_oct** (unlabeled)

---

```

type:  string (str11)
unique values:  29                      missing "":  1/2,818
examples:  "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

**timestamp\_1\_eng\_oct** (unlabeled)

---

```

type:  string (str11)
unique values:  29                      missing "":  1/2,818
examples:  "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

**timestamp\_2\_eng\_oct** (unlabeled)

---

```

type:  string (str11)
unique values:  29                      missing "":  1/2,818
examples:  "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

**timestamp\_3\_eng\_oct** (unlabeled)

---

```

type:  string (str11)
unique values:  29                      missing "":  1/2,818
examples:  "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_4_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)
unique values: 29                      missing "": 1/2,818
  examples: "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_5_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)
unique values: 29                      missing "": 1/2,818
  examples: "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_6_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)
unique values: 29                      missing "": 1/2,818
  examples: "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_7_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)
unique values: 28                      missing "": 1/2,818
  examples: "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_8_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)
unique values: 28                      missing "": 1/2,818
  examples: "1.50944E+12"
            "NA"
            "NA"
            "NA"

```

---

timestamp_9_eng_oct	(unlabeled)
---------------------	-------------

---

```

      type: string (str11)

```

unique values: 28 missing "": 1/2,818  
 examples: "1.50945E+12"  
               "NA"  
               "NA"  
               "NA"

---

timestamp_10_eng_oct	(unlabeled)
----------------------	-------------

---

type: string (str11)  
 unique values: 28 missing "": 1/2,818  
 examples: "1.50945E+12"  
               "NA"  
               "NA"  
               "NA"