

# South Africa - Crime and Community Action 1996-1997

**IDASA Public Opinion Service**

Report generated on: September 4, 2015

Visit our data catalog at: <http://www.datafirst.uct.ac.za/dataportal/index.php>

# Overview

## Identification

---

### ID NUMBER

zaf-idasa-cca-1996-1997-v1

## Version

---

### VERSION DESCRIPTION

v1: Edited, anonymised data for public distribution

### PRODUCTION DATE

1997

## Overview

---

### ABSTRACT

In response to the establishment and controversial actions of the organisation "People Against Gangsterism and Drugs (PAGAD)", during 1996 and 1997 IDASA's Public Opinion Service undertook a two- year study of citizen action against crime on the Cape flats. The study focuses principally on the dynamics which led to the rise of PAGAD in the Western Cape. It examines people's perceptions of crime, their evaluations of the police and courts and their willingness to co-operate with these institutions. It also examined the attitudes of people to the law and to PAGAD, as well as their willingness to take various forms of legal and illegal collective action to combat crime.

### KIND OF DATA

Sample survey data [ssd]

### UNITS OF ANALYSIS

Units of analysis in the survey were individuals

## Scope

---

### NOTES

The survey collects background data on respondents, including age, gender, occupation, highest level of education, monthly household income, religion, and language. Public opinion data collected includes types of crime in the respondents' neighbourhoods, perceptions of crime and safety, experience of crime, and views on criminals, police, and courts.

### TOPICS

| Topic       | Vocabulary | URI   |
|-------------|------------|---|
| crime [5.1] | CESSDA     | <a href="http://www.nesstar.org/rdf/common">http://www.nesstar.org/rdf/common</a> |

### KEYWORDS

Crime, Gangsterism, Community Action

## Coverage

---

### GEOGRAPHIC COVERAGE

The survey covers selected suburbs in Cape Town

### GEOGRAPHIC UNIT

The lowest level of geographic aggregation in the survey is suburb

### UNIVERSE

All people 18 years and older living in households in selected suburbs in the "Cape Flats" area of Cape Town

## Producers and Sponsors

---

### PRIMARY INVESTIGATOR(S)

| Name                         | Affiliation |
|------------------------------|-------------|
| IDASA Public Opinion Service |             |

## Metadata Production

---

### METADATA PRODUCED BY

| Name      | Abbreviation | Affiliation             | Role              |
|-----------|--------------|-------------------------|-------------------|
| DataFirst |              | University of Cape Town | Metadata producer |

### DATE OF METADATA PRODUCTION

2015-09-04

### DDI DOCUMENT VERSION

Version 2

### DDI DOCUMENT ID

ddi-zaf-datafirst-cca-1996-1997-v1

## **Sampling**

No content available

## Questionnaires

No content available

## Data Collection

### Data Collection Dates

| Start   | End     | Cycle   |
|---------|---------|---------|
| 1996-08 | 1997-04 | Cycle 1 |

### Data Collection Mode

Other [oth]

### Data Collection Notes

Telephone interviews were used for data collection. Simple random sampling was used in this study. Based on the information provided by Telkom, the estimate of telephone ownership ranged from 67% to 93% of households in the designated areas and this was used for sampling purposes.

### Data Collectors

| Name             | Abbreviation | Affiliation |
|------------------|--------------|-------------|
| Research Surveys | RS           |             |

## **Data Processing**

No content available

## Data Appraisal

No content available



# File Description

# Variable List

**cca-1996-1997-v1-stata11**

Content  
Cases 500  
Variable(s) 524  
Structure Type:  
Keys: ()  
Version  
Producer  
Missing Data

**Variables**

| ID   | Name     | Label                           | Type     | Format  | Question |
|------|----------|---------------------------------|----------|---------|----------|
| V525 | id       |                                 | contin   | numeric |          |
| V526 | suburb   | Suburb                          | discrete | numeric |          |
| V527 | language | Q83.Language                    | discrete | numeric |          |
| V528 | q1a1     | Q1A.Most Important Problems - N | discrete | numeric |          |
| V529 | q1a2     | Q1A.Most Important Problems - G | discrete | numeric |          |
| V530 | q1a3     | Q1A.Most Important Problems - U | discrete | numeric |          |
| V531 | q1a4     | Q1A.Most Important Problems - H | discrete | numeric |          |
| V532 | q1a5     | Q1A.Most Important Problems - R | discrete | numeric |          |
| V533 | q1a6     | Q1A.Most Important Problems - T | discrete | numeric |          |
| V534 | q1a7     | Q1A.Most Important Problems - C | discrete | numeric |          |
| V535 | q1a8     | Q1A.Most Important Problems - M | discrete | numeric |          |
| V536 | q1a9     | Q1A.Most Important Problems - V | discrete | numeric |          |
| V537 | q1a10    | Q1A.Most Important Problems - V | discrete | numeric |          |
| V538 | q1a11    | Q1A.Most Important Problems - F | discrete | numeric |          |
| V539 | q1a12    | Q1A.Most Important Problems - M | discrete | numeric |          |
| V540 | q1a13    | Q1A.Most Important Problems - H | discrete | numeric |          |
| V541 | q1a14    | Q1A.Most Important Problems - P | discrete | numeric |          |
| V542 | q1a15    | Q1A.Most Important Problems - D | discrete | numeric |          |
| V543 | q1a16    | Q1A.Most Important Problems - A | discrete | numeric |          |
| V544 | q1a17    | Q1A.Most Important Problems - R | discrete | numeric |          |
| V545 | q1a18    | Q1A.Most Important Problems - B | discrete | numeric |          |
| V546 | q1a19    | Q1A.Most Important Problems - N | discrete | numeric |          |
| V547 | q1a20    | Q1A.Most Important Problems - H | discrete | numeric |          |
| V548 | q1a21    | Q1A.Most Important Problems - A | discrete | numeric |          |
| V549 | q1a22    | Q1A.Most Important Problems - I | discrete | numeric |          |
| V550 | q1a23    | Q1A.Most Important Problems - O | discrete | numeric |          |
| V551 | q1a24    | Q1A.Most Important Problems - S | discrete | numeric |          |
| V552 | q1a25    | Q1A.Most Important Problems - V | discrete | numeric |          |

| ID   | Name  | Label                           | Type     | Format  | Question |
|------|-------|---------------------------------|----------|---------|----------|
| V553 | q1a26 | Q1A.Most Important Problems - P | discrete | numeric |          |
| V554 | q1a27 | Q1A.Most Important Problems - D | discrete | numeric |          |
| V555 | q1a28 | Q1A.Most Important Problems - C | discrete | numeric |          |
| V556 | q1a29 | Q1A.Most Important Problems - K | discrete | numeric |          |
| V557 | q1a30 | Q1A.Most Important Problems - D | discrete | numeric |          |
| V558 | q1a31 | Q1A.Most Important Problems - E | discrete | numeric |          |
| V559 | q1a32 | Q1A.Most Important Problems - P | discrete | numeric |          |
| V560 | q1a33 | Q1A.Most Important Problems - S | discrete | numeric |          |
| V561 | q1a34 | Q1A.Most Important Problems - D | discrete | numeric |          |
| V562 | q1a35 | Q1A.Most Important Problems - A | discrete | numeric |          |
| V563 | q1a36 | Q1A.Most Important Problems - D | discrete | numeric |          |
| V564 | q1a37 | Q1A.Most Important Problems - S | discrete | numeric |          |
| V565 | q1a38 | Q1A.Most Important Problems - L | discrete | numeric |          |
| V566 | q1a39 | Q1A.Most Important Problems - F | discrete | numeric |          |
| V567 | q1a40 | Q1A.Most Important Problems - S | discrete | numeric |          |
| V568 | q1a41 | Q1A.Most Important Problems - S | discrete | numeric |          |
| V569 | q1a42 | Q1A.Most Important Problems - E | discrete | numeric |          |
| V570 | q1a43 | Q1A.Most Important Problems - G | discrete | numeric |          |
| V571 | q1a44 | Q1A.Most Important Problems - L | discrete | numeric |          |
| V572 | q1a45 | Q1A.Most Important Problems - T | discrete | numeric |          |
| V573 | q1a46 | Q1A.Most Important Problems - C | discrete | numeric |          |
| V574 | q1a47 | Q1A.Most Important Problems - H | discrete | numeric |          |
| V575 | q1a48 | Q1A.Most Important Problems - N | discrete | numeric |          |
| V576 | q1b1  | Q1B.Single Most Important Probl | discrete | numeric |          |
| V577 | q1b2  | Q1B.Second Most Important Probl | discrete | numeric |          |
| V578 | q1b3  | Q1B.Third Most Important Proble | discrete | numeric |          |
| V579 | q2    | Q2.Level Of Crime               | discrete | numeric |          |
| V580 | q3    | Q3.Satisfaction With Crime Situ | discrete | numeric |          |
| V581 | q4    | Q4.Level Of Safety At Home      | discrete | numeric |          |
| V582 | q5    | Q5.Satisfaction With Safety At  | discrete | numeric |          |
| V583 | q6    | Q6.Level Of Safety In Neighbour | discrete | numeric |          |
| V584 | q7    | Q7.Satisfaction With Safety In  | discrete | numeric |          |
| V585 | q8a   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V586 | q8b   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V587 | q8c   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V588 | q8d   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V589 | q8e   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V590 | q8f   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V591 | q8g   | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V592 | q8h   | Q8.Major Types Of Crime Problem | discrete | numeric |          |

| ID   | Name | Label                           | Type     | Format  | Question |
|------|------|---------------------------------|----------|---------|----------|
| V593 | q8i  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V594 | q8j  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V595 | q8k  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V596 | q8l  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V597 | q8m  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V598 | q8n  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V599 | q8o  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V600 | q8p  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V601 | q8q  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V602 | q8r  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V603 | q8s  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V604 | q8t  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V605 | q8u  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V606 | q8v  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V607 | q8w  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V608 | q8x  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V609 | q8y  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V610 | q8z  | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V611 | q8aa | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V612 | q8ab | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V613 | q8ac | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V614 | q8ad | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V615 | q8ae | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V616 | q8af | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V617 | q8ag | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V618 | q8ah | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V619 | q8ai | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V620 | q8aj | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V621 | q8ak | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V622 | q8al | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V623 | q8am | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V624 | q8an | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V625 | q8ao | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V626 | q8ap | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V627 | q8aq | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V628 | q8ar | Q8.Major Types Of Crime Problem | discrete | numeric |          |
| V629 | q9   | Q9.Level Of Drug Activity       | discrete | numeric |          |
| V630 | q10  | Q10.Level Of Gang Activity      | discrete | numeric |          |
| V631 | q11  | Q11.Positive Contribution By Ga | discrete | numeric |          |
| V632 | q12a | Q12.Approval/Disapproval Of Job | discrete | numeric |          |

| ID   | Name   | Label                            | Type     | Format  | Question |
|------|--------|----------------------------------|----------|---------|----------|
| V633 | q12b   | Q12.Approval/Disapproval Of Job  | discrete | numeric |          |
| V634 | q13a   | Q13.Satisfaction With Sa Police  | discrete | numeric |          |
| V635 | q13b   | Q13.Satisfaction With Courts     | discrete | numeric |          |
| V636 | q14a   | Q14A.Citizens Receiving Fair Re  | discrete | numeric |          |
| V637 | q14b   | Q14B.Courts Making Fair Decisio  | discrete | numeric |          |
| V638 | q14c   | Q14C.Sa Police Treating People   | discrete | numeric |          |
| V639 | q14d   | Q14D.Courts Treating People Fai  | discrete | numeric |          |
| V640 | q15a   | Q15A.Treatment Received When De  | discrete | numeric |          |
| V641 | q15b   | Q15B.Treatment Received When De  | discrete | numeric |          |
| V642 | q16    | Q16.Frequency Of Sa Police Patr  | discrete | numeric |          |
| V643 | q17a   | Q17.Police Performance In Prote  | discrete | numeric |          |
| V644 | q17b   | Q17.Police Performance In Appre  | discrete | numeric |          |
| V645 | q17c   | Q17.Police Performance In Gathe  | discrete | numeric |          |
| V646 | q18a   | Q18.Court Performance In Reachi  | discrete | numeric |          |
| V647 | q18b   | Q18.Court Performrance In Giving | discrete | numeric |          |
| V648 | q19a   | Q19A.Number Of Police Members E  | discrete | numeric |          |
| V649 | q19b   | Q19B.Number Of Judges/Prosecuto  | discrete | numeric |          |
| V650 | q20    | Q20.Victim Of Crime              | discrete | numeric |          |
| V651 | q21a1  | Q21.Type Of Crime - Theft        | discrete | numeric |          |
| V652 | q21a2  | Q21.Type Of Crime - Break-In/Bu  | discrete | numeric |          |
| V653 | q21a3  | Q21.Type Of Crime - Assault      | discrete | numeric |          |
| V654 | q21a4  | Q21.Type Of Crime - Mugging      | discrete | numeric |          |
| V655 | q21a5  | Q21.Type Of Crime - Attempted R  | discrete | numeric |          |
| V656 | q21a6  | Q21.Type Of Crime - Rape         | discrete | numeric |          |
| V657 | q21a7  | Q21.Type Of Crime - Arson        | discrete | numeric |          |
| V658 | q21a8  | Q21.Type Of Crime - Attempted M  | discrete | numeric |          |
| V659 | q21a9  | Q21.Type Of Crime - Other        | discrete | numeric |          |
| V660 | q21a10 | Q21.Type Of Crime -              | discrete | numeric |          |
| V661 | q22    | Q22.Type Of Crime Which Had Gre  | discrete | numeric |          |
| V662 | q23    | Q23.Charge Laid With Police      | discrete | numeric |          |
| V663 | q24    | Q24.Personal Contact Or Involve  | discrete | numeric |          |
| V664 | q25    | Q25.Satisfaction With Result Of  | discrete | numeric |          |
| V665 | q26    | Q26.Fairness Of Result Of Case   | discrete | numeric |          |
| V666 | q27    | Q27.Fairness Of Treatment By Po  | discrete | numeric |          |
| V667 | q28    | Q28.Incidence Of Case Going To   | discrete | numeric |          |
| V668 | q29    | Q29.Personal Contact With Court  | discrete | numeric |          |
| V669 | q30    | Q30.Satisfaction With Decision   | discrete | numeric |          |
| V670 | q31    | Q31.Fairness Of Decision Of Cou  | discrete | numeric |          |
| V671 | q32    | Q32.Fairness Of Treatment By Co  | discrete | numeric |          |
| V672 | q33a   | Q33.Level Of Safety About Givin  | discrete | numeric |          |

| ID   | Name | Label                           | Type     | Format  | Question |
|------|------|---------------------------------|----------|---------|----------|
| V673 | q33b | Q33.Level Of Safety About Testi | discrete | numeric |          |
| V674 | q34a | Q34.Effect Of Giving Informatio | discrete | numeric |          |
| V675 | q34b | Q34.Effect Of Testifying In Cou | discrete | numeric |          |
| V676 | q35  | Q35.Group Association           | discrete | numeric |          |
| V677 | q36  | Q36.Difference To Other South A | discrete | numeric |          |
| V678 | q37  | Q37.Closeness To Group          | discrete | numeric |          |
| V679 | q38  | Q38.Association With Group Vs.  | discrete | numeric |          |
| V680 | q39  | Q39.Importance Of Belonging To  | discrete | numeric |          |
| V681 | q40a | Q40.Better To Ignore Law Than W | discrete | numeric |          |
| V682 | q40b | Q40.If A Law Is Easy To Break,  | discrete | numeric |          |
| V683 | q40c | Q40.Suspected Criminals Can Be  | discrete | numeric |          |
| V684 | q40d | Q40.People Should Not Have To O | discrete | numeric |          |
| V685 | q40e | Q40.Suspected Criminals Should  | discrete | numeric |          |
| V686 | q40f | Q40.Only Obey Laws Passed By Le | discrete | numeric |          |
| V687 | q40g | Q40.Police Should Hold Suspects | discrete | numeric |          |
| V688 | q40h | Q40.People Should Obey A Law Ev | discrete | numeric |          |
| V689 | q40i | Q40.Suspects Do Not Deserve Sam | discrete | numeric |          |
| V690 | q41a | Q41.Approval/Disapproval Of Job | discrete | numeric |          |
| V691 | q41b | Q41.Approval/Disapproval Of Job | discrete | numeric |          |
| V692 | q41c | Q41.Approval/Disapproval Of Job | discrete | numeric |          |
| V693 | q42a | Q42.Trust President Mandela To  | discrete | numeric |          |
| V694 | q42b | Q42.Trust National Government T | discrete | numeric |          |
| V695 | q42c | Q42.Trust Provincial Government | discrete | numeric |          |
| V696 | q42d | Q42.Trust Police To Do What Is  | discrete | numeric |          |
| V697 | q42e | Q42.Trust Courts To Do What Is  | discrete | numeric |          |
| V698 | q43  | Q43.Satisfaction With Democracy | discrete | numeric |          |
| V699 | q44  | Q44.Satisfaction With General P | discrete | numeric |          |
| V700 | q45  | Q45.Satisfaction With Condition | discrete | numeric |          |
| V701 | q46  | Q46.Satisfaction With Condition | discrete | numeric |          |
| V702 | q47  | Q47.Satisfaction With Situation | discrete | numeric |          |
| V703 | q48  | Q48.General Personal Situation  | discrete | numeric |          |
| V704 | q49  | Q49.Satisfaction With Personal  | discrete | numeric |          |
| V705 | q50  | Q50.Present Situation Of Group  | discrete | numeric |          |
| V706 | q51  | Q51.Satisfaction With Situation | discrete | numeric |          |
| V707 | q52a | Q52.Level Of Interest Displayed | discrete | numeric |          |
| V708 | q52b | Q52.Level Of Interest Displayed | discrete | numeric |          |
| V709 | q52c | Q52.Level Of Interest Displayed | discrete | numeric |          |
| V710 | q52d | Q52.Level Of Interest Displayed | discrete | numeric |          |
| V711 | q52e | Q52.Level Of Interest Displayed | discrete | numeric |          |
| V712 | q53  | Q53.Persons Or Groups Posing Gr | discrete | numeric |          |

| ID   | Name   | Label                           | Type     | Format  | Question |
|------|--------|---------------------------------|----------|---------|----------|
| V713 | q54a   | Q54.Given The Opportunity To Be | discrete | numeric |          |
| V714 | q54b   | Q54.Provided With A Lawyer At S | discrete | numeric |          |
| V715 | q54c   | Q54.Sent To Jail Immediately Wi | discrete | numeric |          |
| V716 | q54d   | Q54.Denied The Chance For Parol | discrete | numeric |          |
| V717 | q55a   | Q55.Changes In Lifestyle Are Si | discrete | numeric |          |
| V718 | q55b   | Q55.It Is Never Justified To Us | discrete | numeric |          |
| V719 | q55c   | Q55.It Is Best To Accept The FI | discrete | numeric |          |
| V720 | q55d   | Q55.It Is Better To Live In An  | discrete | numeric |          |
| V721 | q55e   | Q55.My Religious Beliefs Are Un | discrete | numeric |          |
| V722 | q55f   | Q55.Of All The Religions There  | discrete | numeric |          |
| V723 | q55g   | Q55.People Should Always Try To | discrete | numeric |          |
| V724 | q55h   | Q55.People Should Not Try To Ch | discrete | numeric |          |
| V725 | q55i   | Q55.Punishment Should Fit The C | discrete | numeric |          |
| V726 | q55j   | Q55.Religious And Traditional V | discrete | numeric |          |
| V727 | q55k   | Q55.The Sa Constitution Poses A | discrete | numeric |          |
| V728 | q55l   | Q55.There Can Never Be Clear Gu | discrete | numeric |          |
| V729 | q55m   | Q55.Religious Leaders Can Decla | discrete | numeric |          |
| V730 | q55n   | Q55.Punish People Who Do Evil T | discrete | numeric |          |
| V731 | q56    | Q56.Awareness Of Pagad          | discrete | numeric |          |
| V732 | q57a1  | Q57.Feelings About Pagad - Dont | discrete | numeric |          |
| V733 | q57a2  | Q57.Feelings About Pagad - I Do | discrete | numeric |          |
| V734 | q57a3  | Q57.Feelings About Pagad - I Am | discrete | numeric |          |
| V735 | q57a4  | Q57.Feelings About Pagad - I Am | discrete | numeric |          |
| V736 | q57a5  | Q57.Feelings About Pagad - Mixe | discrete | numeric |          |
| V737 | q57a6  | Q57.Feelings About Pagad - I Di | discrete | numeric |          |
| V738 | q57a7  | Q57.Feelings About Pagad - Upse | discrete | numeric |          |
| V739 | q57a8  | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V740 | q57a9  | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V741 | q57a10 | Q57.Feelings About Pagad - Agre | discrete | numeric |          |
| V742 | q57a11 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V743 | q57a12 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V744 | q57a13 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V745 | q57a14 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V746 | q57a15 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V747 | q57a16 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V748 | q57a17 | Q57.Feelings About Pagad - Othe | discrete | numeric |          |
| V749 | q57a18 | Q57.Feelings About Pagad - Anti | discrete | numeric |          |
| V750 | q57a19 | Q57.Feelings About Pagad - Posi | discrete | numeric |          |
| V751 | q57a20 | Q57.Feelings About Pagad - Posi | discrete | numeric |          |
| V752 | q57a21 | Q57.Feelings About Pagad - Nega | discrete | numeric |          |



| ID   | Name   | Label                           | Type     | Format  | Question |
|------|--------|---------------------------------|----------|---------|----------|
| V753 | q57a22 | Q57.Feelings About Pagad - Agre | discrete | numeric |          |
| V754 | q57a23 | Q57.Feelings About Pagad - Anti | discrete | numeric |          |
| V755 | q57a24 | Q57.Feelings About Pagad - Code | discrete | numeric |          |
| V756 | q57a25 | Q57.Feelings About Pagad - Effe | discrete | numeric |          |
| V757 | q57a26 | Q57.Feelings About Pagad - Inef | discrete | numeric |          |
| V758 | q57a27 | Q57.Feelings About Pagad - Prid | discrete | numeric |          |
| V759 | q57a28 | Q57.Feelings About Pagad - Diss | discrete | numeric |          |
| V760 | q57a29 | Q57.Feelings About Pagad - Disa | discrete | numeric |          |
| V761 | q57a30 | Q57.Feelings About Pagad - Agai | discrete | numeric |          |
| V762 | q57a31 | Q57.Feelings About Pagad - Dont | discrete | numeric |          |
| V763 | q57a32 | Q57.Feelings About Pagad - Its  | discrete | numeric |          |
| V764 | q57a33 | Q57.Feelings About Pagad - Acti | discrete | numeric |          |
| V765 | q57a34 | Q57.Feelings About Pagad - Disa | discrete | numeric |          |
| V766 | q57a35 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V767 | q57a36 | Q57.Feelings About Pagad - Its  | discrete | numeric |          |
| V768 | q57a37 | Q57.Feelings About Pagad - Doin | discrete | numeric |          |
| V769 | q57a38 | Q57.Feelings About Pagad - Agre | discrete | numeric |          |
| V770 | q57a39 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V771 | q57a40 | Q57.Feelings About Pagad - Gett | discrete | numeric |          |
| V772 | q57a41 | Q57.Feelings About Pagad - Shou | discrete | numeric |          |
| V773 | q57a42 | Q57.Feelings About Pagad - Feel | discrete | numeric |          |
| V774 | q57a43 | Q57.Feelings About Pagad - Gett | discrete | numeric |          |
| V775 | q57a44 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V776 | q57a45 | Q57.Feelings About Pagad - They | discrete | numeric |          |
| V777 | q58    | Q58.Level Of Pagad Activity     | discrete | numeric |          |
| V778 | q59    | Q59.Level Of Support For Pagad  | discrete | numeric |          |
| V779 | q60    | Q60.Likelihood Of Joining Pagad | discrete | numeric |          |
| V780 | q61    | Q61.Present Effectiveness Of Pa | discrete | numeric |          |
| V781 | q62    | Q62.Future Effectives Of Pagad  | discrete | numeric |          |
| V782 | q63a1  | Q63.Perceived Representation -  | discrete | numeric |          |
| V783 | q63a2  | Q63.Perceived Representation -  | discrete | numeric |          |
| V784 | q63a3  | Q63.Perceived Representation -  | discrete | numeric |          |
| V785 | q63a4  | Q63.Perceived Representation -  | discrete | numeric |          |
| V786 | q63a5  | Q63.Perceived Representation -  | discrete | numeric |          |
| V787 | q63a6  | Q63.Perceived Representation -  | discrete | numeric |          |
| V788 | q63a7  | Q63.Perceived Representation -  | discrete | numeric |          |
| V789 | q63a8  | Q63.Perceived Representation -  | discrete | numeric |          |
| V790 | q63a9  | Q63.Perceived Representation -  | discrete | numeric |          |
| V791 | q63a10 | Q63.Perceived Representation -  | discrete | numeric |          |
| V792 | q63a11 | Q63.Perceived Representation -  | discrete | numeric |          |

| ID   | Name   | Label                           | Type     | Format  | Question |
|------|--------|---------------------------------|----------|---------|----------|
| V793 | q63a12 | Q63.Perceived Representation -  | discrete | numeric |          |
| V794 | q63a13 | Q63.Perceived Representation -  | discrete | numeric |          |
| V795 | q63a14 | Q63.Perceived Representation -  | discrete | numeric |          |
| V796 | q63a15 | Q63.Perceived Representation -  | discrete | numeric |          |
| V797 | q63a16 | Q63.Perceived Representation -  | discrete | numeric |          |
| V798 | q63a17 | Q63.Perceived Representation -  | discrete | numeric |          |
| V799 | q63a18 | Q63.Perceived Representation -  | discrete | numeric |          |
| V800 | q63a19 | Q63.Perceived Representation -  | discrete | numeric |          |
| V801 | q63a20 | Q63.Perceived Representation -  | discrete | numeric |          |
| V802 | q63a21 | Q63.Perceived Representation -  | discrete | numeric |          |
| V803 | q63a22 | Q63.Perceived Representation -  | discrete | numeric |          |
| V804 | q63a23 | Q63.Perceived Representation -  | discrete | numeric |          |
| V805 | q63a24 | Q63.Perceived Representation -  | discrete | numeric |          |
| V806 | q63a25 | Q63.Perceived Representation -  | discrete | numeric |          |
| V807 | q63a26 | Q63.Perceived Representation -  | discrete | numeric |          |
| V808 | q64    | Q64.Feelings About Pagad        | discrete | numeric |          |
| V809 | q65    | Q65.Statements Best Describing  | discrete | numeric |          |
| V810 | q66a1  | Q66.Reasons For Description - N | discrete | numeric |          |
| V811 | q66a2  | Q66.Reasons For Description - D | discrete | numeric |          |
| V812 | q66a3  | Q66.Reasons For Description - I | discrete | numeric |          |
| V813 | q66a4  | Q66.Reasons For Description - T | discrete | numeric |          |
| V814 | q66a5  | Q66.Reasons For Description - I | discrete | numeric |          |
| V815 | q66a6  | Q66.Reasons For Description - T | discrete | numeric |          |
| V816 | q66a7  | Q66.Reasons For Description - D | discrete | numeric |          |
| V817 | q66a8  | Q66.Reasons For Description - I | discrete | numeric |          |
| V818 | q66a9  | Q66.Reasons For Description - T | discrete | numeric |          |
| V819 | q66a10 | Q66.Reasons For Description - I | discrete | numeric |          |
| V820 | q66a11 | Q66.Reasons For Description - I | discrete | numeric |          |
| V821 | q66a12 | Q66.Reasons For Description - I | discrete | numeric |          |
| V822 | q66a13 | Q66.Reasons For Description - D | discrete | numeric |          |
| V823 | q66a14 | Q66.Reasons For Description - T | discrete | numeric |          |
| V824 | q66a15 | Q66.Reasons For Description - I | discrete | numeric |          |
| V825 | q66a16 | Q66.Reasons For Description - T | discrete | numeric |          |
| V826 | q66a17 | Q66.Reasons For Description - D | discrete | numeric |          |
| V827 | q66a18 | Q66.Reasons For Description - I | discrete | numeric |          |
| V828 | q66a19 | Q66.Reasons For Description - I | discrete | numeric |          |
| V829 | q66a20 | Q66.Reasons For Description - T | discrete | numeric |          |
| V830 | q66a21 | Q66.Reasons For Description - T | discrete | numeric |          |
| V831 | q66a22 | Q66.Reasons For Description - I | discrete | numeric |          |
| V832 | q66a23 | Q66.Reasons For Description - I | discrete | numeric |          |

| ID   | Name   | Label                           | Type     | Format  | Question |
|------|--------|---------------------------------|----------|---------|----------|
| V833 | q66a24 | Q66.Reasons For Description - I | discrete | numeric |          |
| V834 | q66a25 | Q66.Reasons For Description - O | discrete | numeric |          |
| V835 | q66a26 | Q66.Reasons For Description - D | discrete | numeric |          |
| V836 | q66a27 | Q66.Reasons For Description - I | discrete | numeric |          |
| V837 | q66a28 | Q66.Reasons For Description - D | discrete | numeric |          |
| V838 | q66a29 | Q66.Reasons For Description - I | discrete | numeric |          |
| V839 | q66a30 | Q66.Reasons For Description - I | discrete | numeric |          |
| V840 | q66a31 | Q66.Reasons For Description - A | discrete | numeric |          |
| V841 | q66a32 | Q66.Reasons For Description - I | discrete | numeric |          |
| V842 | q66a33 | Q66.Reasons For Description - T | discrete | numeric |          |
| V843 | q66a34 | Q66.Reasons For Description - I | discrete | numeric |          |
| V844 | q66a35 | Q66.Reasons For Description - N | discrete | numeric |          |
| V845 | q66a36 | Q66.Reasons For Description - T | discrete | numeric |          |
| V846 | q66a37 | Q66.Reasons For Description - T | discrete | numeric |          |
| V847 | q66a38 | Q66.Reasons For Description - N | discrete | numeric |          |
| V848 | q66a39 | Q66.Reasons For Description - D | discrete | numeric |          |
| V849 | q66a40 | Q66.Reasons For Description - T | discrete | numeric |          |
| V850 | q66a41 | Q66.Reasons For Description - I | discrete | numeric |          |
| V851 | q66a42 | Q66.Reasons For Description - I | discrete | numeric |          |
| V852 | q66a43 | Q66.Reasons For Description - R | discrete | numeric |          |
| V853 | q66a44 | Q66.Reasons For Description - T | discrete | numeric |          |
| V854 | q66a45 | Q66.Reasons For Description - T | discrete | numeric |          |
| V855 | q66a46 | Q66.Reasons For Description - I | discrete | numeric |          |
| V856 | q66a47 | Q66.Reasons For Description - I | discrete | numeric |          |
| V857 | q66a48 | Q66.Reasons For Description - I | discrete | numeric |          |
| V858 | q66a49 | Q66.Reasons For Description - C | discrete | numeric |          |
| V859 | q66a50 | Q66.Reasons For Description - F | discrete | numeric |          |
| V860 | q66a51 | Q66.Reasons For Description - I | discrete | numeric |          |
| V861 | q66a52 | Q66.Reasons For Description - O | discrete | numeric |          |
| V862 | q66a53 | Q66.Reasons For Description - T | discrete | numeric |          |
| V863 | q67a   | Q67.Give Evidence About Know Cr | discrete | numeric |          |
| V864 | q67b   | Q67.Sign Petition Demanding Tha | discrete | numeric |          |
| V865 | q67c   | Q67.Attend Rallies To Protest A | discrete | numeric |          |
| V866 | q67d   | Q67.Support A Boycott Of Busine | discrete | numeric |          |
| V867 | q67e   | Q67.March On Police Station To  | discrete | numeric |          |
| V868 | q67f   | Q67.Take Part In Protest Marche | discrete | numeric |          |
| V869 | q67g   | Q67.Use Violence To Rid Communi | discrete | numeric |          |
| V870 | var400 | Office Use - Pre-Code           | discrete | numeric |          |
| V871 | q68a   | Q68A.Actions Would Be Turned On | discrete | numeric |          |
| V872 | q68b   | Q68B.By Doing Nothing Violence  | discrete | numeric |          |

| ID   | Name    | Label                           | Type     | Format  | Question |
|------|---------|---------------------------------|----------|---------|----------|
| V873 | q69a1   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V874 | q69a2   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V875 | q69a3   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V876 | q69a4   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V877 | q69a5   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V878 | q69a6   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V879 | q69a7   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V880 | q69a8   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V881 | q69a9   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V882 | q69a10  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V883 | q69a11  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V884 | q69a12  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V885 | q69a13  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V886 | q69a14  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V887 | q69a15  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V888 | q69a16  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V889 | q69a17  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V890 | q69a18  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V891 | q69a19  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V892 | q69a20  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V893 | q69a21  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V894 | q69a22  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V895 | q69a23  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V896 | q69a24  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V897 | q69a25  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V898 | q69a26  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V899 | q69a27  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V900 | q68c    | Q68C.Taking The Law Into Your O | discrete | numeric |          |
| V901 | q68d    | Q68D.By Doing Nothing Violence  | discrete | numeric |          |
| V902 | q69b1   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V903 | q69b2   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V904 | q69b3   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V905 | q69b4   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V906 | q69b5   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V907 | q69b6   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V908 | q69b7   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V909 | q69b8   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V910 | q69b9   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V911 | q69ba10 | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V912 | q69b11  | Q69.Reason For Continued Suppor | discrete | numeric |          |

| ID   | Name    | Label                           | Type     | Format  | Question |
|------|---------|---------------------------------|----------|---------|----------|
| V913 | q69b12  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V914 | q69b13  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V915 | q69b14  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V916 | q69b15  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V917 | q69b16  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V918 | q69b17  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V919 | q69b18  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V920 | q69b19  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V921 | q69b20  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V922 | q69b21  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V923 | q69b22  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V924 | q69b23  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V925 | q69b24  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V926 | q69ba25 | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V927 | q69b26  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V928 | q69b27  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V929 | q68e    | Q68E.Will Escalate Gang Violenc | discrete | numeric |          |
| V930 | q68f    | Q68F.By Doing Nothing Gang Viol | discrete | numeric |          |
| V931 | q69c1   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V932 | q69c2   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V933 | q69c3   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V934 | q69c4   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V935 | q69ca5  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V936 | q69c6   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V937 | q69c7   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V938 | q69c8   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V939 | q69c9   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V940 | q69c10  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V941 | q69c11  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V942 | q69c12  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V943 | q69c13  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V944 | q69c14  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V945 | q69c15  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V946 | q69c16  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V947 | q69c17  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V948 | q69c18  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V949 | q69c19  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V950 | q69c20  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V951 | q69c21  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V952 | q69c22  | Q69.Reason For Continued Suppor | discrete | numeric |          |

| ID   | Name    | Label                           | Type     | Format  | Question |
|------|---------|---------------------------------|----------|---------|----------|
| V953 | q69c23  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V954 | q69c24  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V955 | q69c25  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V956 | q69c26  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V957 | q69c27  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V958 | q68g    | Q68G.Religious Or Community Lea | discrete | numeric |          |
| V959 | q68h    | Q68H.Religious Or Community Lea | discrete | numeric |          |
| V960 | q69d1   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V961 | q69d2   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V962 | q69d3   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V963 | q69d4   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V964 | q69d5   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V965 | q69d6   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V966 | q69d7   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V967 | q69d8   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V968 | q69d9   | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V969 | q69d10  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V970 | q69d11  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V971 | q69d12  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V972 | q69d13  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V973 | q69d14  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V974 | q69d15  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V975 | q69d16  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V976 | q69d17  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V977 | q69d18  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V978 | q69d19  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V979 | q69d20  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V980 | q69da21 | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V981 | q69d22  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V982 | q69d23  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V983 | q69d24  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V984 | q69d25  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V985 | q69d26  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V986 | q69d27  | Q69.Reason For Continued Suppor | discrete | numeric |          |
| V987 | q70     | Q70.Age                         | discrete | numeric |          |
| V988 | q71     | Q71.Type Of Dwelling            | discrete | numeric |          |
| V989 | q72     | Q72.Frequency Of Seeing People  | discrete | numeric |          |
| V990 | q73     | Q73.Frequency Of Getting Togeth | discrete | numeric |          |
| V991 | q74     | Q74.Extent To Which People Look | discrete | numeric |          |
| V992 | q75     | Q75.Work Descriptors            | discrete | numeric |          |

| ID    | Name    | Label                           | Type     | Format  | Question |
|-------|---------|---------------------------------|----------|---------|----------|
| V993  | q76     | Q76.Occupation                  | discrete | numeric |          |
| V994  | q77     | Q77.Highest Level Of Education  | discrete | numeric |          |
| V995  | q78     | Q78.Household Income            | discrete | numeric |          |
| V996  | q79     | Q79.Religion Or Church Belonged | discrete | numeric |          |
| V997  | q80     | Q80.Frequency Of Attending Reli | discrete | numeric |          |
| V998  | q81     | Q81.Religious Description       | discrete | numeric |          |
| V999  | q82     | Q82.Political Party             | discrete | numeric |          |
| V1000 | q83     | Q83.Language                    | discrete | numeric |          |
| V1001 | q84     | Q84.Race                        | discrete | numeric |          |
| V1002 | q85     | Q85.Gender                      | discrete | numeric |          |
| V1003 | q158    | Pagad First Mentioned           | discrete | numeric |          |
| V1004 | q160a1  | Standard Analysis - Total       | discrete | numeric |          |
| V1005 | q160a2  | Standard Analysis - Asian       | discrete | numeric |          |
| V1006 | q160a3  | Standard Analysis - Black       | discrete | numeric |          |
| V1007 | q160a4  | Standard Analysis - Coloured    | discrete | numeric |          |
| V1008 | q160a5  | Standard Analysis - White       | discrete | numeric |          |
| V1009 | q160a6  | Standard Analysis - Male        | discrete | numeric |          |
| V1010 | q160a7  | Standard Analysis - Female      | discrete | numeric |          |
| V1011 | q160a8  | Standard Analysis - 18-24 Yrs   | discrete | numeric |          |
| V1012 | q160a9  | Standard Analysis - 25-34 Yrs   | discrete | numeric |          |
| V1013 | q160a10 | Standard Analysis - 35-49 Yrs   | discrete | numeric |          |
| V1014 | q160a11 | Standard Analysis - 50+ Yrs     | discrete | numeric |          |
| V1015 | q160a12 | Standard Analysis - English     | discrete | numeric |          |
| V1016 | q160a13 | Standard Analysis - Afrikaans   | discrete | numeric |          |
| V1017 | q160a14 | Standard Analysis - Both        | discrete | numeric |          |
| V1018 | q160a15 | Standard Analysis - Other       | discrete | numeric |          |
| V1019 | q160a16 | Standard Analysis - Anc         | discrete | numeric |          |
| V1020 | q160a17 | Standard Analysis - Np          | discrete | numeric |          |
| V1021 | q160a18 | Standard Analysis - Other       | discrete | numeric |          |
| V1022 | q160a19 | Standard Analysis - None        | discrete | numeric |          |
| V1023 | q160a20 | Standard Analysis - Refused     | discrete | numeric |          |
| V1024 | q160a21 | Standard Analysis - Christian   | discrete | numeric |          |
| V1025 | q160a22 | Standard Analysis - Muslim      | discrete | numeric |          |
| V1026 | q160a23 | Standard Analysis - Other       | discrete | numeric |          |
| V1027 | q160a24 | Standard Analysis - None        | discrete | numeric |          |
| V1028 | q160a25 | Standard Analysis - Less Than R | discrete | numeric |          |
| V1029 | q160a26 | Standard Analysis - R1400-R2499 | discrete | numeric |          |
| V1030 | q160a27 | Standard Analysis - R2500-R5999 | discrete | numeric |          |
| V1031 | q160a28 | Standard Analysis - R6000 Or Mo | discrete | numeric |          |
| V1032 | q160a29 | Standard Analysis - Refused     | discrete | numeric |          |

| ID    | Name    | Label                           | Type     | Format  | Question |
|-------|---------|---------------------------------|----------|---------|----------|
| V1033 | q160a30 | Standard Analysis - Profession  | discrete | numeric |          |
| V1034 | q160a31 | Standard Analysis - White Colla | discrete | numeric |          |
| V1035 | q160a32 | Standard Analysis - Blue Collar | discrete | numeric |          |
| V1036 | q160a33 | Standard Analysis - Housewife   | discrete | numeric |          |
| V1037 | q160a34 | Standard Analysis - Other       | discrete | numeric |          |
| V1038 | q160a35 | Standard Analysis - Employed    | discrete | numeric |          |
| V1039 | q160a36 | Standard Analysis - Unemployed  | discrete | numeric |          |
| V1040 | q160a37 | Standard Analysis - Never       | discrete | numeric |          |
| V1041 | q160a38 | Standard Analysis - Consider    | discrete | numeric |          |
| V1042 | q160a39 | Standard Analysis - Definately  | discrete | numeric |          |
| V1043 | q160a40 | Standard Analysis - Member      | discrete | numeric |          |
| V1044 | q160a41 | Standard Analysis - Dont Know   | discrete | numeric |          |
| V1045 | q160a42 | Standard Analysis - Have Done   | discrete | numeric |          |
| V1046 | q160a43 | Standard Analysis - Would Do    | discrete | numeric |          |
| V1047 | q160a44 | Standard Analysis - Support Oth | discrete | numeric |          |
| V1048 | q160a45 | Standard Analysis - Would Not D | discrete | numeric |          |





**(id)**

File: cca-1996-1997-v1-stata11

**Overview**

|                  |                           |
|------------------|---------------------------|
| Type: Continuous | Valid cases: 500          |
| Format: numeric  | Invalid: 0                |
| Width: 3         | Minimum: 1                |
| Decimals: 0      | Maximum: 500              |
| Range: 1-500     | Mean: 250.5               |
|                  | Standard deviation: 144.5 |

**Suburb (suburb)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-52     |                  |

**Q83.Language (language)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q1A.Most Important Problems - N (q1a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - G (q1a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - U (q1a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - H (q1a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - R (q1a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - T (q1a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - C (q1a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - M (q1a8)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - M (q1a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - V (q1a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - V (q1a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - F (q1a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - M (q1a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - H (q1a13)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - H (q1a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - P (q1a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - D (q1a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - A (q1a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - R (q1a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - B (q1a18)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - B (q1a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - N (q1a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - H (q1a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - A (q1a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - I (q1a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - O (q1a23)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - O (q1a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - S (q1a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - V (q1a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - P (q1a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - D (q1a27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - C (q1a28)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - C (q1a28)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - K (q1a29)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - D (q1a30)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - E (q1a31)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - P (q1a32)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - S (q1a33)**

File: cca-1996-1997-v1-stata11



**Q1A.Most Important Problems - S (q1a33)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - D (q1a34)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - A (q1a35)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - D (q1a36)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - S (q1a37)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - L (q1a38)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - L (q1a38)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - F (q1a39)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - S (q1a40)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - S (q1a41)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - E (q1a42)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - G (q1a43)**

File: cca-1996-1997-v1-stata11

**Q1A.Most Important Problems - G (q1a43)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - L (q1a44)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - T (q1a45)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - C (q1a46)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - H (q1a47)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1A.Most Important Problems - N (q1a48)**

File: cca-1996-1997-v1-stata11

**Q1A. Most Important Problems - N (q1a48)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q1B. Single Most Important Probl (q1b1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-48     |                  |

**Q1B. Second Most Important Probl (q1b2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-48     |                  |

**Q1B. Third Most Important Proble (q1b3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-48     |                  |

**Q2. Level Of Crime (q2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q3. Satisfaction With Crime Situ (q3)**

File: cca-1996-1997-v1-stata11

**Q3.Satisfaction With Crime Situ (q3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q4.Level Of Safety At Home (q4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q5.Satisfaction With Safety At (q5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q6.Level Of Safety In Neighbour (q6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q7.Satisfaction With Safety In (q7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q8.Major Types Of Crime Problem (q8a)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8f)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8f)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8g)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8h)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8i)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8j)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8k)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8k)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8l)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8m)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8n)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8o)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8p)**

File: cca-1996-1997-v1-stata11



**Q8.Major Types Of Crime Problem (q8p)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8q)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8r)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8s)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8t)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8u)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8u)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8v)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8w)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8x)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8y)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8z)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8z)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8aa)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ab)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ac)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ad)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ae)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8ae)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8af)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ag)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ah)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ai)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8aj)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8aj)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ak)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8al)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8am)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8an)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ao)**

File: cca-1996-1997-v1-stata11

**Q8.Major Types Of Crime Problem (q8ao)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ap)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8aq)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q8.Major Types Of Crime Problem (q8ar)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q9.Level Of Drug Activity (q9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q10.Level Of Gang Activity (q10)**

File: cca-1996-1997-v1-stata11

**Q10.Level Of Gang Activity (q10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q11.Positive Contribution By Ga (q11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q12.Approval/Disapproval Of Job (q12a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q12.Approval/Disapproval Of Job (q12b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q13.Satisfaction With Sa Police (q13a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q13.Satisfaction With Courts (q13b)**

File: cca-1996-1997-v1-stata11

**Q13.Satisfaction With Courts (q13b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q14A.Citizens Receiving Fair Re (q14a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q14B.Courts Making Fair Decisio (q14b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q14C.Sa Police Treating People (q14c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q14D.Courts Treating People Fai (q14d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q15A.Treatment Received When De (q15a)**

File: cca-1996-1997-v1-stata11



**Q15A.Treatment Received When De (q15a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q15B.Treatment Received When De (q15b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q16.Frequency Of Sa Police Patr (q16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q17.Police Performance In Prote (q17a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q17.Police Performance In Appre (q17b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q17.Police Performance In Gathe (q17c)**

File: cca-1996-1997-v1-stata11

**Q17.Police Performance In Gathe (q17c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q18.Court Performance In Reachi (q18a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q18.Court Performrance In Giving (q18b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q19A.Number Of Police Members E (q19a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q19B.Number Of Judges/Prosecuto (q19b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q20.Victim Of Crime (q20)**

File: cca-1996-1997-v1-stata11

**Q20.Victim Of Crime (q20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-2      |                  |

**Q21.Type Of Crime - Theft (q21a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Break-In/Bu (q21a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Assault (q21a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Mugging (q21a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Attempted R (q21a5)**

File: cca-1996-1997-v1-stata11

**Q21.Type Of Crime - Attempted R (q21a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Rape (q21a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Arson (q21a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Attempted M (q21a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - Other (q21a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q21.Type Of Crime - (q21a10)**

File: cca-1996-1997-v1-stata11

**Q21.Type Of Crime - (q21a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q22.Type Of Crime Which Had Gre (q22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-10     |                  |

**Q23.Charge Laid With Police (q23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-2      |                  |

**Q24.Personal Contact Or Involve (q24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-2      |                  |

**Q25.Satisfaction With Result Of (q25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q26.Fairness Of Result Of Case (q26)**

File: cca-1996-1997-v1-stata11

**Q26.Fairness Of Result Of Case (q26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q27.Fairness Of Treatment By Po (q27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q28.Incidence Of Case Going To (q28)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q29.Personal Contact With Court (q29)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-2      |                  |

**Q30.Satisfaction With Decision (q30)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q31.Fairness Of Decision Of Cou (q31)**

File: cca-1996-1997-v1-stata11

**Q31.Fairness Of Decision Of Cou (q31)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q32.Fairness Of Treatment By Co (q32)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q33.Level Of Safety About Givin (q33a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q33.Level Of Safety About Testi (q33b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q34.Effect Of Giving Informatio (q34a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q34.Effect Of Testifying In Cou (q34b)**

File: cca-1996-1997-v1-stata11

**Q34.Effect Of Testifying In Cou (q34b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q35.Group Association (q35)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-55     |                  |

**Q36.Difference To Other South A (q36)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q37.Closeness To Group (q37)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q38.Association With Group Vs. (q38)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q39.Importance Of Belonging To (q39)**

File: cca-1996-1997-v1-stata11



**Q39.Importance Of Belonging To (q39)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q40.Better To Ignore Law Than W (q40a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.If A Law Is Easy To Break, (q40b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.Suspected Criminals Can Be (q40c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.People Should Not Have To O (q40d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.Suspected Criminals Should (q40e)**

File: cca-1996-1997-v1-stata11

**Q40.Suspected Criminals Should (q40e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.Only Obey Laws Passed By Le (q40f)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.Police Should Hold Suspects (q40g)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.People Should Obey A Law Ev (q40h)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q40.Suspects Do Not Deserve Sam (q40i)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q41.Approval/Disapproval Of Job (q41a)**

File: cca-1996-1997-v1-stata11

**Q41.Approval/Disapproval Of Job (q41a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q41.Approval/Disapproval Of Job (q41b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q41.Approval/Disapproval Of Job (q41c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q42.Trust President Mandela To (q42a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q42.Trust National Government T (q42b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q42.Trust Provincial Government (q42c)**

File: cca-1996-1997-v1-stata11

**Q42.Trust Provincial Government (q42c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q42.Trust Police To Do What Is (q42d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q42.Trust Courts To Do What Is (q42e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q43.Satisfaction With Democracy (q43)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q44.Satisfaction With General P (q44)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q45.Satisfaction With Condition (q45)**

File: cca-1996-1997-v1-stata11

**Q45.Satisfaction With Condition (q45)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q46.Satisfaction With Condition (q46)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q47.Satisfaction With Situation (q47)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q48.General Personal Situation (q48)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q49.Satisfaction With Personal (q49)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q50.Present Situation Of Group (q50)**

File: cca-1996-1997-v1-stata11

**Q50.Present Situation Of Group (q50)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q51.Satisfaction With Situation (q51)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q52.Level Of Interest Displayed (q52a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q52.Level Of Interest Displayed (q52b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q52.Level Of Interest Displayed (q52c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q52.Level Of Interest Displayed (q52d)**

File: cca-1996-1997-v1-stata11

**Q52.Level Of Interest Displayed (q52d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q52.Level Of Interest Displayed (q52e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-5      |                  |

**Q53.Persons Or Groups Posing Gr (q53)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-36     |                  |

**Q54.Given The Opportunity To Be (q54a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q54.Provided With A Lawyer At S (q54b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q54.Sent To Jail Immediately Wi (q54c)**

File: cca-1996-1997-v1-stata11

**Q54.Sent To Jail Immediately Wi (q54c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q54.Denied The Chance For Parol (q54d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q55.Changes In Lifestyle Are Si (q55a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.It Is Never Justified To Us (q55b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.It Is Best To Accept The Fl (q55c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.It Is Better To Live In An (q55d)**

File: cca-1996-1997-v1-stata11



**Q55.It Is Better To Live In An (q55d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.My Religious Beliefs Are Un (q55e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.Of All The Religions There (q55f)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.People Should Always Try To (q55g)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.People Should Not Try To Ch (q55h)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.Punishment Should Fit The C (q55i)**

File: cca-1996-1997-v1-stata11

**Q55.Punishment Should Fit The C (q55i)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.Religious And Traditional V (q55j)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.The Sa Constitution Poses A (q55k)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.There Can Never Be Clear Gu (q55l)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.Religious Leaders Can Decla (q55m)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q55.Punish People Who Do Evil T (q55n)**

File: cca-1996-1997-v1-stata11

**Q55.Punish People Who Do Evil T (q55n)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q56.Awareness Of Pagad (q56)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-2      |                  |

**Q57.Feelings About Pagad - Dont (q57a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57.Feelings About Pagad - I Do (q57a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57.Feelings About Pagad - I Am (q57a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57.Feelings About Pagad - I Am (q57a4)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - I Am (q57a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Mixe (q57a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - I Di (q57a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Upse (q57a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a9)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - They (q57a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Agre (q57a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a14)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - They (q57a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Othe (q57a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Anti (q57a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Posi (q57a19)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - Posi (q57a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Posi (q57a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Nega (q57a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Agre (q57a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Anti (q57a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Code (q57a24)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - Code (q57a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Effe (q57a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Inef (q57a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Prid (q57a27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Diss (q57a28)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Disa (q57a29)**

File: cca-1996-1997-v1-stata11



**Q57. Feelings About Pagad - Disa (q57a29)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Agai (q57a30)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Dont (q57a31)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Its (q57a32)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Acti (q57a33)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Disa (q57a34)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - Disa (q57a34)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a35)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Its (q57a36)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Doin (q57a37)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Agre (q57a38)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a39)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - They (q57a39)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Gett (q57a40)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Shou (q57a41)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Feel (q57a42)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - Gett (q57a43)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a44)**

File: cca-1996-1997-v1-stata11

**Q57. Feelings About Pagad - They (q57a44)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q57. Feelings About Pagad - They (q57a45)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q58. Level Of Pagad Activity (q58)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-4      |                  |

**Q59. Level Of Support For Pagad (q59)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-5      |                  |

**Q60. Likelihood Of Joining Pagad (q60)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q61. Present Effectiveness Of Pa (q61)**

File: cca-1996-1997-v1-stata11

**Q61.Present Effectiveness Of Pa (q61)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-5      |                  |

**Q62.Future Effectives Of Pagad (q62)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-5      |                  |

**Q63.Perceived Representation - (q63a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a4)**

File: cca-1996-1997-v1-stata11

**Q63.Perceived Representation - (q63a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a9)**

File: cca-1996-1997-v1-stata11

**Q63.Perceived Representation - (q63a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a14)**

File: cca-1996-1997-v1-stata11

**Q63.Perceived Representation - (q63a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a19)**

File: cca-1996-1997-v1-stata11



**Q63.Perceived Representation - (q63a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a24)**

File: cca-1996-1997-v1-stata11

**Q63.Perceived Representation - (q63a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q63.Perceived Representation - (q63a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q64.Feelings About Pagad (q64)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-6      |                  |

**Q65.Statements Best Describing (q65)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-5      |                  |

**Q66.Reasons For Description - N (q66a1)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - N (q66a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a6)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - T (q66a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a11)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - I (q66a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a16)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - T (q66a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a21)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - T (q66a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - O (q66a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a26)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - D (q66a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a28)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a29)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a30)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - A (q66a31)**

File: cca-1996-1997-v1-stata11



**Q66.Reasons For Description - A (q66a31)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a32)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a33)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a34)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - N (q66a35)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a36)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - T (q66a36)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a37)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - N (q66a38)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - D (q66a39)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a40)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a41)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - I (q66a41)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a42)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - R (q66a43)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a44)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a45)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a46)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - I (q66a46)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a47)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a48)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - C (q66a49)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - F (q66a50)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - I (q66a51)**

File: cca-1996-1997-v1-stata11

**Q66.Reasons For Description - I (q66a51)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - O (q66a52)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q66.Reasons For Description - T (q66a53)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q67.Give Evidence About Know Cr (q67a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.Sign Petition Demanding Tha (q67b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.Attend Rallies To Protest A (q67c)**

File: cca-1996-1997-v1-stata11

**Q67.Attend Rallies To Protest A (q67c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.Support A Boycott Of Busine (q67d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.March On Police Station To (q67e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.Take Part In Protest Marche (q67f)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q67.Use Violence To Rid Communi (q67g)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Office Use - Pre-Code (var400)**

File: cca-1996-1997-v1-stata11

**Office Use - Pre-Code (var400)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q68A.Actions Would Be Turned On (q68a)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q68B.By Doing Nothing Violence (q68b)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q69.Reason For Continued Suppor (q69a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a3)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a8)**

File: cca-1996-1997-v1-stata11



**Q69.Reason For Continued Suppor (q69a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a13)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a18)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a23)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69a27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q68C.Taking The Law Into Your O (q68c)**

File: cca-1996-1997-v1-stata11

**Q68C.Taking The Law Into Your O (q68c)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q68D.By Doing Nothing Violence (q68d)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q69.Reason For Continued Suppor (q69b1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b4)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69b4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b9)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69b9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69ba10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b14)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69b14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b19)**

File: cca-1996-1997-v1-stata11



**Q69.Reason For Continued Suppor (q69b19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b24)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69b24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69ba25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69b27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q68E.Will Escalate Gang Violenc (q68e)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q68F.By Doing Nothing Gang Viol (q68f)**

File: cca-1996-1997-v1-stata11

**Q68F.By Doing Nothing Gang Viol (q68f)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q69.Reason For Continued Suppor (q69c1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69ca5)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69ca5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c10)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69c10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c15)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69c15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c20)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69c20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c25)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69c25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69c27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q68G.Religious Or Community Lea (q68g)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q68H.Religious Or Community Lea (q68h)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-3      |                  |

**Q69.Reason For Continued Suppor (q69d1)**

File: cca-1996-1997-v1-stata11



**Q69.Reason For Continued Suppor (q69d1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d6)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69d6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d11)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69d11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d16)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69d16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69da21)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69da21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d26)**

File: cca-1996-1997-v1-stata11

**Q69.Reason For Continued Suppor (q69d26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q69.Reason For Continued Suppor (q69d27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Q70.Age (q70)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-90     |                  |

**Q71.Type Of Dwelling (q71)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q72.Frequency Of Seeing People (q72)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q73.Frequency Of Getting Togeth (q73)**

File: cca-1996-1997-v1-stata11

**Q73.Frequency Of Getting Togeth (q73)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q74.Extent To Which People Look (q74)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q75.Work Descriptors (q75)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-10     |                  |

**Q76.Occupation (q76)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-18     |                  |

**Q77.Highest Level Of Education (q77)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-18     |                  |

**Q78.Household Income (q78)**

File: cca-1996-1997-v1-stata11

**Q78. Household Income (q78)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-19     |                  |

**Q79. Religion Or Church Belonged (q79)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-17     |                  |

**Q80. Frequency Of Attending Reli (q80)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-8      |                  |

**Q81. Religious Description (q81)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-6      |                  |

**Q82. Political Party (q82)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 1-13     |                  |

**Q83. Language (q83)**

File: cca-1996-1997-v1-stata11



**Q83.Language (q83)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q84.Race (q84)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-4      |                  |

**Q85.Gender (q85)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 1-2      |                  |

**Pagad First Mentioned (q158)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 2        |                  |
| Decimals: 0     |                  |
| Range: 0-99     |                  |

**Standard Analysis - Total (q160a1)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Asian (q160a2)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Asian (q160a2)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Black (q160a3)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Coloured (q160a4)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - White (q160a5)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Male (q160a6)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Female (q160a7)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Female (q160a7)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - 18-24 Yrs (q160a8)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - 25-34 Yrs (q160a9)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - 35-49 Yrs (q160a10)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - 50+ Yrs (q160a11)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - English (q160a12)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - English (q160a12)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Afrikaans (q160a13)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Both (q160a14)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Other (q160a15)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Anc (q160a16)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Np (q160a17)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Np (q160a17)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Other (q160a18)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - None (q160a19)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Refused (q160a20)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Christian (q160a21)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Muslim (q160a22)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Muslim (q160a22)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Other (q160a23)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - None (q160a24)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Less Than R (q160a25)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - R1400-R2499 (q160a26)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - R2500-R5999 (q160a27)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - R2500-R5999 (q160a27)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - R6000 Or Mo (q160a28)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Refused (q160a29)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Profession (q160a30)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - White Colla (q160a31)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Blue Collar (q160a32)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Blue Collar (q160a32)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Housewife (q160a33)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Other (q160a34)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Employed (q160a35)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Unemployed (q160a36)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Never (q160a37)**

File: cca-1996-1997-v1-stata11



**Standard Analysis - Never (q160a37)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Consider (q160a38)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Definatly (q160a39)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Member (q160a40)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Dont Know (q160a41)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Have Done (q160a42)**

File: cca-1996-1997-v1-stata11

**Standard Analysis - Have Done (q160a42)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Would Do (q160a43)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Support Oth (q160a44)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

**Standard Analysis - Would Not D (q160a45)**

File: cca-1996-1997-v1-stata11

**Overview**

|                 |                  |
|-----------------|------------------|
| Type: Discrete  | Valid cases: 500 |
| Format: numeric | Invalid: 0       |
| Width: 1        |                  |
| Decimals: 0     |                  |
| Range: 0-1      |                  |

## Documentation

### Questionnaires

#### [Crime and community action questionnaire]

---

|                |   |
|----------------|---|
| Title          | [Crime and community action questionnaire]  |
| Date           | 1996-01-01  |
| Country        | South Africa  |
| Language       | English   |
| Contributor(s) | This is the questionnaire for the survey, administered by telephone.              |
| Publisher(s)   | South African Data Archive (SADA)   |
| Description    | This document provides basic metadata for the survey and the survey questionnaire |
| Filename       | q-cca-1996-1997.pdf   |

---

### Technical documents

#### Crime and community action: Pagad and the Cape Flats, 1996-1997

---

|              |   |
|--------------|---|
| Title        | Crime and community action: Pagad and the Cape Flats, 1996-1997                   |
| Country      | South Africa  |
| Language     | English   |
| Publisher(s) | South African Data Archive (SADA)   |
| Description  | This document provides basic metadata for the survey and the survey questionnaire |
| Filename     | Crime & Community Action 1996-1997 Codebook.pdf                                   |

---