

19 Sep 00 SPSS for Unix, Release 6.1 (AIX 3.2)
 Page 1
 18:44:24 Uoft Library IBM RS6000 AIX

For AIX Uoft Library SPSS ID
 1294

- 1 0 title Bushman demography./ N. Howell
- 2 0 subtitle Revised ed.
- 3 0 set length=none
- 4 0 import file='womn1024.por'
- 5 0 comment display dictionary

Portable file: womn1024.por
 File format: Communications
 Date and time: 2000/08/09 15:44:52
 Originating software: SPSS for MS WINDOWS Release 9.0
 Originating installation:
 Precision: 11 base-30 digits - roughly 16 base-10 digits
 Variables: 590
 Weighting variable: -NONE-

Number of cases read: 165
 Input file size: 3,323 records (265,840 bytes)

Preceding task required 15.00 seconds CPU time; .15 seconds elapsed.

- 6 0 frequencies variables=recid name to newage6

Memory allows a total of 18,724 values accumulated across all variables.
 There may be up to 2,340 value labels for each variable.

19 Sep 00 Bushman demography./ N. Howell
 Page 2
 18:44:24 Revised ed

RECID Record number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	10	1	.6	.6	.6
First marriage	11	14	8.5	8.5	9.1
Second marriage	12	5	3.0	3.0	12.1
Third marriage	13	2	1.2	1.2	13.3
First pregnancy	16	27	16.4	16.4	29.7
Second pregnancy	17	24	14.5	14.5	44.2
Third pregnancy	18	20	12.1	12.1	56.4
Fourth pregnancy	19	18	10.9	10.9	67.3
Fifth pregnancy	20	16	9.7	9.7	77.0
Sixth pregnancy	21	12	7.3	7.3	84.2

Seventh pregnancy	22	14	8.5	8.5	92.7
Eighth pregnancy	23	10	6.1	6.1	98.8
Ninth pregnancy	24	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

NAME Name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bau	11	5	3.0	3.0	3.0
be	12	1	.6	.6	3.6
chu@o	13	17	10.3	10.3	13.9
cwa	14	4	2.4	2.4	16.4
di//au	15	6	3.6	3.6	20.0
hwan//a	16	9	5.5	5.5	25.5
karu	18	7	4.2	4.2	29.7
kun//a	20	5	3.0	3.0	32.7
kwoba	21	2	1.2	1.2	33.9
kiore	22	1	.6	.6	34.5
n/ahka	23	12	7.3	7.3	41.8
n=isa	24	12	7.3	7.3	49.1
n@ai	25	9	5.5	5.5	54.5
n@ose	26	1	.6	.6	55.2
n@uhka	27	18	10.9	10.9	66.1
	30	1	.6	.6	66.7
sa//gai	33	6	3.6	3.6	70.3
tin@ay	35	7	4.2	4.2	74.5
/asa	39	5	3.0	3.0	77.6
/em	41	2	1.2	1.2	78.8
/oise	42	4	2.4	2.4	81.2
/wa	45	11	6.7	6.7	87.9
=abo	49	1	.6	.6	88.5
//gau	56	2	1.2	1.2	89.7
//gumi	57	1	.6	.6	90.3
//n	58	5	3.0	3.0	93.3
//nsa	59	1	.6	.6	93.9
//oka	60	4	2.4	2.4	96.4
//use	61	6	3.6	3.6	100.0
	Total	-----	-----	-----	
		165	100.0	100.0	

Valid cases 165 Missing cases 0

SEX10 Sex

Valid Cum

Value Label	Value	Frequency	Percent	Percent	Percent
female	2	165	100.0	100.0	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

INTDATE Date of interview

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
April 68 or earlier	11	2	1.2	1.2	1.2
May 68	12	17	10.3	10.3	11.5
June 68	13	4	2.4	2.4	13.9
July 68	14	23	13.9	13.9	27.9
September 68	16	1	.6	.6	28.5
October 68	17	13	7.9	7.9	36.4
November 68	18	15	9.1	9.1	45.5
December 68	19	32	19.4	19.4	64.8
January 69	21	47	28.5	28.5	93.3
March 69	23	5	3.0	3.0	96.4
April 69	24	6	3.6	3.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

INTPLACE Place of interview

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
Dobe	11	21	12.7	12.7	12.7
Mahopa,Kas.village	12	11	6.7	6.7	19.4
Mahopa,@xoma vill.	13	11	6.7	6.7	26.1
@xabi	14	7	4.2	4.2	30.3
@ubi	15	8	4.8	4.8	35.2
@angwa,bush vil	16	11	6.7	6.7	41.8
@angwa,research cmp	17	14	8.5	8.5	50.3
@angwa matswe	18	2	1.2	1.2	51.5
@gose	19	21	12.7	12.7	64.2
Bate	20	7	4.2	4.2	68.5
/ai/ai,bush vil	21	35	21.2	21.2	89.7
/ai/ai,research cmp	22	17	10.3	10.3	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

TRANSLAT Translator or assistance with interview

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
NHL & RBL	1	43	26.1	26.1	26.1
NHL & Ledimo	2	3	1.8	1.8	27.9
NHL & //use 340	3	22	13.3	13.3	41.2
NHL only	4	96	58.2	58.2	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

COOPERAT Cooperativeness of interviewee

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
extremely coop	1	43	26.1	26.1	26.1
generally coop	2	82	49.7	49.7	75.8
required correction	3	8	4.8	4.8	80.6
uncoop but complete	4	9	5.5	5.5	86.1
uncoop, correction	5	11	6.7	6.7	92.7
incompetent	6	7	4.2	4.2	97.0
very uncoop	7	4	2.4	2.4	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MONAME Mother's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bau	11	6	3.6	3.6	3.6
be	12	1	.6	.6	4.2
chu@o	13	12	7.3	7.3	11.5
di//au	15	8	4.8	4.8	16.4
hwan//a	16	7	4.2	4.2	20.6
karu	18	7	4.2	4.2	24.8
kun//a	20	2	1.2	1.2	26.1

kwoba	21	5	3.0	3.0	29.1
kiore	22	1	.6	.6	29.7
n/ahka	23	7	4.2	4.2	33.9
n=isa	24	7	4.2	4.2	38.2
n@ai	25	10	6.1	6.1	44.2
n@ose	26	1	.6	.6	44.8
n@uhka	27	13	7.9	7.9	52.7
	30	2	1.2	1.2	53.9
sa//gai	33	7	4.2	4.2	58.2
tin@ay	35	3	1.8	1.8	60.0
/asa	39	11	6.7	6.7	66.7
	40	1	.6	.6	67.3
/oise	42	7	4.2	4.2	71.5
/wa	45	11	6.7	6.7	78.2
/xia	48	1	.6	.6	78.8
=abo	49	3	1.8	1.8	80.6
	52	1	.6	.6	81.2
//gau	56	3	1.8	1.8	83.0
//gumi	57	2	1.2	1.2	84.2
//n	58	2	1.2	1.2	85.5
//nsa	59	1	.6	.6	86.1
//oka	60	7	4.2	4.2	90.3
//use	61	11	6.7	6.7	97.0
other names	97	1	.6	.6	97.6
not ascertained	99	4	2.4	2.4	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MOSTATUS Status of mother

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	100	60.6	60.6	60.6
lives with R	2	43	26.1	26.1	86.7
lives apart,in pop	3	18	10.9	10.9	97.6
lives apart,out of p	4	4	2.4	2.4	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

FANAME Father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	11	6.7	6.7	6.7

dam	12	9	5.5	5.5	12.1
debi	14	1	.6	.6	12.7
kan//a	18	7	4.2	4.2	17.0
kase	19	8	4.8	4.8	21.8
kau	20	16	9.7	9.7	31.5
kem/o	22	1	.6	.6	32.1
ko/un	23	1	.6	.6	32.7
kumsa	24	8	4.8	4.8	37.6
n@eise	29	2	1.2	1.2	38.8
n//au	31	11	6.7	6.7	45.5
tsama	39	1	.6	.6	46.1
tsau	40	2	1.2	1.2	47.3
zo /wa	41	2	1.2	1.2	48.5
/?ase	43	7	4.2	4.2	52.7
gau	44	9	5.5	5.5	58.2
/ise	46	2	1.2	1.2	59.4
/i@ay	47	7	4.2	4.2	63.6
/n@au	48	3	1.8	1.8	65.5
	49	2	1.2	1.2	66.7
/ontah	50	1	.6	.6	67.3
/uka	51	7	4.2	4.2	71.5
/wi	55	9	5.5	5.5	77.0
=dau	58	2	1.2	1.2	78.2
=gau	59	3	1.8	1.8	80.0
=oma	61	13	7.9	7.9	87.9
	63	1	.6	.6	88.5
@xem	64	6	3.6	3.6	92.1
@xoma	65	1	.6	.6	92.7
	67	4	2.4	2.4	95.2
	70	1	.6	.6	95.8
	71	1	.6	.6	96.4
not zun/wasi name	98	3	1.8	1.8	98.2
not ascertained	99	3	1.8	1.8	100.0
			-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

FASTATUS Status of father

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	123	74.5	74.5	74.5
lives with R	2	22	13.3	13.3	87.9
lives apart,in pop	3	15	9.1	9.1	97.0
lives apart,out of p	4	4	2.4	2.4	99.4
not ascertained	9	1	.6	.6	100.0
			-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

PRMARST Marital status of parents

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
married	1	25	15.2	15.2	15.2
divorced,R-child	2	3	1.8	1.8	17.0
divorced,R-adult	3	3	1.8	1.8	18.8
died,R-child	5	21	12.7	12.7	31.5
died,R-adult	6	20	12.1	12.1	43.6
died,1 or 2	7	93	56.4	56.4	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

YRBIRTH1 Year of birth of woman

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.6	.6	.6
1901	1	2	1.2	1.2	1.8
	2	2	1.2	1.2	3.0
	3	1	.6	.6	3.6
	4	3	1.8	1.8	5.5
	5	2	1.2	1.2	6.7
	6	3	1.8	1.8	8.5
	7	2	1.2	1.2	9.7
	8	1	.6	.6	10.3
	9	2	1.2	1.2	11.5
	10	2	1.2	1.2	12.7
	11	2	1.2	1.2	13.9
	12	2	1.2	1.2	15.2
	13	1	.6	.6	15.8
	14	2	1.2	1.2	17.0
	15	3	1.8	1.8	18.8
	16	2	1.2	1.2	20.0
	17	2	1.2	1.2	21.2
	18	3	1.8	1.8	23.0
	19	2	1.2	1.2	24.2
	20	3	1.8	1.8	26.1
	21	3	1.8	1.8	27.9
	22	4	2.4	2.4	30.3
	23	3	1.8	1.8	32.1
	24	3	1.8	1.8	33.9
	25	3	1.8	1.8	35.8
	26	4	2.4	2.4	38.2
	27	2	1.2	1.2	39.4
	28	3	1.8	1.8	41.2
	29	3	1.8	1.8	43.0

		30	3	1.8	1.8	44.8
		31	4	2.4	2.4	47.3
		32	3	1.8	1.8	49.1
		33	4	2.4	2.4	51.5
		34	5	3.0	3.0	54.5
		35	3	1.8	1.8	56.4
		36	3	1.8	1.8	58.2
		37	4	2.4	2.4	60.6
		38	5	3.0	3.0	63.6
		39	3	1.8	1.8	65.5
		40	1	.6	.6	66.1
		41	6	3.6	3.6	69.7
		42	3	1.8	1.8	71.5
		43	3	1.8	1.8	73.3
		44	5	3.0	3.0	76.4
		45	3	1.8	1.8	78.2
		46	4	2.4	2.4	80.6
		47	4	2.4	2.4	83.0
		48	4	2.4	2.4	85.5
		49	5	3.0	3.0	88.5
1950		50	4	2.4	2.4	90.9
		51	5	3.0	3.0	93.9
		52	2	1.2	1.2	95.2
		87	1	.6	.6	95.8
		89	1	.6	.6	96.4
		91	1	.6	.6	97.0
		94	1	.6	.6	97.6
		95	1	.6	.6	98.2
		96	1	.6	.6	98.8
		98	1	.6	.6	99.4
1899		99	1	.6	.6	100.0
				-----	-----	
		Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 WHOLEYR year of birth, four digit

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1887	1	.6	.6	.6
	1889	1	.6	.6	1.2
	1891	1	.6	.6	1.8
	1894	1	.6	.6	2.4
	1895	1	.6	.6	3.0
	1896	1	.6	.6	3.6
	1898	1	.6	.6	4.2
	1899	1	.6	.6	4.8
	1900	1	.6	.6	5.5
	1901	2	1.2	1.2	6.7
	1902	2	1.2	1.2	7.9
	1903	1	.6	.6	8.5
	1904	3	1.8	1.8	10.3

1905	2	1.2	1.2	11.5
1906	3	1.8	1.8	13.3
1907	2	1.2	1.2	14.5
1908	1	.6	.6	15.2
1909	2	1.2	1.2	16.4
1910	2	1.2	1.2	17.6
1911	2	1.2	1.2	18.8
1912	2	1.2	1.2	20.0
1913	1	.6	.6	20.6
1914	2	1.2	1.2	21.8
1915	3	1.8	1.8	23.6
1916	2	1.2	1.2	24.8
1917	2	1.2	1.2	26.1
1918	3	1.8	1.8	27.9
1919	2	1.2	1.2	29.1
1920	3	1.8	1.8	30.9
1921	3	1.8	1.8	32.7
1922	4	2.4	2.4	35.2
1923	3	1.8	1.8	37.0
1924	3	1.8	1.8	38.8
1925	3	1.8	1.8	40.6
1926	4	2.4	2.4	43.0
1927	2	1.2	1.2	44.2
1928	3	1.8	1.8	46.1
1929	3	1.8	1.8	47.9
1930	3	1.8	1.8	49.7
1931	4	2.4	2.4	52.1
1932	3	1.8	1.8	53.9
1933	4	2.4	2.4	56.4
1934	5	3.0	3.0	59.4
1935	3	1.8	1.8	61.2
1936	3	1.8	1.8	63.0
1937	4	2.4	2.4	65.5
1938	5	3.0	3.0	68.5
1939	3	1.8	1.8	70.3
1940	1	.6	.6	70.9
1941	6	3.6	3.6	74.5
1942	3	1.8	1.8	76.4
1943	3	1.8	1.8	78.2
1944	5	3.0	3.0	81.2
1945	3	1.8	1.8	83.0
1946	4	2.4	2.4	85.5
1947	4	2.4	2.4	87.9
1948	4	2.4	2.4	90.3
1949	5	3.0	3.0	93.3
1950	4	2.4	2.4	95.8
1951	5	3.0	3.0	98.8
1952	2	1.2	1.2	100.0
	-----	-----	-----	
Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

AGE68 age in 1968

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	16	2	1.2	1.2	1.2
	17	5	3.0	3.0	4.2
	18	4	2.4	2.4	6.7
	19	5	3.0	3.0	9.7
	20	4	2.4	2.4	12.1
	21	4	2.4	2.4	14.5
	22	4	2.4	2.4	17.0
	23	3	1.8	1.8	18.8
	24	5	3.0	3.0	21.8
	25	3	1.8	1.8	23.6
	26	3	1.8	1.8	25.5
	27	6	3.6	3.6	29.1
	28	1	.6	.6	29.7
	29	3	1.8	1.8	31.5
	30	5	3.0	3.0	34.5
	31	4	2.4	2.4	37.0
	32	3	1.8	1.8	38.8
	33	3	1.8	1.8	40.6
	34	5	3.0	3.0	43.6
	35	4	2.4	2.4	46.1
	36	3	1.8	1.8	47.9
	37	4	2.4	2.4	50.3
	38	3	1.8	1.8	52.1
	39	3	1.8	1.8	53.9
	40	3	1.8	1.8	55.8
	41	2	1.2	1.2	57.0
	42	4	2.4	2.4	59.4
	43	3	1.8	1.8	61.2
	44	3	1.8	1.8	63.0
	45	3	1.8	1.8	64.8
	46	4	2.4	2.4	67.3
	47	3	1.8	1.8	69.1
	48	3	1.8	1.8	70.9
	49	2	1.2	1.2	72.1
	50	3	1.8	1.8	73.9
	51	2	1.2	1.2	75.2
	52	2	1.2	1.2	76.4
	53	3	1.8	1.8	78.2
	54	2	1.2	1.2	79.4
	55	1	.6	.6	80.0
	56	2	1.2	1.2	81.2
	57	2	1.2	1.2	82.4
	58	2	1.2	1.2	83.6
	59	2	1.2	1.2	84.8
	60	1	.6	.6	85.5
	61	2	1.2	1.2	86.7
	62	3	1.8	1.8	88.5
	63	2	1.2	1.2	89.7
	64	3	1.8	1.8	91.5
	65	1	.6	.6	92.1
	66	2	1.2	1.2	93.3
	67	2	1.2	1.2	94.5
	68	1	.6	.6	95.2
	69	1	.6	.6	95.8

70	1	.6	.6	96.4
72	1	.6	.6	97.0
73	1	.6	.6	97.6
74	1	.6	.6	98.2
77	1	.6	.6	98.8
79	1	.6	.6	99.4
81	1	.6	.6	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

AGE5YR age in 5 yr age groups

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
15-19	1	16	9.7	9.7	9.7
20-24	2	20	12.1	12.1	21.8
25-29	3	16	9.7	9.7	31.5
30-34	4	20	12.1	12.1	43.6
35-39	5	17	10.3	10.3	53.9
40-44	6	15	9.1	9.1	63.0
45-49	7	15	9.1	9.1	72.1
50-54	8	12	7.3	7.3	79.4
55-59	9	9	5.5	5.5	84.8
60-64	10	11	6.7	6.7	91.5
65-89	11	14	8.5	8.5	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

MARSTAT Current marital status, as of May 1969

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single	1	1	.6	.6	.6
married,zun/wa,monog	2	109	66.1	66.1	66.7
married,zun/wa,polyg	3	13	7.9	7.9	74.5
married,Bantu,monog	4	6	3.6	3.6	78.2
married,Bantu,polyg	5	4	2.4	2.4	80.6
irregular marrg,neci	6	4	2.4	2.4	83.0
divorced	7	11	6.7	6.7	89.7
widowed	8	17	10.3	10.3	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

 FERTSTAT Current fertility status, as of May 1969

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
pre-fertile	0	13	7.9	7.9	7.9
mother,pregnant	1	8	4.8	4.8	12.7
mother,nursing	2	36	21.8	21.8	34.5
mother,prob fert	3	6	3.6	3.6	38.2
mother,infertile	4	25	15.2	15.2	53.3
pregnant,no children	5	1	.6	.6	53.9
fertile,not pregnant	6	3	1.8	1.8	55.8
infertile,no childre	7	21	12.7	12.7	68.5
post-menopausal	8	52	31.5	31.5	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 HHLDCOMP Household composition

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
R+parents	1	5	3.0	3.0	3.0
R+husband	2	55	33.3	33.3	36.4
R+husband+children	3	64	38.8	38.8	75.2
R+children	4	13	7.9	7.9	83.0
R alone	5	14	8.5	8.5	91.5
other	6	3	1.8	1.8	93.3
	7	7	4.2	4.2	97.6
	8	4	2.4	2.4	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 NORE N@ore of woman

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	11	6.7	6.7	6.7
Bate	20	2	1.2	1.2	7.9
@gose	30	8	4.8	4.8	12.7

Mahopa	40	2	1.2	1.2	13.9
Dobe	50	1	.6	.6	14.5
@ubi	60	3	1.8	1.8	16.4
	61	2	1.2	1.2	17.6
/ai/ai waterhole	110	19	11.5	11.5	29.1
	116	1	.6	.6	29.7
/wi haba	120	4	2.4	2.4	32.1
	132	2	1.2	1.2	33.3
/gam	210	15	9.1	9.1	42.4
=o//gana	220	5	3.0	3.0	45.5
/du/da	310	1	.6	.6	46.1
	330	1	.6	.6	46.7
@guidum general	401	13	7.9	7.9	54.5
Mokudi	420	6	3.6	3.6	58.2
	421	1	.6	.6	58.8
	430	1	.6	.6	59.4
	431	3	1.8	1.8	61.2
	450	1	.6	.6	61.8
n/ausa	460	3	1.8	1.8	63.6
Dobe SW	470	2	1.2	1.2	64.8
co/ana	480	2	1.2	1.2	66.1
	492	3	1.8	1.8	67.9
//wan@ai general	501	1	.6	.6	68.5
cum@we	510	11	6.7	6.7	75.2
	514	1	.6	.6	75.8
	520	1	.6	.6	76.4
/gausa	530	6	3.6	3.6	80.0
n=ama	540	7	4.2	4.2	84.2
due	560	5	3.0	3.0	87.3
n@au n@au	610	3	1.8	1.8	89.1
	640	3	1.8	1.8	90.9
west - general	701	1	.6	.6	91.5
Mace	810	3	1.8	1.8	93.3
Ghanzi	820	3	1.8	1.8	95.2
	850	3	1.8	1.8	97.0
@gon@a	941	1	.6	.6	97.6
dont know	998	4	2.4	2.4	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

RESIDNCE Place of residence

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	14	8.5	8.5	8.5
Karuwe	11	3	1.8	1.8	10.3
Bate	20	5	3.0	3.0	13.3
@gose	30	26	15.8	15.8	29.1
Mahopa	40	4	2.4	2.4	31.5
Kasembungu's	41	6	3.6	3.6	35.2
@xoma's	42	12	7.3	7.3	42.4

Dobe	50	19	11.5	11.5	53.9
@ubi	60	13	7.9	7.9	61.8
@xabi	70	6	3.6	3.6	65.5
/ai/ai waterhole	110	49	29.7	29.7	95.2
cum@we	510	3	1.8	1.8	97.0
n@au n@au	610	4	2.4	2.4	99.4
Mahwoehwoe	942	1	.6	.6	100.0
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 165 Missing cases 0

WOMNORE Is place of residence the womans n@ore?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	28	17.0	17.0	17.0
no	2	137	83.0	83.0	100.0
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 165 Missing cases 0

MENPLACE Place of menarch

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	15	9.1	9.1	9.1
Karuwe	11	2	1.2	1.2	10.3
characharaha	12	1	.6	.6	10.9
Bate	20	1	.6	.6	11.5
@gose	30	5	3.0	3.0	14.5
	31	1	.6	.6	15.2
Mahopa	40	6	3.6	3.6	18.8
Kasembungu's	41	1	.6	.6	19.4
@xoma's	42	1	.6	.6	20.0
Dobe	50	2	1.2	1.2	21.2
	52	1	.6	.6	21.8
@ubi	60	4	2.4	2.4	24.2
	61	1	.6	.6	24.8
@xabi	70	8	4.8	4.8	29.7
/ai/ai general	101	1	.6	.6	30.3
/ai/ai waterhole	110	23	13.9	13.9	44.2
/gam-=o//gana gen	201	1	.6	.6	44.8
/gam	210	3	1.8	1.8	46.7
=o//gana	220	3	1.8	1.8	48.5
	234	1	.6	.6	49.1
@guidum general	401	2	1.2	1.2	50.3

Mokudi	420	1	.6	.6	50.9
	430	1	.6	.6	51.5
	431	1	.6	.6	52.1
	461	1	.6	.6	52.7
Dobe SW	470	1	.6	.6	53.3
//wan@ai general	501	2	1.2	1.2	54.5
cum@we	510	3	1.8	1.8	56.4
/gausa	530	1	.6	.6	57.0
n@au n@au	610	5	3.0	3.0	60.0
	640	1	.6	.6	60.6
n//oma	710	1	.6	.6	61.2
Ghanzi	820	1	.6	.6	61.8
	850	1	.6	.6	62.4
east - general	901	5	3.0	3.0	65.5
Tsau	930	1	.6	.6	66.1
@gon@a	941	1	.6	.6	66.7
Namanyane	943	1	.6	.6	67.3
not ascertained	999	54	32.7	32.7	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MENSEASN Season of menarch

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-april)	1	74	44.8	44.8	44.8
=obe(may)	2	2	1.2	1.2	46.1
@gum(jun-august)	3	41	24.8	24.8	70.9
@ga(sept-nov)	4	27	16.4	16.4	87.3
not ascertained	9	21	12.7	12.7	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MENYR Year of menarche

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	2	1	.6	.6	.6
	4	1	.6	.6	1.2
	9	1	.6	.6	1.8
	10	1	.6	.6	2.4
	11	1	.6	.6	3.0
	13	1	.6	.6	3.6
	14	2	1.2	1.2	4.8

15	1	.6	.6	5.5
16	2	1.2	1.2	6.7
17	2	1.2	1.2	7.9
19	3	1.8	1.8	9.7
20	2	1.2	1.2	10.9
21	3	1.8	1.8	12.7
22	2	1.2	1.2	13.9
23	2	1.2	1.2	15.2
24	2	1.2	1.2	16.4
25	2	1.2	1.2	17.6
26	2	1.2	1.2	18.8
27	2	1.2	1.2	20.0
28	1	.6	.6	20.6
29	2	1.2	1.2	21.8
30	3	1.8	1.8	23.6
31	3	1.8	1.8	25.5
32	1	.6	.6	26.1
33	3	1.8	1.8	27.9
34	2	1.2	1.2	29.1
35	3	1.8	1.8	30.9
36	3	1.8	1.8	32.7
37	5	3.0	3.0	35.8
38	2	1.2	1.2	37.0
39	4	2.4	2.4	39.4
40	3	1.8	1.8	41.2
41	4	2.4	2.4	43.6
42	2	1.2	1.2	44.8
43	4	2.4	2.4	47.3
44	1	.6	.6	47.9
45	3	1.8	1.8	49.7
46	4	2.4	2.4	52.1
47	3	1.8	1.8	53.9
48	3	1.8	1.8	55.8
49	5	3.0	3.0	58.8
50	4	2.4	2.4	61.2
51	2	1.2	1.2	62.4
52	3	1.8	1.8	64.2
53	7	4.2	4.2	68.5
54	3	1.8	1.8	70.3
55	1	.6	.6	70.9
56	5	3.0	3.0	73.9
57	3	1.8	1.8	75.8
58	2	1.2	1.2	77.0
59	7	4.2	4.2	81.2
60	3	1.8	1.8	83.0
61	1	.6	.6	83.6
62	3	1.8	1.8	85.5
63	3	1.8	1.8	87.3
64	3	1.8	1.8	89.1
65	6	3.6	3.6	92.7
66	1	.6	.6	93.3
67	8	4.8	4.8	98.2
68	1	.6	.6	98.8
69	2	1.2	1.2	100.0
	-----	-----	-----	
Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MENERR Error of estimate of year of menarche

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	12	7.3	7.3	7.3
+/-1 year	2	9	5.5	5.5	12.7
within 5 years	3	26	15.8	15.8	28.5
wild guess	5	118	71.5	71.5	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

MENARST Marital status at menarche

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single, never marrie	1	66	40.0	40.0	40.0
first marriage	2	71	43.0	43.0	83.0
1 previous marriage	3	9	5.5	5.5	88.5
second marriage	4	11	6.7	6.7	95.2
2 previous marriages	5	1	.6	.6	95.8
3+ previous marriage	6	6	3.6	3.6	99.4
	7	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

FERTIL Fertility status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	14	8.5	8.5	8.5
infertility major pr	1	28	17.0	17.0	25.5
premature infertilit	2	15	9.1	9.1	34.5
sub-fertile	4	20	12.1	12.1	46.7
not a problem	5	88	53.3	53.3	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

VDHIST History of venereal disease

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	7	4.2	4.2	4.2
beshwaba only	2	8	4.8	4.8	9.1
/inono only	3	25	15.2	15.2	24.2
other VD	4	4	2.4	2.4	26.7
dont know	5	8	4.8	4.8	31.5
never had it	6	112	67.9	67.9	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

GONNOHST History of gonorrhoea (/inono)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	7	4.2	4.2	4.2
European medicine	1	10	6.1	6.1	10.3
folk medicine	2	8	4.8	4.8	15.2
not treated	3	3	1.8	1.8	17.0
only husband had it	4	2	1.2	1.2	18.2
reported to have had	5	12	7.3	7.3	25.5
has not had VD	6	121	73.3	73.3	98.8
not ascertained	9	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

GONNOYRS Years since gonorrhoea

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	129	78.2	78.2	78.2
1964-1969	1	16	9.7	9.7	87.9
1950-1964	2	15	9.1	9.1	97.0
prior to 1950	3	3	1.8	1.8	98.8
not ascertained	9	2	1.2	1.2	100.0

			-----	-----	-----
	Total		165	100.0	100.0
Valid cases	165	Missing cases	0		

SYPPHHST History of syphilis (beswaba)

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	7	4.2	4.2	4.2
European medicine	1	3	1.8	1.8	6.1
folk medicine	2	2	1.2	1.2	7.3
only husband had it	4	3	1.8	1.8	9.1
reported to have had	5	1	.6	.6	9.7
has not had VD	6	148	89.7	89.7	99.4
not ascertained	9	1	.6	.6	100.0
	Total	165	100.0	100.0	

Valid cases	165	Missing cases	0
-------------	-----	---------------	---

SYPPHYRS Years since syphilis

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	157	95.2	95.2	95.2
1964-1969	1	2	1.2	1.2	96.4
1950-1964	2	3	1.8	1.8	98.2
prior to 1950	3	1	.6	.6	98.8
not ascertained	9	2	1.2	1.2	100.0
	Total	165	100.0	100.0	

Valid cases	165	Missing cases	0
-------------	-----	---------------	---

CHILDREN Has God done properly re children?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	30	18.2	18.2	18.2
yes	1	42	25.5	25.5	43.6
no,selfish	2	50	30.3	30.3	73.9
no,killed them	3	14	8.5	8.5	82.4

no,few & killed	4	3	1.8	1.8	84.2
no,not enough	5	5	3.0	3.0	87.3
no,gave none	6	9	5.5	5.5	92.7
not ascertained	9	12	7.3	7.3	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

EMPLOY Employment

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
inappropriate	0	36	21.8	21.8	21.8
regular wage job	1	17	10.3	10.3	32.1
long-range relations	2	45	27.3	27.3	59.4
trade occasional tas	3	8	4.8	4.8	64.2
family members have	4	44	26.7	26.7	90.9
lives w Bantu	5	3	1.8	1.8	92.7
asks for gifts	6	3	1.8	1.8	94.5
married to Bantu	7	8	4.8	4.8	99.4
not ascertained	9	1	.6	.6	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

K_AU Who is K??au (owner)?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	78	47.3	47.3	47.3
Isak	1	26	15.8	15.8	63.0
Mmapa	3	13	7.9	7.9	70.9
Kubu	4	6	3.6	3.6	74.5
Tswana-other	5	22	13.3	13.3	87.9
Dama-Herero-other	6	18	10.9	10.9	98.8
not ascertained	9	2	1.2	1.2	100.0

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 165 Missing cases 0

ZU_SAZO Has R lived with zu sazo (black people)?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	12	7.3	7.3	7.3
w Herero,Tswana&Goba	1	36	21.8	21.8	29.1
w Herero & Tswana	2	45	27.3	27.3	56.4
w Herero & Goba	3	2	1.2	1.2	57.6
w Herero only	5	49	29.7	29.7	87.3
w Tswana only	6	16	9.7	9.7	97.0
w Goba only	7	4	2.4	2.4	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

LANGUAG Languages spoken

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,monolingual	0	62	37.6	37.6	37.6
Tswana, Herero & oth	1	1	.6	.6	38.2
Tswana & Herero only	2	50	30.3	30.3	68.5
Tswana only	5	23	13.9	13.9	82.4
Herero only	6	28	17.0	17.0	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

TR_WEST Travel to west

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	45	27.3	27.3	27.3
cum@we(1-50 miles)	1	108	65.5	65.5	92.7
Grootfontein(151-200	4	7	4.2	4.2	97.0
Winhoek(201-500 mile	5	4	2.4	2.4	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

TR_NORTH Travel to north

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	89	53.9	53.9	53.9
n@aun@au(1-50 miles)	1	40	24.2	24.2	78.2
@audum(51-100 miles)	2	19	11.5	11.5	89.7
Shakawe(101-150 mile	3	17	10.3	10.3	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

TR_EAST Travel to east

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	61	37.0	37.0	37.0
Nokaneng(51-100 mile	2	38	23.0	23.0	60.0
Tsau/gon@a(101-150 m	3	43	26.1	26.1	86.1
Shehitwa(151-200 mil	4	1	.6	.6	86.7
Maun(201-500 miles)	5	19	11.5	11.5	98.2
Francistown(501-1000	6	2	1.2	1.2	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

TR_SOUTH Travel to south

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	83	50.3	50.3	50.3
/gam(1-50 miles)	1	59	35.8	35.8	86.1
Mace(101-150 miles)	3	8	4.8	4.8	90.9
Ghanzi(151-200 miles	4	10	6.1	6.1	97.0
Gobabis(201-500 mile	5	4	2.4	2.4	99.4
not ascertained	9	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 MARHIST1 Marital history: number of marriages

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	.6	.6
one	1	66	40.0	40.0	40.6
two	2	52	31.5	31.5	72.1
three	3	27	16.4	16.4	88.5
four	4	14	8.5	8.5	97.0
five	5	5	3.0	3.0	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 MARHIST2 Marital history: number of divorces

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	74	44.8	44.8	44.8
one	1	60	36.4	36.4	81.2
two	2	21	12.7	12.7	93.9
three	3	8	4.8	4.8	98.8
four	4	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

 MARHIST3 Marital history: number of times widowed

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	113	68.5	68.5	68.5
one	1	41	24.8	24.8	93.3
two	2	10	6.1	6.1	99.4
three	3	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST1 Reproductive history: number of pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	21	12.7	12.7	12.7
one	1	26	15.8	15.8	28.5
two	2	26	15.8	15.8	44.2
three	3	18	10.9	10.9	55.2
four	4	17	10.3	10.3	65.5
five	5	19	11.5	11.5	77.0
six	6	12	7.3	7.3	84.2
seven	7	14	8.5	8.5	92.7
eight	8	10	6.1	6.1	98.8
nine	9	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST2 Reproductive history: pregnancy wastage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	120	72.7	72.7	72.7
one	1	35	21.2	21.2	93.9
two	2	7	4.2	4.2	98.2
three	3	2	1.2	1.2	99.4
five	5	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST3 Reproductive history: infant deaths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	105	63.6	63.6	63.6
one	1	41	24.8	24.8	88.5
two	2	15	9.1	9.1	97.6
three	3	1	.6	.6	98.2
four	4	3	1.8	1.8	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST4 Reproductive history: childhood deaths

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	114	69.1	69.1	69.1
one	1	29	17.6	17.6	86.7
two	2	12	7.3	7.3	93.9
three	3	6	3.6	3.6	97.6
four	4	1	.6	.6	98.2
five	5	2	1.2	1.2	99.4
six	6	1	.6	.6	100.0
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST5 Reproductive history: adult deaths to ch

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	151	91.5	91.5	91.5
one	1	12	7.3	7.3	98.8
two	2	2	1.2	1.2	100.0
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

REPHIST6 Reproductive history: survivors

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	46	27.9	27.9	27.9
one	1	42	25.5	25.5	53.3
two	2	22	13.3	13.3	66.7
three	3	22	13.3	13.3	80.0
four	4	24	14.5	14.5	94.5
five	5	4	2.4	2.4	97.0
six	6	3	1.8	1.8	98.8
seven	7	2	1.2	1.2	100.0

Total 165 100.0 100.0

Valid cases 165 Missing cases 0

REPHIST7 Pregnant at end of study

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes	1	8	4.8	100.0	100.0
	.	157	95.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 8 Missing cases 157

MENOPSE Status of menopause

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
pre-menopausal	0	95	57.6	57.6	57.6
close to menop	1	21	12.7	12.7	70.3
past, < 6 years	2	4	2.4	2.4	72.7
past, 6-10 years	3	10	6.1	6.1	78.8
past, 11-15 years	4	14	8.5	8.5	87.3
past, 16-20 years	5	2	1.2	1.2	88.5
past, > 20 years	6	19	11.5	11.5	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

DEATH Year of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
alive	0	163	98.8	98.8	98.8
died 1969	7	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 165 Missing cases 0

HUSBSURV Survived by husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	163	98.8	98.8	98.8
yes	1	1	.6	.6	99.4
no	2	1	.6	.6	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

CHILDSRV Survived by children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	163	98.8	98.8	98.8
yes	1	2	1.2	1.2	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

MOSAGE Mother's age by 5 - 5, Mov. 1973

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	165	100.0	100.0	100.0
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	165	Missing cases	0		

HUSBID1 Marriage 1: ID number of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	9	1	.6	.6	.6
	17	1	.6	.6	1.2

18	2	1.2	1.2	2.4
27	1	.6	.6	3.0
33	1	.6	.6	3.7
34	1	.6	.6	4.3
42	1	.6	.6	4.9
43	2	1.2	1.2	6.1
45	1	.6	.6	6.7
53	1	.6	.6	7.3
73	1	.6	.6	7.9
77	1	.6	.6	8.5
88	3	1.8	1.8	10.4
98	1	.6	.6	11.0
106	1	.6	.6	11.6
107	1	.6	.6	12.2
128	1	.6	.6	12.8
133	1	.6	.6	13.4
134	1	.6	.6	14.0
139	1	.6	.6	14.6
140	1	.6	.6	15.2
152	1	.6	.6	15.9
163	1	.6	.6	16.5
164	1	.6	.6	17.1
167	1	.6	.6	17.7
169	2	1.2	1.2	18.9
181	1	.6	.6	19.5
204	1	.6	.6	20.1
208	1	.6	.6	20.7
220	1	.6	.6	21.3
230	1	.6	.6	22.0
233	1	.6	.6	22.6
239	1	.6	.6	23.2
241	1	.6	.6	23.8
243	1	.6	.6	24.4
252	1	.6	.6	25.0
255	1	.6	.6	25.6
256	1	.6	.6	26.2
258	2	1.2	1.2	27.4
261	2	1.2	1.2	28.7
264	1	.6	.6	29.3
273	1	.6	.6	29.9
288	1	.6	.6	30.5
300	1	.6	.6	31.1
309	1	.6	.6	31.7
317	1	.6	.6	32.3
328	1	.6	.6	32.9
338	1	.6	.6	33.5
345	1	.6	.6	34.1
348	1	.6	.6	34.8
355	1	.6	.6	35.4
359	1	.6	.6	36.0
370	1	.6	.6	36.6
374	1	.6	.6	37.2
379	1	.6	.6	37.8
395	1	.6	.6	38.4
404	1	.6	.6	39.0
412	1	.6	.6	39.6
414	1	.6	.6	40.2
423	1	.6	.6	40.9

	448	1	.6	.6	41.5
	467	1	.6	.6	42.1
	484	2	1.2	1.2	43.3
	485	1	.6	.6	43.9
	509	2	1.2	1.2	45.1
	521	1	.6	.6	45.7
	526	1	.6	.6	46.3
	542	1	.6	.6	47.0
	568	1	.6	.6	47.6
	598	1	.6	.6	48.2
	620	2	1.2	1.2	49.4
	624	1	.6	.6	50.0
	666	1	.6	.6	50.6
	822	1	.6	.6	51.2
unnumbered person	996	7	4.2	4.3	55.5
deceased person	997	53	32.1	32.3	87.8
Bantu or other	998	20	12.1	12.2	100.0
.		1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

HUSBNAM1 Marriage 1: name of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	5	3.0	3.0	3.0
dam	12	5	3.0	3.0	6.1
debi	14	4	2.4	2.4	8.5
hxome	17	1	.6	.6	9.1
kan//a	18	6	3.6	3.7	12.8
kase	19	12	7.3	7.3	20.1
kau	20	7	4.2	4.3	24.4
	21	1	.6	.6	25.0
ko/un	23	1	.6	.6	25.6
kumsa	24	7	4.2	4.3	29.9
	25	1	.6	.6	30.5
n=n //au	28	2	1.2	1.2	31.7
n@eise	29	2	1.2	1.2	32.9
n@ani	30	1	.6	.6	33.5
n//au	31	7	4.2	4.3	37.8
n//au-rare	32	1	.6	.6	38.4
n//u	34	3	1.8	1.8	40.2
samk??au	36	1	.6	.6	40.9
tsaa	38	3	1.8	1.8	42.7
tsama	39	1	.6	.6	43.3
tsau	40	1	.6	.6	43.9
zo /wa	41	1	.6	.6	44.5
/?ase	43	6	3.6	3.7	48.2
gau	44	9	5.5	5.5	53.7
/ise	46	5	3.0	3.0	56.7
/i@ay	47	6	3.6	3.7	60.4

/n@au	48	1	.6	.6	61.0
	49	1	.6	.6	61.6
/ontah	50	1	.6	.6	62.2
/uka	51	3	1.8	1.8	64.0
/wi	55	12	7.3	7.3	71.3
=daun	57	1	.6	.6	72.0
=dau	58	1	.6	.6	72.6
=gau	59	3	1.8	1.8	74.4
=oma	61	13	7.9	7.9	82.3
@xem	64	3	1.8	1.8	84.1
@xoma	65	1	.6	.6	84.8
	67	4	2.4	2.4	87.2
	71	1	.6	.6	87.8
not zun/wasi name	98	20	12.1	12.2	100.0
.		1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

MARTYPE1 Marriage 1: regular or irregular marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
proper,regular	1	157	95.2	95.7	95.7
irregular	2	7	4.2	4.3	100.0
.		1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

RBLSAM1 Marriage 1: is husband in RBLs sample of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes,reported	1	74	44.8	45.1	45.1
	3	2	1.2	1.2	46.3
no,deceased	4	56	33.9	34.1	80.5
no,out of pop	5	14	8.5	8.5	89.0
no,Bantu,other	6	18	10.9	11.0	100.0
.		1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

PREVMAR1 Marriage 1: was husband married before h

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no previous marriage	0	104	63.0	63.4	63.4
<2 weeks	1	45	27.3	27.4	90.9
<1 year	2	8	4.8	4.9	95.7
1-5 years	3	2	1.2	1.2	97.0
>5 years	4	1	.6	.6	97.6
	6	1	.6	.6	98.2
not ascertained	9	3	1.8	1.8	100.0
	.	1	.6	Missing	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

CURMAR1 Marriage 1: was husband currently marrie

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	145	87.9	88.4	88.4
yes	1	18	10.9	11.0	99.4
not ascertained	9	1	.6	.6	100.0
	.	1	.6	Missing	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

HNOR11 Marriage 1: what is hubands n@ori?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	2	1.2	1.2	1.2
@angwe	10	6	3.6	3.7	4.9
Bate	20	6	3.6	3.7	8.5
@gose	30	8	4.8	4.9	13.4
Mahopa	40	2	1.2	1.2	14.6
Dobe	50	3	1.8	1.8	16.5
@ubi	60	10	6.1	6.1	22.6
@xabi	70	2	1.2	1.2	23.8
/ai/ai waterhole	110	17	10.3	10.4	34.1
	123	1	.6	.6	34.8

	140	1	.6	.6	35.4
/gam	210	17	10.3	10.4	45.7
=o//gana	220	1	.6	.6	46.3
	232	1	.6	.6	47.0
	233	1	.6	.6	47.6
	234	1	.6	.6	48.2
/du/da	310	1	.6	.6	48.8
@guidum general	401	6	3.6	3.7	52.4
Mokudi	420	3	1.8	1.8	54.3
	431	1	.6	.6	54.9
n/ausa	460	1	.6	.6	55.5
	482	1	.6	.6	56.1
	491	2	1.2	1.2	57.3
	493	1	.6	.6	57.9
cum@we	510	6	3.6	3.7	61.6
	514	1	.6	.6	62.2
	520	2	1.2	1.2	63.4
/gausa	530	2	1.2	1.2	64.6
n=ama	540	6	3.6	3.7	68.3
	550	1	.6	.6	68.9
due	560	7	4.2	4.3	73.2
	563	1	.6	.6	73.8
north - general	601	2	1.2	1.2	75.0
n@au n@au	610	5	3.0	3.0	78.0
	640	3	1.8	1.8	79.9
n//oma	710	1	.6	.6	80.5
tsamagaigai	720	1	.6	.6	81.1
Mace	810	3	1.8	1.8	82.9
Ghanzi	820	1	.6	.6	83.5
	821	1	.6	.6	84.1
	850	1	.6	.6	84.8
east - general	901	11	6.7	6.7	91.5
Nokaneng	910	1	.6	.6	92.1
	920	1	.6	.6	92.7
Namanyane	943	1	.6	.6	93.3
dont know	998	5	3.0	3.0	96.3
not ascertained	999	6	3.6	3.7	100.0
.		1	.6	Missing	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

RRES1 Marriage 1: where was R living when R ma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	18	10.9	11.0	11.0
Karuwe	11	1	.6	.6	11.6
characharaha	12	2	1.2	1.2	12.8
Bate	20	4	2.4	2.4	15.2
@gose	30	9	5.5	5.5	20.7
Mahopa	40	5	3.0	3.0	23.8

Dobe	50	6	3.6	3.7	27.4
	55	2	1.2	1.2	28.7
@ubi	60	5	3.0	3.0	31.7
@xabi	70	7	4.2	4.3	36.0
/ai/ai general	101	1	.6	.6	36.6
/ai/ai waterhole	110	25	15.2	15.2	51.8
/wi haba	120	1	.6	.6	52.4
	140	1	.6	.6	53.0
/gam	210	7	4.2	4.3	57.3
=o//gana	220	4	2.4	2.4	59.8
	233	1	.6	.6	60.4
	330	1	.6	.6	61.0
@guidum general	401	4	2.4	2.4	63.4
Mokudi	420	2	1.2	1.2	64.6
	430	1	.6	.6	65.2
	431	1	.6	.6	65.9
n/ausa	460	2	1.2	1.2	67.1
Dobe SW	470	1	.6	.6	67.7
	492	2	1.2	1.2	68.9
	493	3	1.8	1.8	70.7
//wan@ai general	501	1	.6	.6	71.3
cum@we	510	8	4.8	4.9	76.2
	512	1	.6	.6	76.8
	514	1	.6	.6	77.4
/gausa	530	3	1.8	1.8	79.3
n=ama	540	1	.6	.6	79.9
	541	1	.6	.6	80.5
	593	1	.6	.6	81.1
north - general	601	1	.6	.6	81.7
n@au n@au	610	4	2.4	2.4	84.1
	640	3	1.8	1.8	86.0
n//oma	710	2	1.2	1.2	87.2
Mace	810	1	.6	.6	87.8
Ghanzi	820	1	.6	.6	88.4
	850	3	1.8	1.8	90.2
east - general	901	5	3.0	3.0	93.3
Nokaneng	910	1	.6	.6	93.9
@gon@a	941	1	.6	.6	94.5
Mahwoehwoe	942	1	.6	.6	95.1
Namanyane	943	2	1.2	1.2	96.3
	952	1	.6	.6	97.0
not ascertained	999	5	3.0	3.0	100.0
	.	1	.6	Missing	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

WNORI1 Marriage 1: in whose n@ori was R living

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	56	33.9	34.1	34.1

his n@ori	2	21	12.7	12.8	47.0
share same n@ori	3	14	8.5	8.5	55.5
neithers n@ore	4	65	39.4	39.6	95.1
not hers, dk his	5	4	2.4	2.4	97.6
not ascertained	9	4	2.4	2.4	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

WMAR1 Marriage 1: where did the two live when

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	19	11.5	11.6	11.6
Karuwe	11	1	.6	.6	12.2
Bate	20	4	2.4	2.4	14.6
@gose	30	13	7.9	7.9	22.6
Mahopa	40	6	3.6	3.7	26.2
Dobe	50	4	2.4	2.4	28.7
	55	2	1.2	1.2	29.9
@ubi	60	6	3.6	3.7	33.5
@xabi	70	12	7.3	7.3	40.9
/ai/ai waterhole	110	29	17.6	17.7	58.5
	123	1	.6	.6	59.1
	140	1	.6	.6	59.8
/gam	210	10	6.1	6.1	65.9
=o//gana	220	3	1.8	1.8	67.7
	232	1	.6	.6	68.3
	234	1	.6	.6	68.9
@guidum general	401	4	2.4	2.4	71.3
Mokudi	420	3	1.8	1.8	73.2
n/ausa	460	2	1.2	1.2	74.4
	491	1	.6	.6	75.0
	492	1	.6	.6	75.6
	493	2	1.2	1.2	76.8
cum@we	510	6	3.6	3.7	80.5
	514	1	.6	.6	81.1
/gausa	530	1	.6	.6	81.7
n=ama	540	4	2.4	2.4	84.1
due	560	1	.6	.6	84.8
	563	1	.6	.6	85.4
	593	1	.6	.6	86.0
north - general	601	1	.6	.6	86.6
n@au n@au	610	2	1.2	1.2	87.8
	640	2	1.2	1.2	89.0
n//oma	710	1	.6	.6	89.6
Mace	810	1	.6	.6	90.2
Ghanzi	820	1	.6	.6	90.9
	850	1	.6	.6	91.5
east - general	901	2	1.2	1.2	92.7
Nokaneng	910	1	.6	.6	93.3

	920	1	.6	.6	93.9
@gon@a	941	1	.6	.6	94.5
Mahwoehwoe	942	1	.6	.6	95.1
Namanyane	943	2	1.2	1.2	96.3
	952	1	.6	.6	97.0
not ascertained	999	5	3.0	3.0	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

BNORI1 Marriage 1: in whose n@ori did they live

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	38	23.0	23.2	23.2
his n@ori	2	40	24.2	24.4	47.6
share same n@ori	3	18	10.9	11.0	58.5
neithers n@ore	4	60	36.4	36.6	95.1
not hers, dk his	5	3	1.8	1.8	97.0
not ascertained	9	5	3.0	3.0	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

WHOFAM1 Marriage 1: lived with his people or Rs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her people	1	69	41.8	42.1	42.1
his people	2	44	26.7	26.8	68.9
both sides of family	3	33	20.0	20.1	89.0
neither,w zun/wasi	4	3	1.8	1.8	90.9
neither,w Bantu	5	10	6.1	6.1	97.0
not ascertained	9	5	3.0	3.0	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

SEASON1 Marriage 1: season of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-apr)	1	66	40.0	40.2	40.2
=obe(may)	2	4	2.4	2.4	42.7
@gum(jun-aug)	3	44	26.7	26.8	69.5
@ga(sep-nov)	4	22	13.3	13.4	82.9
not ascertained	9	28	17.0	17.1	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	164	Missing cases	1		

YEARMAR1 Marriage 1: year of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.6	.6	.6
	7	2	1.2	1.2	1.8
	9	2	1.2	1.2	3.0
	13	3	1.8	1.8	4.9
	14	1	.6	.6	5.5
	15	3	1.8	1.8	7.3
	17	5	3.0	3.0	10.4
	18	1	.6	.6	11.0
	20	5	3.0	3.0	14.0
	21	2	1.2	1.2	15.2
	22	1	.6	.6	15.9
	23	2	1.2	1.2	17.1
	24	2	1.2	1.2	18.3
	25	2	1.2	1.2	19.5
	26	1	.6	.6	20.1
	27	1	.6	.6	20.7
	28	3	1.8	1.8	22.6
	29	6	3.6	3.7	26.2
	30	1	.6	.6	26.8
	31	2	1.2	1.2	28.0
	32	1	.6	.6	28.7
	33	2	1.2	1.2	29.9
	34	3	1.8	1.8	31.7
	35	6	3.6	3.7	35.4
	36	1	.6	.6	36.0
	37	3	1.8	1.8	37.8
	38	3	1.8	1.8	39.6
	39	1	.6	.6	40.2
	40	4	2.4	2.4	42.7
	41	4	2.4	2.4	45.1
	42	2	1.2	1.2	46.3
	43	4	2.4	2.4	48.8
	45	4	2.4	2.4	51.2

46	1	.6	.6	51.8
47	1	.6	.6	52.4
48	5	3.0	3.0	55.5
49	6	3.6	3.7	59.1
50	3	1.8	1.8	61.0
51	2	1.2	1.2	62.2
52	6	3.6	3.7	65.9
53	4	2.4	2.4	68.3
54	1	.6	.6	68.9
55	2	1.2	1.2	70.1
56	1	.6	.6	70.7
57	5	3.0	3.0	73.8
58	2	1.2	1.2	75.0
59	4	2.4	2.4	77.4
60	6	3.6	3.7	81.1
61	1	.6	.6	81.7
62	1	.6	.6	82.3
63	2	1.2	1.2	83.5
64	6	3.6	3.7	87.2
65	8	4.8	4.9	92.1
66	5	3.0	3.0	95.1
67	6	3.6	3.7	98.8
68	2	1.2	1.2	100.0
.	1	.6	Missing	

Total 165 100.0 100.0

Valid cases 164 Missing cases 1

ERRMAR1 Marriage 1: error of estimate of year of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	10	6.1	6.1	6.1
within 1 year	2	14	8.5	8.5	14.6
within 5 years	3	121	73.3	73.8	88.4
within 10 years	4	16	9.7	9.8	98.2
wild guess	5	3	1.8	1.8	100.0
.		1	.6	Missing	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

MENMAR1 Marriage 1: time from menarche to marria

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

>2 yrs pre-men	1	28	17.0	17.1	17.1
1-2 yrs pre-men	2	22	13.3	13.4	30.5
<1 yr pre-men	3	50	30.3	30.5	61.0
<1 post-men	4	44	26.7	26.8	87.8
>1 yr post-men	5	14	8.5	8.5	96.3
post-fertile	6	6	3.6	3.7	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

PREVMAll Marriage 1: time from previous marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no prior marriages	0	164	99.4	100.0	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

PRIOPRG1 Marriage 1: number of pregnancies prior

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	160	97.0	97.6	97.6
one	1	3	1.8	1.8	99.4
two	2	1	.6	.6	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

SURVCH1 Marriage 1: number of surviving children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	161	97.6	98.2	98.2
one	1	3	1.8	1.8	100.0
.	.	1	.6	Missing	

			-----	-----	-----
		Total	165	100.0	100.0
Valid cases	164	Missing cases	1		

SPAGE1 Marriage 1: age of husband relative to w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
hsb >20 yrs older	11	10	6.1	6.1	6.1
hsb 5-10 yrs older	12	33	20.0	20.1	26.2
hsb 11-20 yrs older	13	28	17.0	17.1	43.3
hsb <5 yrs older	14	16	9.7	9.8	53.0
wfe <5 yrs older	24	3	1.8	1.8	54.9
husb older, dk yrs	91	74	44.8	45.1	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	164	Missing cases	1
-------------	-----	---------------	---

MARPREG1 Marriage 1: number of pregnancies attrib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	77	46.7	47.0	47.0
one	1	25	15.2	15.2	62.2
two	2	19	11.5	11.6	73.8
three	3	12	7.3	7.3	81.1
four	4	8	4.8	4.9	86.0
five	5	9	5.5	5.5	91.5
six	6	3	1.8	1.8	93.3
seven	7	9	5.5	5.5	98.8
eight	8	2	1.2	1.2	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	164	Missing cases	1
-------------	-----	---------------	---

NOWIVES1 Marriage 1: number of co-wives in this m

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

none	0	140	84.8	85.4	85.4
one	1	21	12.7	12.8	98.2
two	2	1	.6	.6	98.8
three	3	2	1.2	1.2	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

RWIFE1 Marriage 1: status of R relative to co-w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	140	84.8	85.4	85.4
senior wife only	1	8	4.8	4.9	90.2
junior wife, snr inf	2	3	1.8	1.8	92.1
junior wife, snr fer	3	12	7.3	7.3	99.4
both junior & senior	4	1	.6	.6	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

SORPOL1 Marriage 1: sororal polygany

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	140	84.8	85.4	85.4
sororal polygany	1	5	3.0	3.0	88.4
non-sor,but relative	2	5	3.0	3.0	91.5
non sor,not relative	3	14	8.5	8.5	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

LEVIRT1 Marriage 1: levirate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

not applic,1st marrg	0	164	99.4	100.0	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

INFIDEL1 Marriage 1: was infidelity a factor in t

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not factor,not ascer	0	141	85.5	86.0	86.0
yes,husb unfaithful	1	4	2.4	2.4	88.4
yes,wife unfaithful	2	14	8.5	8.5	97.0
yes,both unfaithful	3	5	3.0	3.0	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

VDMAR1 Marriage 1: was VD contracted by the wom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/not ascertained	0	142	86.1	86.6	86.6
yes	1	22	13.3	13.4	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

INFERT1 Marriage 1: was infertility a factor in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/NA	0	146	88.5	89.0	89.0
yes,somewhat	1	15	9.1	9.1	98.2
yes,severe	2	3	1.8	1.8	100.0
	.	1	.6	Missing	
		-----	-----	-----	

Total 165 100.0 100.0

Valid cases 164 Missing cases 1

SEPARAT1 Marriage 1: has separation been a factor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, separatr not a f	0	150	90.9	91.5	91.5
husband, work	1	10	6.1	6.1	97.6
husband, other women	2	2	1.2	1.2	98.8
wife,sandwich marria	4	1	.6	.6	99.4
wife,family-based	5	1	.6	.6	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

REPFIN1 Marriage 1: is reproductive period of th

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	47	28.5	28.7	28.7
yes,mrg terminated	1	110	66.7	67.1	95.7
yes,R post-menstrual	2	7	4.2	4.3	100.0
.	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

MARTERM1 Marriage 1: cause of termination of marr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	54	32.7	32.9	32.9
husband died, dk cau	10	1	.6	.6	33.5
husb died,sickness	11	19	11.5	11.6	45.1
husb died,chest sick	12	5	3.0	3.0	48.2
husb died,other sick	14	2	1.2	1.2	49.4
husb died,accident	15	1	.6	.6	50.0
husb killed by zun/w	16	3	1.8	1.8	51.8

husb killed by non-z	17	1	.6	.6	52.4
husb killed by magic	18	1	.6	.6	53.0
h died,wife dk cause	19	1	.6	.6	53.7
divorce	20	3	1.8	1.8	55.5
he refused R	31	5	3.0	3.0	58.5
husb married another	32	1	.6	.6	59.1
he went away	33	3	1.8	1.8	61.0
family refused R	34	2	1.2	1.2	62.2
he hit R	35	4	2.4	2.4	64.6
cowife kicked R out	36	3	1.8	1.8	66.5
husb claimed R unfai	37	1	.6	.6	67.1
R refused him	41	21	12.7	12.8	79.9
R married another	42	7	4.2	4.3	84.1
R was too young	43	17	10.3	10.4	94.5
Rs family refused hi	44	3	1.8	1.8	96.3
R refused co-wife	45	4	2.4	2.4	98.8
husb unfaithfull	46	1	.6	.6	99.4
Bantu forced separat	52	1	.6	.6	100.0
.		1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

LIVTERM1 Marriage 1: where was R living at termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	54	32.7	32.9	32.9
@angwe	10	11	6.7	6.7	39.6
Karuwe	11	1	.6	.6	40.2
Bate	20	5	3.0	3.0	43.3
@gose	30	6	3.6	3.7	47.0
Mahopa	40	4	2.4	2.4	49.4
Dobe	50	1	.6	.6	50.0
	55	2	1.2	1.2	51.2
@ubi	60	5	3.0	3.0	54.3
@xabi	70	5	3.0	3.0	57.3
/ai/ai waterhole	110	18	10.9	11.0	68.3
	140	1	.6	.6	68.9
/gam	210	5	3.0	3.0	72.0
=o//gana	220	5	3.0	3.0	75.0
	234	1	.6	.6	75.6
@guidum general	401	1	.6	.6	76.2
	421	1	.6	.6	76.8
n/ausa	460	1	.6	.6	77.4
co/ana	480	2	1.2	1.2	78.7
//wan@ai general	501	1	.6	.6	79.3
cum@we	510	6	3.6	3.7	82.9
	512	1	.6	.6	83.5
	514	1	.6	.6	84.1
/gausa	530	1	.6	.6	84.8
n=ama	540	1	.6	.6	85.4

due	560	1	.6	.6	86.0
north - general	601	1	.6	.6	86.6
n@au n@au	610	3	1.8	1.8	88.4
	640	1	.6	.6	89.0
west - general	701	1	.6	.6	89.6
n//oma	710	1	.6	.6	90.2
Ghanzi	820	1	.6	.6	90.9
	850	1	.6	.6	91.5
	870	1	.6	.6	92.1
east - general	901	3	1.8	1.8	93.9
Nokaneng	910	3	1.8	1.8	95.7
	920	1	.6	.6	96.3
@gon@a	941	1	.6	.6	97.0
not ascertained	999	5	3.0	3.0	100.0
.		1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

ENDSTAY1 Marriage 1: when marriage ended, did R s

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	54	32.7	32.9	32.9
stayed same place	1	57	34.5	34.8	67.7
moved to family	2	40	24.2	24.4	92.1
moved to new spouse	3	3	1.8	1.8	93.9
moved to other	4	5	3.0	3.0	97.0
not ascertained	9	5	3.0	3.0	100.0
.		1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

MARLNG1 Marriage 1: length of marriage at time o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	54	32.7	32.9	32.9
< 1 year	1	49	29.7	29.9	62.8
< 6 years	2	26	15.8	15.9	78.7
6-10 years	3	13	7.9	7.9	86.6
11-15 years	4	6	3.6	3.7	90.2
16-20 years	5	2	1.2	1.2	91.5
21-25 years	6	5	3.0	3.0	94.5
26-30 years	7	6	3.6	3.7	98.2

31-50 years	8	3	1.8	1.8	100.0
	.	1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

MENTERM1 Marriage 1: time from menarche to termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	54	32.7	32.9	32.9
>2 yrs pre-menarchic	1	15	9.1	9.1	42.1
1-2 yrs pre-menarch	2	8	4.8	4.9	47.0
<1 yr pre-menarch' 4	3	9	5.5	5.5	52.4
	4	17	10.3	10.4	62.8
>1 yr post-menarch	5	13	7.9	7.9	70.7
post-fertile	6	42	25.5	25.6	96.3
late, post-menopausa	7	6	3.6	3.7	100.0
	.	1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

SURVCHT1 Marriage 1: # surviving offspring of thi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	71	43.0	43.3	43.3
one	1	15	9.1	9.1	52.4
two	2	10	6.1	6.1	58.5
three	3	2	1.2	1.2	59.8
four	4	3	1.8	1.8	61.6
five	5	2	1.2	1.2	62.8
none	8	61	37.0	37.2	100.0
	.	1	.6	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 164 Missing cases 1

INTPREG1 Marriage 1: pregnancies between this mar

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	64	38.8	39.0	39.0
yes,1 or more surviv	2	3	1.8	1.8	40.9
no	5	97	58.8	59.1	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

BETWMAR1 Marriage 1: time from end of 1st marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	54	32.7	32.9	32.9
1 month or less	1	10	6.1	6.1	39.0
1 year or less	2	54	32.7	32.9	72.0
1-2 years	3	16	9.7	9.8	81.7
2-5 years	4	14	8.5	8.5	90.2
> 5 years	5	5	3.0	3.0	93.3
no 2nd marriage yet	8	11	6.7	6.7	100.0
	.	1	.6	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 164 Missing cases 1

HUSBID2 Marriage 2: ID number of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	1.0	1.0
	11	1	.6	1.0	2.1
	13	1	.6	1.0	3.1
	17	1	.6	1.0	4.1
	23	2	1.2	2.1	6.2
	74	1	.6	1.0	7.2
	82	1	.6	1.0	8.2
	84	1	.6	1.0	9.3
	95	1	.6	1.0	10.3
	111	1	.6	1.0	11.3
	117	3	1.8	3.1	14.4
	123	1	.6	1.0	15.5
	128	1	.6	1.0	16.5
	139	1	.6	1.0	17.5
	154	1	.6	1.0	18.6

	179	1	.6	1.0	19.6
	181	1	.6	1.0	20.6
	196	1	.6	1.0	21.6
	208	1	.6	1.0	22.7
	262	1	.6	1.0	23.7
	264	1	.6	1.0	24.7
	283	1	.6	1.0	25.8
	298	1	.6	1.0	26.8
	300	1	.6	1.0	27.8
	318	1	.6	1.0	28.9
	324	2	1.2	2.1	30.9
	336	1	.6	1.0	32.0
	357	1	.6	1.0	33.0
	367	1	.6	1.0	34.0
	375	1	.6	1.0	35.1
	383	2	1.2	2.1	37.1
	385	1	.6	1.0	38.1
	394	1	.6	1.0	39.2
	398	1	.6	1.0	40.2
	419	2	1.2	2.1	42.3
	454	1	.6	1.0	43.3
	461	1	.6	1.0	44.3
	463	1	.6	1.0	45.4
	494	1	.6	1.0	46.4
	511	1	.6	1.0	47.4
	512	1	.6	1.0	48.5
	540	1	.6	1.0	49.5
	542	1	.6	1.0	50.5
	579	1	.6	1.0	51.5
	618	1	.6	1.0	52.6
	775	1	.6	1.0	53.6
unnumbered person	996	3	1.8	3.1	56.7
deceased person	997	28	17.0	28.9	85.6
Bantu or other	998	14	8.5	14.4	100.0
.		68	41.2	Missing	

	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

HUSBNAM2 Marriage 2: name of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	3	1.8	3.1	3.1
dam	12	1	.6	1.0	4.1
debi	14	2	1.2	2.1	6.2
kan//a	18	3	1.8	3.1	9.3
kase	19	3	1.8	3.1	12.4
kau	20	9	5.5	9.3	21.6
kumsa	24	2	1.2	2.1	23.7
n@eise	29	2	1.2	2.1	25.8
n@ani	30	1	.6	1.0	26.8

n//au	31	1	.6	1.0	27.8
n//au-rare	32	1	.6	1.0	28.9
n//u	34	1	.6	1.0	29.9
	37	1	.6	1.0	30.9
tsaa	38	2	1.2	2.1	33.0
tsama	39	2	1.2	2.1	35.1
tsau	40	1	.6	1.0	36.1
/?ase	43	4	2.4	4.1	40.2
gau	44	4	2.4	4.1	44.3
/i@ay	47	5	3.0	5.2	49.5
/n@au	48	1	.6	1.0	50.5
/ontah	50	1	.6	1.0	51.5
/uka	51	3	1.8	3.1	54.6
/wi	55	10	6.1	10.3	64.9
=daun	57	1	.6	1.0	66.0
=dau	58	1	.6	1.0	67.0
=gau	59	3	1.8	3.1	70.1
=oma	61	7	4.2	7.2	77.3
@xem	64	4	2.4	4.1	81.4
@xoma	65	1	.6	1.0	82.5
	67	1	.6	1.0	83.5
	70	1	.6	1.0	84.5
	72	1	.6	1.0	85.6
not zun/wasi name	98	14	8.5	14.4	100.0
.		68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

MARTYPE2 Marriage 2: regular or irregular marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
proper,regular	1	90	54.5	92.8	92.8
irregular	2	7	4.2	7.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

RBLSAM2 Marriage 2: is husband in RBLs sample of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes,reported	1	51	30.9	52.6	52.6
no,deceased	4	31	18.8	32.0	84.5

no,out of pop	5	4	2.4	4.1	88.7
no,Bantu,other	6	11	6.7	11.3	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

PREVMAR2 Marriage 2: was husband married before h

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no previous marriage	0	33	20.0	34.0	34.0
<2 weeks	1	40	24.2	41.2	75.3
<1 year	2	9	5.5	9.3	84.5
1-5 years	3	3	1.8	3.1	87.6
>5 years	4	3	1.8	3.1	90.7
	6	3	1.8	3.1	93.8
not ascertained	9	6	3.6	6.2	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

CURMAR2 Marriage 2: was husband currently marrie

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	75	45.5	77.3	77.3
yes	1	16	9.7	16.5	93.8
not ascertained	9	6	3.6	6.2	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

HNORI2 Marriage 2: what is hubands n@ori?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	7	4.2	7.2	7.2

Bate	20	3	1.8	3.1	10.3
@gose	30	1	.6	1.0	11.3
Mahopa	40	2	1.2	2.1	13.4
Dobe	50	2	1.2	2.1	15.5
@ubi	60	4	2.4	4.1	19.6
@xabi	70	2	1.2	2.1	21.6
/ai/ai waterhole	110	16	9.7	16.5	38.1
/wi haba	120	1	.6	1.0	39.2
/gam-=o//gana gen	201	2	1.2	2.1	41.2
/gam	210	6	3.6	6.2	47.4
=o//gana	220	2	1.2	2.1	49.5
	230	1	.6	1.0	50.5
	234	1	.6	1.0	51.5
/du/da general	301	1	.6	1.0	52.6
@guidum general	401	4	2.4	4.1	56.7
Mokudi	420	1	.6	1.0	57.7
	491	1	.6	1.0	58.8
cum@we	510	2	1.2	2.1	60.8
/gausa	530	1	.6	1.0	61.9
n=ama	540	4	2.4	4.1	66.0
north - general	601	1	.6	1.0	67.0
	640	1	.6	1.0	68.0
west - general	701	2	1.2	2.1	70.1
n//oma	710	1	.6	1.0	71.1
south - general	801	1	.6	1.0	72.2
Ghanzi	820	3	1.8	3.1	75.3
	850	1	.6	1.0	76.3
east - general	901	6	3.6	6.2	82.5
Namanyane	943	1	.6	1.0	83.5
Makakun	945	1	.6	1.0	84.5
not ascertained	999	15	9.1	15.5	100.0
.		68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

RRES2 Marriage 2: where was R living when R ma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	17	10.3	17.5	17.5
Bate	20	1	.6	1.0	18.6
@gose	30	5	3.0	5.2	23.7
Mahopa	40	6	3.6	6.2	29.9
Dobe	50	2	1.2	2.1	32.0
@ubi	60	7	4.2	7.2	39.2
@xabi	70	7	4.2	7.2	46.4
/ai/ai waterhole	110	16	9.7	16.5	62.9
/gam	210	9	5.5	9.3	72.2
=o//gana	220	1	.6	1.0	73.2
@guidum general	401	5	3.0	5.2	78.4
	430	1	.6	1.0	79.4

	441	1	.6	1.0	80.4
cum@we	510	2	1.2	2.1	82.5
/gausa	530	1	.6	1.0	83.5
north - general	601	1	.6	1.0	84.5
n@au n@au	610	1	.6	1.0	85.6
n//oma	710	1	.6	1.0	86.6
Ghanzi	820	1	.6	1.0	87.6
east - general	901	2	1.2	2.1	89.7
Nokaneng	910	2	1.2	2.1	91.8
@gon@a	941	1	.6	1.0	92.8
Namanyane	943	1	.6	1.0	93.8
not ascertained	999	6	3.6	6.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

WNORI2 Marriage 2: in whose n@ori was R living

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	25	15.2	25.8	25.8
his n@ori	2	20	12.1	20.6	46.4
share same n@ori	3	9	5.5	9.3	55.7
neithers n@ore	4	30	18.2	30.9	86.6
not hers, dk his	5	8	4.8	8.2	94.8
not ascertained	9	5	3.0	5.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

WMAR2 Marriage 2: where did the two live when

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	14	8.5	14.4	14.4
Karuwe	11	1	.6	1.0	15.5
Bate	20	1	.6	1.0	16.5
@gose	30	6	3.6	6.2	22.7
Mahopa	40	6	3.6	6.2	28.9
Dobe	50	4	2.4	4.1	33.0
@ubi	60	8	4.8	8.2	41.2
	61	1	.6	1.0	42.3
@xabi	70	7	4.2	7.2	49.5
/ai/ai waterhole	110	17	10.3	17.5	67.0

/wi haba	120	1	.6	1.0	68.0
/gam	210	8	4.8	8.2	76.3
	234	1	.6	1.0	77.3
	306	1	.6	1.0	78.4
@guidum general	401	2	1.2	2.1	80.4
	430	1	.6	1.0	81.4
cum@we	510	1	.6	1.0	82.5
/gausa	530	1	.6	1.0	83.5
north - general	601	1	.6	1.0	84.5
n//oma	710	1	.6	1.0	85.6
Ghanzi	820	1	.6	1.0	86.6
east - general	901	2	1.2	2.1	88.7
Nokaneng	910	1	.6	1.0	89.7
@gon@a	941	1	.6	1.0	90.7
Namanyane	943	1	.6	1.0	91.8
	944	1	.6	1.0	92.8
not ascertained	999	7	4.2	7.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

BNORI2 Marriage 2: in whose n@ori did they live

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.6	1.0	1.0
her n@ori	1	22	13.3	22.7	23.7
his n@ori	2	28	17.0	28.9	52.6
share same n@ori	3	7	4.2	7.2	59.8
neithers n@ore	4	25	15.2	25.8	85.6
not hers, dk his	5	7	4.2	7.2	92.8
not ascertained	9	7	4.2	7.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

WHOFAM2 Marriage 2: lived with his people or Rs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her people	1	43	26.1	44.3	44.3
his people	2	28	17.0	28.9	73.2
both sides of family	3	17	10.3	17.5	90.7
neither,w zun/wasi	4	1	.6	1.0	91.8

neither,w Bantu	5	4	2.4	4.1	95.9
not ascertained	9	4	2.4	4.1	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

SEASON2 Marriage 2: season of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-apr)	1	25	15.2	25.8	25.8
@gum(jun-aug)	3	15	9.1	15.5	41.2
@ga(sep-nov)	4	9	5.5	9.3	50.5
not ascertained	9	48	29.1	49.5	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

YEARMAR2 Marriage 2: year of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	9	1	.6	1.0	1.0
	10	1	.6	1.0	2.1
	16	3	1.8	3.1	5.2
	18	1	.6	1.0	6.2
	19	1	.6	1.0	7.2
	20	1	.6	1.0	8.2
	21	1	.6	1.0	9.3
	23	1	.6	1.0	10.3
	24	2	1.2	2.1	12.4
	25	2	1.2	2.1	14.4
	27	2	1.2	2.1	16.5
	29	3	1.8	3.1	19.6
	30	3	1.8	3.1	22.7
	31	1	.6	1.0	23.7
	32	1	.6	1.0	24.7
	33	1	.6	1.0	25.8
	35	1	.6	1.0	26.8
	36	2	1.2	2.1	28.9
	38	1	.6	1.0	29.9
	39	2	1.2	2.1	32.0
	40	3	1.8	3.1	35.1
	41	2	1.2	2.1	37.1

42	1	.6	1.0	38.1
43	3	1.8	3.1	41.2
44	5	3.0	5.2	46.4
45	2	1.2	2.1	48.5
46	1	.6	1.0	49.5
47	1	.6	1.0	50.5
48	4	2.4	4.1	54.6
50	4	2.4	4.1	58.8
51	1	.6	1.0	59.8
52	4	2.4	4.1	63.9
54	3	1.8	3.1	67.0
55	3	1.8	3.1	70.1
56	1	.6	1.0	71.1
57	3	1.8	3.1	74.2
59	1	.6	1.0	75.3
60	4	2.4	4.1	79.4
61	4	2.4	4.1	83.5
62	4	2.4	4.1	87.6
63	1	.6	1.0	88.7
64	1	.6	1.0	89.7
65	2	1.2	2.1	91.8
66	4	2.4	4.1	95.9
67	1	.6	1.0	96.9
68	1	.6	1.0	97.9
69	1	.6	1.0	99.0
94	1	.6	1.0	100.0
.	68	41.2	Missing	
Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

ERRMAR2 Marriage 2: error of estimate of year of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	2	1.2	2.1	2.1
within 1 year	2	9	5.5	9.3	11.3
within 5 years	3	77	46.7	79.4	90.7
within 10 years	4	7	4.2	7.2	97.9
wild guess	5	1	.6	1.0	99.0
.	9	1	.6	1.0	100.0
.	.	68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

MENMAR2 Marriage 2: time from menarche to marria

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
>2 yrs pre-men	1	5	3.0	5.2	5.2
1-2 yrs pre-men	2	7	4.2	7.2	12.4
<1 yr pre-men	3	8	4.8	8.2	20.6
<1 post-men	4	10	6.1	10.3	30.9
>1 yr post-men	5	29	17.6	29.9	60.8
post-fertile	6	34	20.6	35.1	95.9
over 45 years old	7	4	2.4	4.1	100.0
.	.	68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

PREVMA21 Marriage 2: time from previous marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no prior marriages	0	1	.6	1.0	1.0
yes, once	1	12	7.3	12.4	13.4
yes, twice	2	45	27.3	46.4	59.8
yes, 3 times	3	33	20.0	34.0	93.8
yes, 4 times	4	6	3.6	6.2	100.0
.	.	68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

PRIOPRG2 Marriage 2: number of pregnancies prior

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	65	39.4	67.0	67.0
one	1	8	4.8	8.2	75.3
two	2	7	4.2	7.2	82.5
three	3	7	4.2	7.2	89.7
four	4	4	2.4	4.1	93.8
five	5	3	1.8	3.1	96.9
six	6	2	1.2	2.1	99.0
seven	7	1	.6	1.0	100.0
.	.	68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

 SURVCH2 Marriage 2: number of surviving children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	73	44.2	75.3	75.3
one	1	12	7.3	12.4	87.6
two	2	8	4.8	8.2	95.9
three	3	1	.6	1.0	96.9
four	4	2	1.2	2.1	99.0
five	5	1	.6	1.0	100.0
	.	68	41.2	Missing	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

 SPAGE2 Marriage 2: age of husband relative to w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
hsb >20 yrs older	11	3	1.8	3.1	3.1
hsb 5-10 yrs older	12	21	12.7	21.6	24.7
hsb 11-20 yrs older	13	9	5.5	9.3	34.0
hsb <5 yrs older	14	17	10.3	17.5	51.5
wfe 11-20 yrs older	22	1	.6	1.0	52.6
wfe 5-10 yrs older	23	4	2.4	4.1	56.7
wfe <5 yrs older	24	3	1.8	3.1	59.8
husb older, dk yrs	91	35	21.2	36.1	95.9
wife older, dk years	92	2	1.2	2.1	97.9
dk which older	98	1	.6	1.0	99.0
not ascertained	99	1	.6	1.0	100.0
	.	68	41.2	Missing	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

 MARPREG2 Marriage 2: number of pregnancies attrib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

none	0	39	23.6	40.2	40.2
one	1	15	9.1	15.5	55.7
two	2	13	7.9	13.4	69.1
three	3	6	3.6	6.2	75.3
four	4	9	5.5	9.3	84.5
five	5	9	5.5	9.3	93.8
six	6	2	1.2	2.1	95.9
seven	7	2	1.2	2.1	97.9
eight	8	2	1.2	2.1	100.0
.		68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

 NOWIVES2 Marriage 2: number of co-wives in this m

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	76	46.1	78.4	78.4
one	1	15	9.1	15.5	93.8
two	2	4	2.4	4.1	97.9
four	4	2	1.2	2.1	100.0
.		68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

 RWIFE2 Marriage 2: status of R relative to co-w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	76	46.1	78.4	78.4
senior wife only	1	7	4.2	7.2	85.6
junior wife, snr inf	2	4	2.4	4.1	89.7
junior wife, snr fer	3	9	5.5	9.3	99.0
both junior & senior	4	1	.6	1.0	100.0
.		68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

 SORPOL2 Marriage 2: sororal polygany

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	76	46.1	78.4	78.4
sororal polygany	1	3	1.8	3.1	81.4
non-sor,but relative	2	5	3.0	5.2	86.6
non sor,not relative	3	13	7.9	13.4	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

LEVIRT2 Marriage 2: levirate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applic,1st marrg	0	11	6.7	11.3	11.3
levirate	1	5	3.0	5.2	16.5
not levirate	2	81	49.1	83.5	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

INFIDEL2 Marriage 2: was infidelity a factor in t

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not factor,not ascer	0	84	50.9	86.6	86.6
yes,husb unfaithful	1	5	3.0	5.2	91.8
yes,wife unfaithful	2	4	2.4	4.1	95.9
yes,both unfaithful	3	4	2.4	4.1	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

VDMAR2 Marriage 2: was VD contracted by the wom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/not ascertained	0	88	53.3	90.7	90.7
yes	1	9	5.5	9.3	100.0
	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	97	Missing cases	68		

INFERT2 Marriage 2: was infertility a factor in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/NA	0	84	50.9	86.6	86.6
yes,somewhat	1	8	4.8	8.2	94.8
yes,severe	2	5	3.0	5.2	100.0
	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	97	Missing cases	68		

SEPARAT2 Marriage 2: has separation been a factor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, separatr not a f	0	94	57.0	96.9	96.9
husband, work	1	2	1.2	2.1	99.0
husb,work & women	3	1	.6	1.0	100.0
	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	97	Missing cases	68		

REPFIN2 Marriage 2: is reproductive period of th

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	30	18.2	30.9	30.9
yes,mrg terminated	1	57	34.5	58.8	89.7

yes,R post-menstrual	2	10	6.1	10.3	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

MARTERM2 Marriage 2: cause of termination of marr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	40	24.2	41.2	41.2
husband died, dk cau	10	2	1.2	2.1	43.3
husb died,sickness	11	9	5.5	9.3	52.6
husb died,chest sick	12	4	2.4	4.1	56.7
husb died,other sick	14	1	.6	1.0	57.7
husb killed by zun/w	16	2	1.2	2.1	59.8
husb initiat divorce	30	1	.6	1.0	60.8
he refused R	31	3	1.8	3.1	63.9
husb married another	32	1	.6	1.0	64.9
he went away	33	2	1.2	2.1	67.0
family refused R	34	1	.6	1.0	68.0
cowife kicked R out	36	1	.6	1.0	69.1
husb claimed R unfai	37	1	.6	1.0	70.1
wife initiated divor	40	2	1.2	2.1	72.2
R refused him	41	7	4.2	7.2	79.4
R married another	42	5	3.0	5.2	84.5
R was too young	43	5	3.0	5.2	89.7
Rs family refused hi	44	2	1.2	2.1	91.8
R refused co-wife	45	6	3.6	6.2	97.9
husb unfaithfull	46	1	.6	1.0	99.0
Bantu forced separat	52	1	.6	1.0	100.0
.	.	68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

LIVTERM2 Marriage 2: where was R living at termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	40	24.2	41.2	41.2
	10	10	6.1	10.3	51.5
	20	1	.6	1.0	52.6
	30	4	2.4	4.1	56.7
	40	2	1.2	2.1	58.8
	50	1	.6	1.0	59.8

60	4	2.4	4.1	63.9
70	5	3.0	5.2	69.1
110	6	3.6	6.2	75.3
120	1	.6	1.0	76.3
210	5	3.0	5.2	81.4
220	1	.6	1.0	82.5
420	1	.6	1.0	83.5
430	1	.6	1.0	84.5
470	1	.6	1.0	85.6
510	1	.6	1.0	86.6
530	1	.6	1.0	87.6
601	1	.6	1.0	88.7
820	1	.6	1.0	89.7
901	2	1.2	2.1	91.8
910	2	1.2	2.1	93.8
941	1	.6	1.0	94.8
943	1	.6	1.0	95.9
999	4	2.4	4.1	100.0
.	68	41.2	Missing	
Total		165	100.0	100.0

Valid cases 97 Missing cases 68

ENDSTAY2 Marriage 2: when marriage ended, did R s

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	40	24.2	41.2	41.2
stayed same place	1	31	18.8	32.0	73.2
moved to family	2	17	10.3	17.5	90.7
moved to new spouse	3	2	1.2	2.1	92.8
moved to other	4	4	2.4	4.1	96.9
not ascertained	9	3	1.8	3.1	100.0
.		68	41.2	Missing	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

MARLNG2 Marriage 2: length of marriage at time o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	40	24.2	41.2	41.2
< 1 year	1	21	12.7	21.6	62.9
< 6 years	2	17	10.3	17.5	80.4
6-10 years	3	1	.6	1.0	81.4

11-15 years	4	4	2.4	4.1	85.6
16-20 years	5	4	2.4	4.1	89.7
21-25 years	6	6	3.6	6.2	95.9
26-30 years	7	1	.6	1.0	96.9
31-50 years	8	3	1.8	3.1	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

MENTERM2 Marriage 2: time from menarche to termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	40	24.2	41.2	41.2
>2 yrs pre-menarchic	1	2	1.2	2.1	43.3
1-2 yrs pre-menarch	2	6	3.6	6.2	49.5
<1 yr pre-menarch' 4	3	1	.6	1.0	50.5
	4	2	1.2	2.1	52.6
>1 yr post-menarch	5	6	3.6	6.2	58.8
post-fertile	6	33	20.0	34.0	92.8
late, post-menopausa	7	7	4.2	7.2	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

SURVCHT2 Marriage 2: # surviving offspring of thi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	45	27.3	46.4	46.4
one	1	16	9.7	16.5	62.9
two	2	5	3.0	5.2	68.0
three	3	3	1.8	3.1	71.1
four	4	6	3.6	6.2	77.3
none	8	22	13.3	22.7	100.0
.		68	41.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 97 Missing cases 68

INTPREG2 Marriage 2: pregnancies between this mar

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	42	25.5	43.3	43.3
no	5	55	33.3	56.7	100.0
	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

BETWMAR2 Marriage 2: time from end of 1st marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	40	24.2	41.2	41.2
1 month or less	1	9	5.5	9.3	50.5
1 year or less	2	18	10.9	18.6	69.1
1-2 years	3	13	7.9	13.4	82.5
2-5 years	4	4	2.4	4.1	86.6
> 5 years	5	2	1.2	2.1	88.7
no 2nd marriage yet	8	11	6.7	11.3	100.0
	.	68	41.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 97 Missing cases 68

HUSBID3 Marriage 3: ID number of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	7	1	.6	2.1	2.1
	11	1	.6	2.1	4.3
	53	1	.6	2.1	6.4
	93	1	.6	2.1	8.5
	111	1	.6	2.1	10.6
	116	1	.6	2.1	12.8
	133	1	.6	2.1	14.9
	156	1	.6	2.1	17.0
	158	1	.6	2.1	19.1
	164	1	.6	2.1	21.3
	179	1	.6	2.1	23.4
	192	1	.6	2.1	25.5
	217	1	.6	2.1	27.7

	231	1	.6	2.1	29.8
	234	1	.6	2.1	31.9
	283	1	.6	2.1	34.0
	292	2	1.2	4.3	38.3
	334	1	.6	2.1	40.4
	353	1	.6	2.1	42.6
	363	1	.6	2.1	44.7
	367	1	.6	2.1	46.8
	402	1	.6	2.1	48.9
	423	1	.6	2.1	51.1
	494	1	.6	2.1	53.2
	511	1	.6	2.1	55.3
	512	1	.6	2.1	57.4
	536	1	.6	2.1	59.6
	537	1	.6	2.1	61.7
	592	1	.6	2.1	63.8
	620	1	.6	2.1	66.0
	765	1	.6	2.1	68.1
unnumbered person	996	1	.6	2.1	70.2
deceased person	997	11	6.7	23.4	93.6
Bantu or other	998	3	1.8	6.4	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

HUSBNAM3 Marriage 3: name of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
dam	12	6	3.6	12.8	12.8
kan//a	18	3	1.8	6.4	19.1
kase	19	2	1.2	4.3	23.4
kau	20	3	1.8	6.4	29.8
ko/un	23	1	.6	2.1	31.9
kumsa	24	3	1.8	6.4	38.3
n@eise	29	2	1.2	4.3	42.6
n//au	31	1	.6	2.1	44.7
	37	1	.6	2.1	46.8
tsau	40	1	.6	2.1	48.9
/?ase	43	1	.6	2.1	51.1
gau	44	1	.6	2.1	53.2
/ise	46	1	.6	2.1	55.3
/i@ay	47	2	1.2	4.3	59.6
/n@au	48	2	1.2	4.3	63.8
/ontah	50	1	.6	2.1	66.0
/uka	51	1	.6	2.1	68.1
/use	53	1	.6	2.1	70.2
/wi	55	2	1.2	4.3	74.5
=gau	59	1	.6	2.1	76.6
=oma	61	6	3.6	12.8	89.4
@xem	64	2	1.2	4.3	93.6

not zun/wasi name	98	3	1.8	6.4	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

MARTYPE3 Marriage 3: regular or irregular marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
proper,regular	1	47	28.5	100.0	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

RBLSAM3 Marriage 3: is husband in RBLs sample of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes,reported	1	27	16.4	57.4	57.4
	3	2	1.2	4.3	61.7
no,deceased	4	12	7.3	25.5	87.2
no,out of pop	5	4	2.4	8.5	95.7
no,Bantu,other	6	2	1.2	4.3	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

PREVMAR3 Marriage 3: was husband married before h

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no previous marriage	0	18	10.9	38.3	38.3
<2 weeks	1	22	13.3	46.8	85.1
<1 year	2	4	2.4	8.5	93.6
1-5 years	3	2	1.2	4.3	97.9
not ascertained	9	1	.6	2.1	100.0
.		118	71.5	Missing	

		Total	165	100.0	100.0
Valid cases	47	Missing cases	118		

CURMAR3 Marriage 3: was husband currently marrie

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	40	24.2	85.1	85.1
yes	1	6	3.6	12.8	97.9
not ascertained	9	1	.6	2.1	100.0
	.	118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases	47	Missing cases	118
-------------	----	---------------	-----

HNORI3 Marriage 3: what is hubands n@ori?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	3	1.8	6.4	6.4
Bate	20	3	1.8	6.4	12.8
Dobe	50	1	.6	2.1	14.9
@ubi	60	3	1.8	6.4	21.3
	61	1	.6	2.1	23.4
/ai/ai general	101	1	.6	2.1	25.5
/ai/ai waterhole	110	7	4.2	14.9	40.4
/gam	210	4	2.4	8.5	48.9
/du/da general	301	1	.6	2.1	51.1
/du/da	310	1	.6	2.1	53.2
@guidum general	401	1	.6	2.1	55.3
//wan@ai general	501	1	.6	2.1	57.4
cum@we	510	2	1.2	4.3	61.7
	520	1	.6	2.1	63.8
n=ama	540	1	.6	2.1	66.0
north - general	601	1	.6	2.1	68.1
n@au n@au	610	3	1.8	6.4	74.5
n//oma	710	2	1.2	4.3	78.7
Mace	810	1	.6	2.1	80.9
east - general	901	2	1.2	4.3	85.1
Nokaneng	910	1	.6	2.1	87.2
dont know	998	1	.6	2.1	89.4
not ascertained	999	5	3.0	10.6	100.0
	.	118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

RRRES3 Marriage 3: where was R living when R ma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	12	7.3	25.5	25.5
Bate	20	3	1.8	6.4	31.9
@gose	30	1	.6	2.1	34.0
Mahopa	40	1	.6	2.1	36.2
Dobe	50	2	1.2	4.3	40.4
@ubi	60	3	1.8	6.4	46.8
@xabi	70	2	1.2	4.3	51.1
/ai/ai general	101	1	.6	2.1	53.2
/ai/ai waterhole	110	8	4.8	17.0	70.2
/gam=-o//gana gen	201	1	.6	2.1	72.3
/gam	210	1	.6	2.1	74.5
@guidum general	401	2	1.2	4.3	78.7
n/ausa	460	1	.6	2.1	80.9
cum@we	510	1	.6	2.1	83.0
north - general	601	1	.6	2.1	85.1
n@au n@au	610	1	.6	2.1	87.2
east - general	901	1	.6	2.1	89.4
Nokaneng	910	1	.6	2.1	91.5
@gon@a	941	1	.6	2.1	93.6
Namanyane	943	1	.6	2.1	95.7
not ascertained	999	2	1.2	4.3	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

WNORI3 Marriage 3: in whose n@ori was R living

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	11	6.7	23.4	23.4
his n@ori	2	12	7.3	25.5	48.9
share same n@ori	3	2	1.2	4.3	53.2
neithers n@ore	4	14	8.5	29.8	83.0
not hers, dk his	5	6	3.6	12.8	95.7
not ascertained	9	2	1.2	4.3	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

 WMAR3 Marriage 3: where did the two live when

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	11	6.7	23.4	23.4
Bate	20	3	1.8	6.4	29.8
@gose	30	1	.6	2.1	31.9
Mahopa	40	1	.6	2.1	34.0
Dobe	50	2	1.2	4.3	38.3
	55	1	.6	2.1	40.4
@ubi	60	3	1.8	6.4	46.8
@xabi	70	1	.6	2.1	48.9
/ai/ai general	101	1	.6	2.1	51.1
/ai/ai waterhole	110	10	6.1	21.3	72.3
/gam-=o//gana gen	201	1	.6	2.1	74.5
/gam	210	1	.6	2.1	76.6
@guidum general	401	1	.6	2.1	78.7
	431	1	.6	2.1	80.9
cum@we	510	3	1.8	6.4	87.2
north - general	601	1	.6	2.1	89.4
n@au n@au	610	1	.6	2.1	91.5
east - general	901	1	.6	2.1	93.6
Nokaneng	910	1	.6	2.1	95.7
not ascertained	999	2	1.2	4.3	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

 BNORI3 Marriage 3: in whose n@ori did they live

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	9	5.5	19.1	19.1
his n@ori	2	14	8.5	29.8	48.9
share same n@ori	3	2	1.2	4.3	53.2
neithers n@ore	4	12	7.3	25.5	78.7
not hers, dk his	5	7	4.2	14.9	93.6
not ascertained	9	3	1.8	6.4	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

WHOFAM3 Marriage 3: lived with his people or Rs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her people	1	17	10.3	36.2	36.2
his people	2	18	10.9	38.3	74.5
both sides of family	3	7	4.2	14.9	89.4
neither,w zun/wasi	4	1	.6	2.1	91.5
neither,w Bantu	5	1	.6	2.1	93.6
not ascertained	9	3	1.8	6.4	100.0
.		118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

SEASON3 Marriage 3: season of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-apr)	1	6	3.6	12.8	12.8
=obe(may)	2	2	1.2	4.3	17.0
@gum(jun-aug)	3	7	4.2	14.9	31.9
@ga(sep-nov)	4	1	.6	2.1	34.0
	6	1	.6	2.1	36.2
not ascertained	9	30	18.2	63.8	100.0
.		118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

YEARMAR3 Marriage 3: year of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	19	1	.6	2.1	2.1
	20	1	.6	2.1	4.3
	23	3	1.8	6.4	10.6
	24	1	.6	2.1	12.8
	27	1	.6	2.1	14.9
	36	1	.6	2.1	17.0
	37	1	.6	2.1	19.1

39	2	1.2	4.3	23.4
40	1	.6	2.1	25.5
43	2	1.2	4.3	29.8
44	2	1.2	4.3	34.0
45	3	1.8	6.4	40.4
48	3	1.8	6.4	46.8
49	2	1.2	4.3	51.1
50	3	1.8	6.4	57.4
51	1	.6	2.1	59.6
53	1	.6	2.1	61.7
55	3	1.8	6.4	68.1
56	2	1.2	4.3	72.3
57	2	1.2	4.3	76.6
63	1	.6	2.1	78.7
64	1	.6	2.1	80.9
65	3	1.8	6.4	87.2
66	3	1.8	6.4	93.6
67	1	.6	2.1	95.7
68	2	1.2	4.3	100.0
.	118	71.5	Missing	
Total		165	100.0	100.0

Valid cases 47 Missing cases 118

ERRMAR3 Marriage 3: error of estimate of year of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	2	1.2	4.3	4.3
within 1 year	2	3	1.8	6.4	10.6
within 5 years	3	35	21.2	74.5	85.1
within 10 years	4	5	3.0	10.6	95.7
wild guess	5	2	1.2	4.3	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

MENMAR3 Marriage 3: time from menarche to marria

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
>2 yrs pre-men	1	2	1.2	4.3	4.3
1-2 yrs pre-men	2	2	1.2	4.3	8.5
<1 yr pre-men	3	6	3.6	12.8	21.3
<1 post-men	4	1	.6	2.1	23.4

>1 yr post-men	5	6	3.6	12.8	36.2
post-fertile	6	28	17.0	59.6	95.7
over 45 years old	7	2	1.2	4.3	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

PREVMA31 Marriage 3: time from previous marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no prior marriages	0	1	.6	2.1	2.1
yes, once	1	5	3.0	10.6	12.8
yes, twice	2	19	11.5	40.4	53.2
yes, 3 times	3	19	11.5	40.4	93.6
yes, 4 times	4	3	1.8	6.4	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

PRIOPRG3 Marriage 3: number of pregnancies prior

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	19	11.5	40.4	40.4
one	1	7	4.2	14.9	55.3
two	2	8	4.8	17.0	72.3
three	3	1	.6	2.1	74.5
four	4	5	3.0	10.6	85.1
five	5	4	2.4	8.5	93.6
six	6	1	.6	2.1	95.7
seven	7	1	.6	2.1	97.9
eight	8	1	.6	2.1	100.0
.		118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

SURVCH3 Marriage 3: number of surviving children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	24	14.5	51.1	51.1
one	1	11	6.7	23.4	74.5
two	2	7	4.2	14.9	89.4
three	3	2	1.2	4.3	93.6
four	4	3	1.8	6.4	100.0
.	.	118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

SPAGE3 Marriage 3: age of husband relative to w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
hsb >20 yrs older	11	1	.6	2.1	2.1
hsb 5-10 yrs older	12	8	4.8	17.0	19.1
hsb 11-20 yrs older	13	3	1.8	6.4	25.5
hsb <5 yrs older	14	11	6.7	23.4	48.9
wfe >20 yrs older	21	1	.6	2.1	51.1
wfe 11-20 yrs older	22	2	1.2	4.3	55.3
wfe 5-10 yrs older	23	1	.6	2.1	57.4
wfe <5 yrs older	24	4	2.4	8.5	66.0
husb older, dk yrs	91	12	7.3	25.5	91.5
wife older, dk years	92	4	2.4	8.5	100.0
.	.	118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

MARPREG3 Marriage 3: number of pregnancies attrib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	20	12.1	42.6	42.6
one	1	13	7.9	27.7	70.2
two	2	6	3.6	12.8	83.0
three	3	1	.6	2.1	85.1
four	4	3	1.8	6.4	91.5
five	5	1	.6	2.1	93.6
six	6	2	1.2	4.3	97.9
seven	7	1	.6	2.1	100.0
.	.	118	71.5	Missing	

		Total	165	100.0	100.0
Valid cases	47	Missing cases	118		

NOWIVES3 Marriage 3: number of co-wives in this m

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	38	23.0	80.9	80.9
one	1	6	3.6	12.8	93.6
two	2	3	1.8	6.4	100.0
	.	118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases	47	Missing cases	118
-------------	----	---------------	-----

RWIFE3 Marriage 3: status of R relative to co-w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	38	23.0	80.9	80.9
senior wife only	1	4	2.4	8.5	89.4
junior wife, snr fer	3	3	1.8	6.4	95.7
both junior & senior	4	2	1.2	4.3	100.0
	.	118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases	47	Missing cases	118
-------------	----	---------------	-----

SORPOL3 Marriage 3: sororal polygany

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	38	23.0	80.9	80.9
sororal polygany	1	1	.6	2.1	83.0
non-sor,but relative	2	2	1.2	4.3	87.2
non sor,not relative	3	6	3.6	12.8	100.0
	.	118	71.5	Missing	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

LEVIRT3 Marriage 3: levirate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applic,1st marrg	0	4	2.4	8.5	8.5
levirate	1	2	1.2	4.3	12.8
not levirate	2	41	24.8	87.2	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

INFIDEL3 Marriage 3: was infidelity a factor in t

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not factor,not ascer	0	40	24.2	85.1	85.1
yes,husb unfaithful	1	2	1.2	4.3	89.4
yes,wife unfaithful	2	5	3.0	10.6	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

VDMAR3 Marriage 3: was VD contracted by the wom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/not ascertained	0	42	25.5	89.4	89.4
yes	1	5	3.0	10.6	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

INFERT3 Marriage 3: was infertility a factor in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/NA	0	40	24.2	85.1	85.1
yes,somewhat	1	5	3.0	10.6	95.7
yes,severe	2	2	1.2	4.3	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

SEPARAT3 Marriage 3: has separation been a factor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, separatn not a f	0	43	26.1	91.5	91.5
husband, work	1	2	1.2	4.3	95.7
husb,work & women	3	1	.6	2.1	97.9
wife,sandwich marria	4	1	.6	2.1	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

REPFIN3 Marriage 3: is reproductive period of th

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	15	9.1	31.9	31.9
yes,mrg terminated	1	24	14.5	51.1	83.0
yes,R post-menstrual	2	8	4.8	17.0	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

MARTERM3 Marriage 3: cause of termination of marr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	51.1	51.1
husb died,sickness	11	8	4.8	17.0	68.1
husb died,chest sick	12	1	.6	2.1	70.2
husb killed by magic	18	1	.6	2.1	72.3
he went away	33	1	.6	2.1	74.5
he hit R	35	1	.6	2.1	76.6
cowife kicked R out	36	1	.6	2.1	78.7
husb claimed R unfai	37	1	.6	2.1	80.9
R refused him	41	2	1.2	4.3	85.1
R married another	42	2	1.2	4.3	89.4
R was too young	43	3	1.8	6.4	95.7
R refused co-wife	45	1	.6	2.1	97.9
Bantu forced separat	52	1	.6	2.1	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

LIVTERM3 Marriage 3: where was R living at termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	24	14.5	51.1	51.1
	10	4	2.4	8.5	59.6
	20	2	1.2	4.3	63.8
	30	1	.6	2.1	66.0
	40	1	.6	2.1	68.1
	55	1	.6	2.1	70.2
	57	1	.6	2.1	72.3
	60	1	.6	2.1	74.5
	110	3	1.8	6.4	80.9
	210	1	.6	2.1	83.0
	401	1	.6	2.1	85.1
	510	1	.6	2.1	87.2
	601	1	.6	2.1	89.4
	610	2	1.2	4.3	93.6
	910	3	1.8	6.4	100.0
.		118	71.5	Missing	
Total		165	100.0	100.0	

Valid cases 47 Missing cases 118

ENDSTAY3 Marriage 3: when marriage ended, did R s

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	51.1	51.1
stayed same place	1	10	6.1	21.3	72.3
moved to family	2	7	4.2	14.9	87.2
moved to new spouse	3	3	1.8	6.4	93.6
moved to other	4	3	1.8	6.4	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

MARLNG3 Marriage 3: length of marriage at time o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	24	14.5	51.1	51.1
< 1 year	1	7	4.2	14.9	66.0
< 6 years	2	5	3.0	10.6	76.6
6-10 years	3	5	3.0	10.6	87.2
11-15 years	4	2	1.2	4.3	91.5
16-20 years	5	1	.6	2.1	93.6
21-25 years	6	1	.6	2.1	95.7
26-30 years	7	2	1.2	4.3	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

MENTERM3 Marriage 3: time from menarche to termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	51.1	51.1
>2 yrs pre-menarchic	1	1	.6	2.1	53.2
1-2 yrs pre-menarch	2	1	.6	2.1	55.3
<1 yr pre-menarch' 4	3	1	.6	2.1	57.4
	4	2	1.2	4.3	61.7
>1 yr post-menarch	5	2	1.2	4.3	66.0
post-fertile	6	12	7.3	25.5	91.5
late, post-menopausa	7	4	2.4	8.5	100.0
.	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

SURVCHT3 Marriage 3: # surviving offspring of thi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	26	15.8	55.3	55.3
one	1	8	4.8	17.0	72.3
three	3	2	1.2	4.3	76.6
none	8	11	6.7	23.4	100.0
	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

INTPREG3 Marriage 3: pregnancies between this mar

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	26	15.8	55.3	55.3
no	5	21	12.7	44.7	100.0
	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

BETWMAR3 Marriage 3: time from end of 1st marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	51.1	51.1
1 month or less	1	5	3.0	10.6	61.7
1 year or less	2	8	4.8	17.0	78.7
1-2 years	3	2	1.2	4.3	83.0
2-5 years	4	3	1.8	6.4	89.4
> 5 years	5	1	.6	2.1	91.5
no 2nd marriage yet	8	4	2.4	8.5	100.0
	.	118	71.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 47 Missing cases 118

HUSBID4 Marriage 4: ID number of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	5.3	5.3
	5	1	.6	5.3	10.5
	13	1	.6	5.3	15.8
	60	1	.6	5.3	21.1
	101	1	.6	5.3	26.3
	114	1	.6	5.3	31.6
	302	1	.6	5.3	36.8
	312	1	.6	5.3	42.1
	365	1	.6	5.3	47.4
	456	1	.6	5.3	52.6
	472	1	.6	5.3	57.9
	624	1	.6	5.3	63.2
	642	1	.6	5.3	68.4
	760	1	.6	5.3	73.7
	989	1	.6	5.3	78.9
Bantu or other	998	4	2.4	21.1	100.0
.		146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

HUSBNAM4 Marriage 4: name of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	2	1.2	10.5	10.5
kau	20	2	1.2	10.5	21.1
n@eise	29	1	.6	5.3	26.3
n//au	31	2	1.2	10.5	36.8
/?ase	43	1	.6	5.3	42.1
/ontah	50	1	.6	5.3	47.4
=dau	58	1	.6	5.3	52.6
=oma	61	2	1.2	10.5	63.2
@aha	62	1	.6	5.3	68.4
//ose	69	1	.6	5.3	73.7
not zun/wasi name	98	5	3.0	26.3	100.0
.		146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

MARTYPE4 Marriage 4: regular or irregular marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
proper,regular	1	18	10.9	94.7	94.7
irregular	2	1	.6	5.3	100.0
.	.	146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

RBLSAM4 Marriage 4: is husband in RBLs sample of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes,reported	1	13	7.9	68.4	68.4
no,deceased	4	1	.6	5.3	73.7
no,out of pop	5	1	.6	5.3	78.9
no,Bantu,other	6	4	2.4	21.1	100.0
.	.	146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

PREVMAR4 Marriage 4: was husband married before h

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no previous marriage	0	10	6.1	52.6	52.6
<2 weeks	1	3	1.8	15.8	68.4
<1 year	2	3	1.8	15.8	84.2
1-5 years	3	1	.6	5.3	89.5
.	.	2	1.2	10.5	100.0
.	.	146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

CURMAR4 Marriage 4: was husband currently marrie

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	18	10.9	94.7	94.7
yes	1	1	.6	5.3	100.0
.		146	88.5	Missing	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

HNORI4 Marriage 4: what is hubands n@ori?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	10.5	10.5
Dobe	50	3	1.8	15.8	26.3
@ubi	60	1	.6	5.3	31.6
/ai/ai waterhole	110	2	1.2	10.5	42.1
	493	1	.6	5.3	47.4
cum@we	510	1	.6	5.3	52.6
n=ama	540	1	.6	5.3	57.9
n@au n@au	610	2	1.2	10.5	68.4
east - general	901	1	.6	5.3	73.7
dont know	998	2	1.2	10.5	84.2
not ascertained	999	3	1.8	15.8	100.0
.		146	88.5	Missing	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

RRES4 Marriage 4: where was R living when R ma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	10.5	10.5
Bate	20	1	.6	5.3	15.8
Mahopa	40	2	1.2	10.5	26.3
Dobe	50	2	1.2	10.5	36.8
@ubi	60	2	1.2	10.5	47.4
/ai/ai waterhole	110	3	1.8	15.8	63.2

@guidum general	401	2	1.2	10.5	73.7
n/ausa	460	1	.6	5.3	78.9
n@au n@au	610	2	1.2	10.5	89.5
Mahwoehwoe	942	1	.6	5.3	94.7
not ascertained	999	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

WNORI4 Marriage 4: in whose n@ori was R living

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	2	1.2	10.5	10.5
his n@ori	2	5	3.0	26.3	36.8
share same n@ori	3	1	.6	5.3	42.1
neithers n@ore	4	9	5.5	47.4	89.5
not hers, dk his	5	1	.6	5.3	94.7
not ascertained	9	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

WMAR4 Marriage 4: where did the two live when

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	10.5	10.5
Bate	20	1	.6	5.3	15.8
@gose	30	1	.6	5.3	21.1
Mahopa	40	2	1.2	10.5	31.6
Dobe	50	3	1.8	15.8	47.4
@ubi	60	1	.6	5.3	52.6
/ai/ai waterhole	110	3	1.8	15.8	68.4
	493	1	.6	5.3	73.7
n@au n@au	610	2	1.2	10.5	84.2
Mahwoehwoe	942	1	.6	5.3	89.5
not ascertained	999	2	1.2	10.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

BNORI4 Marriage 4: in whose n@ori did they live

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	1	.6	5.3	5.3
his n@ori	2	8	4.8	42.1	47.4
neithers n@ore	4	7	4.2	36.8	84.2
not hers, dk his	5	1	.6	5.3	89.5
not ascertained	9	2	1.2	10.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

WHOFAM4 Marriage 4: lived with his people or Rs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her people	1	7	4.2	36.8	36.8
his people	2	8	4.8	42.1	78.9
both sides of family	3	1	.6	5.3	84.2
neither,w zun/wasi	4	1	.6	5.3	89.5
neither,w Bantu	5	1	.6	5.3	94.7
not ascertained	9	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

SEASON4 Marriage 4: season of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-apr)	1	3	1.8	15.8	15.8
@gum(jun-aug)	3	2	1.2	10.5	26.3
@ga(sep-nov)	4	1	.6	5.3	31.6
not ascertained	9	13	7.9	68.4	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

YEARMAR4 Marriage 4: year of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	25	1	.6	5.3	5.3
	37	1	.6	5.3	10.5
	38	1	.6	5.3	15.8
	45	2	1.2	10.5	26.3
	48	2	1.2	10.5	36.8
	50	3	1.8	15.8	52.6
	55	1	.6	5.3	57.9
	58	1	.6	5.3	63.2
	59	1	.6	5.3	68.4
	60	1	.6	5.3	73.7
	62	1	.6	5.3	78.9
	64	1	.6	5.3	84.2
	65	1	.6	5.3	89.5
	66	1	.6	5.3	94.7
	67	1	.6	5.3	100.0
	.	146	88.5	Missing	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

ERRMAR4 Marriage 4: error of estimate of year of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
within 1 year	2	1	.6	5.3	5.3
within 5 years	3	17	10.3	89.5	94.7
wild guess	5	1	.6	5.3	100.0
	.	146	88.5	Missing	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

MENMAR4 Marriage 4: time from menarche to marria

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

<1 yr pre-men	3	3	1.8	15.8	15.8
>1 yr post-men	5	3	1.8	15.8	31.6
post-fertile	6	11	6.7	57.9	89.5
over 45 years old	7	2	1.2	10.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

PREVMA41 Marriage 4: time from previous marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, once	1	3	1.8	15.8	15.8
yes, twice	2	8	4.8	42.1	57.9
yes, 3 times	3	7	4.2	36.8	94.7
yes, 4 times	4	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

PRIOPRG4 Marriage 4: number of pregnancies prior

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	7	4.2	36.8	36.8
one	1	3	1.8	15.8	52.6
two	2	4	2.4	21.1	73.7
three	3	1	.6	5.3	78.9
four	4	1	.6	5.3	84.2
six	6	2	1.2	10.5	94.7
seven	7	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

SURVCH4 Marriage 4: number of surviving children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	9	5.5	47.4	47.4
one	1	4	2.4	21.1	68.4
two	2	3	1.8	15.8	84.2
four	4	2	1.2	10.5	94.7
seven	7	1	.6	5.3	100.0
.	.	146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

SPAGE4 Marriage 4: age of husband relative to w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
hsb >20 yrs older	11	1	.6	5.3	5.3
hsb 5-10 yrs older	12	3	1.8	15.8	21.1
hsb 11-20 yrs older	13	1	.6	5.3	26.3
hsb <5 yrs older	14	4	2.4	21.1	47.4
wfe >20 yrs older	21	1	.6	5.3	52.6
wfe 5-10 yrs older	23	4	2.4	21.1	73.7
wfe <5 yrs older	24	3	1.8	15.8	89.5
husb older, dk yrs	91	2	1.2	10.5	100.0
.	.	146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

MARPREG4 Marriage 4: number of pregnancies attrib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	11	6.7	57.9	57.9
one	1	3	1.8	15.8	73.7
two	2	1	.6	5.3	78.9
four	4	1	.6	5.3	84.2
five	5	1	.6	5.3	89.5
seven	7	1	.6	5.3	94.7
nine	9	1	.6	5.3	100.0
.	.	146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

NOWIVES4 Marriage 4: number of co-wives in this m

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	18	10.9	94.7	94.7
one	1	1	.6	5.3	100.0
	.	146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

RWIFE4 Marriage 4: status of R relative to co-w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	18	10.9	94.7	94.7
junior wife, snr fer	3	1	.6	5.3	100.0
	.	146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

SORPOL4 Marriage 4: sororal polygany

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	18	10.9	94.7	94.7
sororal polygany	1	1	.6	5.3	100.0
	.	146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

LEVIRT4 Marriage 4: levirate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applic,1st marrg	0	1	.6	5.3	5.3
levirate	1	1	.6	5.3	10.5
not levirate	2	17	10.3	89.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

INFIDEL4 Marriage 4: was infidelity a factor in t

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not factor,not ascer	0	13	7.9	68.4	68.4
yes,husb unfaithful	1	2	1.2	10.5	78.9
yes,wife unfaithful	2	2	1.2	10.5	89.5
yes,both unfaithful	3	2	1.2	10.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

VDMAR4 Marriage 4: was VD contracted by the wom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/not ascertained	0	16	9.7	84.2	84.2
yes	1	3	1.8	15.8	100.0
.		146	88.5	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 19 Missing cases 146

INFERT4 Marriage 4: was infertility a factor in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/NA	0	13	7.9	68.4	68.4

yes,somewhat	1	6	3.6	31.6	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

SEPARAT4 Marriage 4: has separation been a factor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, separatr not a f	0	17	10.3	89.5	89.5
husband, work	1	1	.6	5.3	94.7
husband, other women	2	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

REPFIN4 Marriage 4: is reproductive period of th

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	5	3.0	26.3	26.3
yes,mrg terminated	1	7	4.2	36.8	63.2
yes,R post-menstrual	2	7	4.2	36.8	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

MARTERM4 Marriage 4: cause of termination of marr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
husb died,sickness	11	1	.6	5.3	68.4
husb married another	32	1	.6	5.3	73.7
he hit R	35	1	.6	5.3	78.9
R was too young	43	1	.6	5.3	84.2
Rs family refused hi	44	1	.6	5.3	89.5

R refused co-wife	45	1	.6	5.3	94.7
other reasons	88	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

LIVTERM4 Marriage 4: where was R living at termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	12	7.3	63.2	63.2
	10	2	1.2	10.5	73.7
	40	1	.6	5.3	78.9
	110	3	1.8	15.8	94.7
	510	1	.6	5.3	100.0
	.	146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

ENDSTAY4 Marriage 4: when marriage ended, did R s

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
stayed same place	1	6	3.6	31.6	94.7
moved to family	2	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

MARLNG4 Marriage 4: length of marriage at time o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	12	7.3	63.2	63.2
< 1 year	1	2	1.2	10.5	73.7
< 6 years	2	2	1.2	10.5	84.2

6-10 years	3	1	.6	5.3	89.5
16-20 years	5	1	.6	5.3	94.7
26-30 years	7	1	.6	5.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

MENTERM4 Marriage 4: time from menarche to termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
<1 yr pre-menarch' 4	3	1	.6	5.3	68.4
post-fertile	6	4	2.4	21.1	89.5
late, post-menopausa	7	2	1.2	10.5	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

SURVCHT4 Marriage 4: # surviving offspring of thi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
one	1	1	.6	5.3	68.4
two	2	1	.6	5.3	73.7
none	8	5	3.0	26.3	100.0
.		146	88.5	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

INTPREG4 Marriage 4: pregnancies between this mar

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
no	5	7	4.2	36.8	100.0

.	146	88.5	Missing
Total	165	100.0	100.0

Valid cases 19 Missing cases 146

BETWMAR4 Marriage 4: time from end of 1st marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	12	7.3	63.2	63.2
1 month or less	1	1	.6	5.3	68.4
1 year or less	2	1	.6	5.3	73.7
1-2 years	3	1	.6	5.3	78.9
no 2nd marriage yet	8	4	2.4	21.1	100.0
.		146	88.5	Missing	
Total		165	100.0	100.0	

Valid cases 19 Missing cases 146

HUSBID5 Marriage 5: ID number of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	431	1	.6	20.0	20.0
	445	1	.6	20.0	40.0
	493	1	.6	20.0	60.0
	512	1	.6	20.0	80.0
Bantu or other	998	1	.6	20.0	100.0
.		160	97.0	Missing	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

HUSBNAM5 Marriage 5: name of husband

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
kase	19	1	.6	20.0	20.0
kumsa	24	1	.6	20.0	40.0
tsau	40	1	.6	20.0	60.0

=oma	61	1	.6	20.0	80.0
not zun/wasi name	98	1	.6	20.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

MARTYPE5 Marriage 5: regular or irregular marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
proper,regular	1	2	1.2	40.0	40.0
irregular	2	3	1.8	60.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

RBLSAM5 Marriage 5: is husband in RBLs sample of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes,reported	1	3	1.8	60.0	60.0
no,out of pop	5	1	.6	20.0	80.0
no,Bantu,other	6	1	.6	20.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

PREVMAR5 Marriage 5: was husband married before h

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no previous marriage	0	1	.6	20.0	20.0
<2 weeks	1	3	1.8	60.0	80.0
6	6	1	.6	20.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

 CURMAR5 Marriage 5: was husband currently marrie

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

 HNORI5 Marriage 5: what is hubands n@ori?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	1	.6	20.0	20.0
/ai/ai waterhole	110	1	.6	20.0	40.0
@guidum general	401	1	.6	20.0	60.0
east - general	901	2	1.2	40.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

 RRES5 Marriage 5: where was R living when R ma

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	40.0	40.0
Bate	20	1	.6	20.0	60.0
Mahopa	40	1	.6	20.0	80.0
/ai/ai waterhole	110	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

WNORI5 Marriage 5: in whose n@ori was R living

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	1	.6	20.0	20.0
neithers n@ore	4	4	2.4	80.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

WMAR5 Marriage 5: where did the two live when

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	1	.6	20.0	20.0
Bate	20	1	.6	20.0	40.0
Mahopa	40	1	.6	20.0	60.0
/ai/ai waterhole	110	1	.6	20.0	80.0
cum@we	510	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

BNORI5 Marriage 5: in whose n@ori did they live

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her n@ori	1	1	.6	20.0	20.0
neithers n@ore	4	4	2.4	80.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

WHOFAM5 Marriage 5: lived with his people or Rs

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
her people	1	4	2.4	80.0	80.0
neither,w zun/wasi	4	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

SEASON5 Marriage 5: season of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara(dec-apr)	1	3	1.8	60.0	60.0
not ascertained	9	2	1.2	40.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

YEARMAR5 Marriage 5: year of marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	47	1	.6	20.0	20.0
	62	1	.6	20.0	40.0
	67	1	.6	20.0	60.0
	68	1	.6	20.0	80.0
	69	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

ERRMAR5 Marriage 5: error of estimate of year of

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

exact	1	2	1.2	40.0	40.0
within 5 years	3	3	1.8	60.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

MENMAR5 Marriage 5: time from menarche to marria

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
<1 post-men	4	1	.6	20.0	20.0
post-fertile	6	4	2.4	80.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

PREVMA51 Marriage 5: time from previous marriage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, once	1	3	1.8	60.0	60.0
yes, twice	2	1	.6	20.0	80.0
yes, 3 times	3	1	.6	20.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

PRIOPRG5 Marriage 5: number of pregnancies prior

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	20.0	20.0
two	2	3	1.8	60.0	80.0
four	4	1	.6	20.0	100.0
.		160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

SURVCH5 Marriage 5: number of surviving children

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	2	1.2	40.0	40.0
one	1	1	.6	20.0	60.0
two	2	1	.6	20.0	80.0
three	3	1	.6	20.0	100.0
.	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

SPAGE5 Marriage 5: age of husband relative to w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
hsb <5 yrs older	14	2	1.2	40.0	40.0
wfe 11-20 yrs older	22	1	.6	20.0	60.0
wfe <5 yrs older	24	1	.6	20.0	80.0
husb older, dk yrs	91	1	.6	20.0	100.0
.	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

MARPREG5 Marriage 5: number of pregnancies attrib

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	4	2.4	80.0	80.0
one	1	1	.6	20.0	100.0
.	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

NOWIVES5 Marriage 5: number of co-wives in this m

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

RWIFE5 Marriage 5: status of R relative to co-w

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

SORPOL5 Marriage 5: sororal polygany

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

LEVIRT5 Marriage 5: levirate

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not levirate	2	5	3.0	100.0	100.0

	.	160	97.0	Missing
		-----	-----	-----
	Total	165	100.0	100.0
Valid cases	5	Missing cases	160	

INFIDEL5 Marriage 5: was infidelity a factor in t

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not factor,not ascer	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

VDMAR5 Marriage 5: was VD contracted by the wom

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/not ascertained	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

INFERT5 Marriage 5: was infertility a factor in

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no/NA	0	4	2.4	80.0	80.0
yes,somewhat	1	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

SEPARAT5 Marriage 5: has separation been a factor

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, separatn not a f	0	5	3.0	100.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

REPFIN5 Marriage 5: is reproductive period of th

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no	0	2	1.2	40.0	40.0
yes,mrg terminated	1	3	1.8	60.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

MARTERM5 Marriage 5: cause of termination of marr

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
3rd party initiat di	50	1	.6	20.0	60.0
other man stold R	54	1	.6	20.0	80.0
other reasons	88	1	.6	20.0	100.0
	.	160	97.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	5	Missing cases	160		

LIVTERM5 Marriage 5: where was R living at termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

0	2	1.2	40.0	40.0
10	1	.6	20.0	60.0
30	1	.6	20.0	80.0
110	1	.6	20.0	100.0
.	160	97.0	Missing	
-----		-----	-----	
Total	165	100.0	100.0	

Valid cases 5 Missing cases 160

ENDSTAY5 Marriage 5: when marriage ended, did R s

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
stayed same place	1	2	1.2	40.0	80.0
moved to new spouse	3	1	.6	20.0	100.0
.		160	97.0	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

MARLNG5 Marriage 5: length of marriage at time o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
< 1 year	0	2	1.2	40.0	40.0
6-10 years	1	2	1.2	40.0	80.0
.	3	1	.6	20.0	100.0
.		160	97.0	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 5 Missing cases 160

MENTERM5 Marriage 5: time from menarche to termin

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
post-fertile	6	3	1.8	60.0	100.0
.		160	97.0	Missing	

		Total	165	100.0	100.0
Valid cases	5	Missing cases	160		

SURVCHT5 Marriage 5: # surviving offspring of thi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
none	8	3	1.8	60.0	100.0
	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases	5	Missing cases	160
-------------	---	---------------	-----

INTPREG5 Marriage 5: pregnancies between this mar

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
no	5	3	1.8	60.0	100.0
	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases	5	Missing cases	160
-------------	---	---------------	-----

BETWMAR5 Marriage 5: time from end of 1st marriag

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	40.0	40.0
1 month or less	1	2	1.2	40.0	80.0
no 2nd marriage yet	8	1	.6	20.0	100.0
	.	160	97.0	Missing	
	Total	165	100.0	100.0	

Valid cases	5	Missing cases	160
-------------	---	---------------	-----

SEX16 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	143	86.7	100.0	100.0
	.	22	13.3	Missing	
	Total	165	100.0	100.0	
Valid cases	143	Missing cases	22		

CHILDDID1 Pregnancy 1: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	17	10.3	11.9	11.9
	5	1	.6	.7	12.6
	19	1	.6	.7	13.3
	25	1	.6	.7	14.0
	36	1	.6	.7	14.7
	41	1	.6	.7	15.4
	50	1	.6	.7	16.1
	70	1	.6	.7	16.8
	74	1	.6	.7	17.5
	76	1	.6	.7	18.2
	86	1	.6	.7	18.9
	90	1	.6	.7	19.6
	94	1	.6	.7	20.3
	97	1	.6	.7	21.0
	100	1	.6	.7	21.7
	102	1	.6	.7	22.4
	106	1	.6	.7	23.1
	109	1	.6	.7	23.8
	116	1	.6	.7	24.5
	119	1	.6	.7	25.2
	125	1	.6	.7	25.9
	136	1	.6	.7	26.6
	142	1	.6	.7	27.3
	164	1	.6	.7	28.0
	171	1	.6	.7	28.7
	186	1	.6	.7	29.4
	242	1	.6	.7	30.1
	246	1	.6	.7	30.8
	247	1	.6	.7	31.5
	252	1	.6	.7	32.2
	260	1	.6	.7	32.9
	269	1	.6	.7	33.6
	280	1	.6	.7	34.3
	281	1	.6	.7	35.0

	285	1	.6	.7	35.7
	290	1	.6	.7	36.4
	311	1	.6	.7	37.1
	331	1	.6	.7	37.8
	343	1	.6	.7	38.5
	347	1	.6	.7	39.2
	349	1	.6	.7	39.9
	372	1	.6	.7	40.6
	384	1	.6	.7	41.3
	392	1	.6	.7	42.0
	421	1	.6	.7	42.7
	422	1	.6	.7	43.4
	427	1	.6	.7	44.1
	432	1	.6	.7	44.8
	435	1	.6	.7	45.5
	438	1	.6	.7	46.2
	449	1	.6	.7	46.9
	452	1	.6	.7	47.6
	459	1	.6	.7	48.3
	465	1	.6	.7	49.0
	484	1	.6	.7	49.7
	489	1	.6	.7	50.3
	499	1	.6	.7	51.0
	501	1	.6	.7	51.7
	537	1	.6	.7	52.4
	549	1	.6	.7	53.1
	558	1	.6	.7	53.8
	575	1	.6	.7	54.5
	623	1	.6	.7	55.2
	634	1	.6	.7	55.9
	653	1	.6	.7	56.6
	668	1	.6	.7	57.3
	763	1	.6	.7	58.0
	781	1	.6	.7	58.7
	790	1	.6	.7	59.4
	798	1	.6	.7	60.1
unnumbered person	996	3	1.8	2.1	62.2
deceased person	997	51	30.9	35.7	97.9
Bantu person	998	3	1.8	2.1	100.0
.		22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

 CHSEX1 Pregnancy 1: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.6	.7	.7
male	1	75	45.5	52.4	53.1
female	2	62	37.6	43.4	96.5
dont know(aobrtd)	5	5	3.0	3.5	100.0

.	22	13.3	Missing
	-----	-----	-----
Total	165	100.0	100.0

Valid cases 143 Missing cases 22

 CHNAME1 Pregnancy 1: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	17	10.3	11.9	11.9
	11	4	2.4	2.8	14.7
	13	3	1.8	2.1	16.8
	14	1	.6	.7	17.5
	15	4	2.4	2.8	20.3
	16	2	1.2	1.4	21.7
	17	1	.6	.7	22.4
	18	3	1.8	2.1	24.5
	19	5	3.0	3.5	28.0
	20	6	3.6	4.2	32.2
	23	4	2.4	2.8	35.0
	24	9	5.5	6.3	41.3
	25	6	3.6	4.2	45.5
	27	6	3.6	4.2	49.7
	31	3	1.8	2.1	51.7
	33	2	1.2	1.4	53.1
	35	1	.6	.7	53.8
	36	1	.6	.7	54.5
	39	3	1.8	2.1	56.6
	40	1	.6	.7	57.3
	41	1	.6	.7	58.0
	42	3	1.8	2.1	60.1
	43	6	3.6	4.2	64.3
	44	4	2.4	2.8	67.1
	45	5	3.0	3.5	70.6
	47	5	3.0	3.5	74.1
	50	2	1.2	1.4	75.5
	53	1	.6	.7	76.2
	55	7	4.2	4.9	81.1
	58	3	1.8	2.1	83.2
	59	4	2.4	2.8	86.0
	60	5	3.0	3.5	89.5
	61	10	6.1	7.0	96.5
	62	1	.6	.7	97.2
	64	1	.6	.7	97.9
	65	1	.6	.7	98.6
	67	1	.6	.7	99.3
	69	1	.6	.7	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

CHNMFOR1 Pregnancy 1: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	17	10.3	11.9	11.9
fa's father	11	43	26.1	30.1	42.0
fa's o brother	12	3	1.8	2.1	44.1
fa's yng brother	13	2	1.2	1.4	45.5
other patri-kin	15	1	.6	.7	46.2
mo's father	21	11	6.7	7.7	53.8
mo's o brother	22	3	1.8	2.1	55.9
mo's yng brother	23	1	.6	.7	56.6
mo's mo's brother	24	1	.6	.7	57.3
other matri-kin	25	1	.6	.7	58.0
fa's sisters husband	31	1	.6	.7	58.7
other patri-affines	33	2	1.2	1.4	60.1
other matri-affines	34	1	.6	.7	60.8
fa's mother	51	35	21.2	24.5	85.3
fa's o sister	52	3	1.8	2.1	87.4
fa's yng sister	53	2	1.2	1.4	88.8
mo's mother	61	11	6.7	7.7	96.5
mo's o sister	62	1	.6	.7	97.2
other matri-kin	65	3	1.8	2.1	99.3
mo's bro's wife	72	1	.6	.7	100.0
.		22	13.3	Missing	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHFANM1 Pregnancy 1: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	5	3.0	3.5	3.5
dam	12	3	1.8	2.1	5.6
debi	14	1	.6	.7	6.3
hxome	17	1	.6	.7	7.0
kan//a	18	4	2.4	2.8	9.8
kase	19	6	3.6	4.2	14.0
kau	20	10	6.1	7.0	21.0
	21	1	.6	.7	21.7
kumsa	24	7	4.2	4.9	26.6
	25	1	.6	.7	27.3
n=n //au	28	1	.6	.7	28.0
n@eise	29	3	1.8	2.1	30.1
n@ani	30	2	1.2	1.4	31.5

n//au	31	3	1.8	2.1	33.6
n//au-rare	32	1	.6	.7	34.3
n//u	34	2	1.2	1.4	35.7
tsaa	38	3	1.8	2.1	37.8
tsau	40	3	1.8	2.1	39.9
zo /wa	41	1	.6	.7	40.6
/?ase	43	4	2.4	2.8	43.4
gau	44	6	3.6	4.2	47.6
/ise	46	1	.6	.7	48.3
/i@ay	47	6	3.6	4.2	52.4
/n@au	48	3	1.8	2.1	54.5
	49	1	.6	.7	55.2
/uka	51	4	2.4	2.8	58.0
/wi	55	10	6.1	7.0	65.0
=daun	57	1	.6	.7	65.7
=dau	58	3	1.8	2.1	67.8
=gau	59	3	1.8	2.1	69.9
=oma	61	11	6.7	7.7	77.6
@xem	64	6	3.6	4.2	81.8
@xoma	65	1	.6	.7	82.5
	67	3	1.8	2.1	84.6
	72	1	.6	.7	85.3
not zun/wasi name	98	20	12.1	14.0	99.3
not ascertained	99	1	.6	.7	100.0
.		22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

 CHFAID1 Pregnancy 1: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	.7	.7
	7	1	.6	.7	1.4
	9	1	.6	.7	2.1
	11	1	.6	.7	2.8
	18	1	.6	.7	3.5
	23	1	.6	.7	4.2
	27	1	.6	.7	4.9
	33	1	.6	.7	5.6
	34	1	.6	.7	6.3
	42	1	.6	.7	7.0
	45	1	.6	.7	7.7
	53	1	.6	.7	8.4
	72	1	.6	.7	9.1
	74	1	.6	.7	9.8
	88	2	1.2	1.4	11.2
	95	1	.6	.7	11.9
	98	1	.6	.7	12.6
	101	1	.6	.7	13.3
	106	1	.6	.7	14.0

107	1	.6	.7	14.7	
117	1	.6	.7	15.4	
123	1	.6	.7	16.1	
133	1	.6	.7	16.8	
134	1	.6	.7	17.5	
139	1	.6	.7	18.2	
140	1	.6	.7	18.9	
152	1	.6	.7	19.6	
154	1	.6	.7	20.3	
164	1	.6	.7	21.0	
169	1	.6	.7	21.7	
181	1	.6	.7	22.4	
204	1	.6	.7	23.1	
208	2	1.2	1.4	24.5	
217	1	.6	.7	25.2	
233	1	.6	.7	25.9	
239	1	.6	.7	26.6	
252	1	.6	.7	27.3	
258	1	.6	.7	28.0	
263	1	.6	.7	28.7	
265	1	.6	.7	29.4	
273	1	.6	.7	30.1	
283	1	.6	.7	30.8	
309	1	.6	.7	31.5	
312	1	.6	.7	32.2	
318	1	.6	.7	32.9	
324	1	.6	.7	33.6	
328	1	.6	.7	34.3	
345	1	.6	.7	35.0	
353	1	.6	.7	35.7	
355	1	.6	.7	36.4	
357	1	.6	.7	37.1	
359	1	.6	.7	37.8	
370	1	.6	.7	38.5	
374	1	.6	.7	39.2	
375	1	.6	.7	39.9	
383	1	.6	.7	40.6	
394	1	.6	.7	41.3	
395	1	.6	.7	42.0	
412	1	.6	.7	42.7	
414	1	.6	.7	43.4	
419	1	.6	.7	44.1	
423	2	1.2	1.4	45.5	
445	1	.6	.7	46.2	
461	2	1.2	1.4	47.6	
467	1	.6	.7	48.3	
509	1	.6	.7	49.0	
512	2	1.2	1.4	50.3	
520	1	.6	.7	51.0	
568	1	.6	.7	51.7	
620	1	.6	.7	52.4	
666	1	.6	.7	53.1	
unnumbered person	996	2	1.2	54.5	
deceased person	997	44	26.7	30.8	85.3
not zun/wasi	998	20	12.1	14.0	99.3
not ascertained	999	1	.6	.7	100.0
.	22	13.3	Missing		
	-----	-----	-----		

Total 165 100.0 100.0

Valid cases 143 Missing cases 22

CHFAMR1 Pregnancy 1: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	84	50.9	58.7	58.7
2nd husband	2	39	23.6	27.3	86.0
3rd husband	3	10	6.1	7.0	93.0
4th husband	4	5	3.0	3.5	96.5
5th husband	5	1	.6	.7	97.2
pre-marital	6	4	2.4	2.8	100.0
.	.	22	13.3	Missing	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

SOBIFAI Pregnancy 1: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	129	78.2	90.2	90.2
same, non-zun/wasi	2	3	1.8	2.1	92.3
different, zun/wasi	3	2	1.2	1.4	93.7
different, bi-zun/was	4	1	.6	.7	94.4
different, so-zun/was	5	3	1.8	2.1	96.5
bi-fa only, Bantu	8	4	2.4	2.8	99.3
not ascertained	9	1	.6	.7	100.0
.	.	22	13.3	Missing	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHCONTT1 Pregnancy 1: contact between father-chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	41	24.8	28.7	28.7
no, fa lives apart	2	4	2.4	2.8	31.5

no,fa out of pop	3	7	4.2	4.9	36.4
yes,one is dead	4	91	55.2	63.6	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHCONTAL Pregnancy 1: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	26	15.8	18.2	18.2
to 1 year	1	34	20.6	23.8	42.0
to 2 years	2	7	4.2	4.9	46.9
to 5 years	3	15	9.1	10.5	57.3
to 10 years	4	18	10.9	12.6	69.9
to 15 years	5	13	7.9	9.1	79.0
to 20 years	6	6	3.6	4.2	83.2
to 30 years	7	16	9.7	11.2	94.4
> 30 years	8	8	4.8	5.6	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHBRSN1 Pregnancy 1: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	58	35.2	40.6	40.6
=obe(may)	2	5	3.0	3.5	44.1
@gum(jun-aug)	3	48	29.1	33.6	77.6
@ga(sep-nov)	4	27	16.4	18.9	96.5
	6	1	.6	.7	97.2
not ascertained	9	4	2.4	2.8	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHYRBR1 Pregnancy 1: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	7	1	.6	.7	.7
	10	1	.6	.7	1.4
	14	2	1.2	1.4	2.8
	15	1	.6	.7	3.5
	17	1	.6	.7	4.2
	18	1	.6	.7	4.9
	19	2	1.2	1.4	6.3
	20	3	1.8	2.1	8.4
	22	4	2.4	2.8	11.2
	24	3	1.8	2.1	13.3
	26	2	1.2	1.4	14.7
	27	2	1.2	1.4	16.1
	28	1	.6	.7	16.8
	29	2	1.2	1.4	18.2
	30	2	1.2	1.4	19.6
	31	4	2.4	2.8	22.4
	32	2	1.2	1.4	23.8
	33	1	.6	.7	24.5
	34	4	2.4	2.8	27.3
	35	4	2.4	2.8	30.1
	36	3	1.8	2.1	32.2
	37	3	1.8	2.1	34.3
	38	5	3.0	3.5	37.8
	39	2	1.2	1.4	39.2
	40	2	1.2	1.4	40.6
	41	3	1.8	2.1	42.7
	43	1	.6	.7	43.4
	44	4	2.4	2.8	46.2
	45	3	1.8	2.1	48.3
	46	4	2.4	2.8	51.0
	47	3	1.8	2.1	53.1
	48	1	.6	.7	53.8
	49	1	.6	.7	54.5
	50	2	1.2	1.4	55.9
	51	2	1.2	1.4	57.3
	52	4	2.4	2.8	60.1
	53	1	.6	.7	60.8
	54	5	3.0	3.5	64.3
	55	2	1.2	1.4	65.7
	56	3	1.8	2.1	67.8
	57	2	1.2	1.4	69.2
	58	4	2.4	2.8	72.0
	59	3	1.8	2.1	74.1
	60	2	1.2	1.4	75.5
	61	3	1.8	2.1	77.6
	62	5	3.0	3.5	81.1
	63	5	3.0	3.5	84.6
	64	4	2.4	2.8	87.4
	65	2	1.2	1.4	88.8
	66	3	1.8	2.1	90.9
	67	6	3.6	4.2	95.1
	68	5	3.0	3.5	98.6
	69	2	1.2	1.4	100.0
	.	22	13.3	Missing	

		Total	165	100.0	100.0
Valid cases	143	Missing cases	22		

CHBRER1 Pregnancy 1: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	12	7.3	8.4	8.4
within 1 year	2	7	4.2	4.9	13.3
within 5 years	3	56	33.9	39.2	52.4
within 10 years	4	12	7.3	8.4	60.8
estimated fr age	6	56	33.9	39.2	100.0
.	.	22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases	143	Missing cases	22
-------------	-----	---------------	----

CHMOPR1 Pregnancy 1: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
menarch-19	1	73	44.2	51.0	51.0
age 20-24	2	56	33.9	39.2	90.2
age 25-29	3	7	4.2	4.9	95.1
age 30-34	4	6	3.6	4.2	99.3
age 35-39	5	1	.6	.7	100.0
.	.	22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases	143	Missing cases	22
-------------	-----	---------------	----

CHPLBR1 Pregnancy 1: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwa general	1	1	.6	.7	.7
@angwe	10	11	6.7	7.7	8.4
Karuwe	11	1	.6	.7	9.1
characharaha	12	2	1.2	1.4	10.5

Bate	20	6	3.6	4.2	14.7
@gose	30	6	3.6	4.2	18.9
	31	1	.6	.7	19.6
Mahopa	40	9	5.5	6.3	25.9
	51	2	1.2	1.4	27.3
	53	1	.6	.7	28.0
@ubi	60	8	4.8	5.6	33.6
	61	1	.6	.7	34.3
@xabi	70	8	4.8	5.6	39.9
/ai/ai waterhole	110	22	13.3	15.4	55.2
	115	2	1.2	1.4	56.6
	116	1	.6	.7	57.3
/gam-=o//gana gen	201	1	.6	.7	58.0
/gam	210	6	3.6	4.2	62.2
=o//gana	220	1	.6	.7	62.9
@guidum general	401	5	3.0	3.5	66.4
Mokudi	420	1	.6	.7	67.1
	421	1	.6	.7	67.8
	430	1	.6	.7	68.5
	440	1	.6	.7	69.2
n/ausa	460	1	.6	.7	69.9
Dobe SW	470	1	.6	.7	70.6
	492	2	1.2	1.4	72.0
	493	3	1.8	2.1	74.1
//wan@ai general	501	2	1.2	1.4	75.5
cum@we	510	5	3.0	3.5	79.0
/gausa	530	2	1.2	1.4	80.4
n=ama	540	1	.6	.7	81.1
	591	1	.6	.7	81.8
north - general	601	1	.6	.7	82.5
n@au n@au	610	3	1.8	2.1	84.6
	640	1	.6	.7	85.3
	651	1	.6	.7	86.0
east - general	901	2	1.2	1.4	87.4
Nokaneng	910	2	1.2	1.4	88.8
@gon@a	941	2	1.2	1.4	90.2
Namanyane	943	3	1.8	2.1	92.3
	951	1	.6	.7	93.0
not ascertained	999	10	6.1	7.0	100.0
	.	22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

 CHTWN1 Pregnancy 1: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
early preg wastage	0	1	.6	.7	.7
single birth	1	142	86.1	99.3	100.0
	.	22	13.3	Missing	

		Total	165	100.0	100.0
Valid cases	143	Missing cases	22		

CHSIB1 Pregnancy 1: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	142	86.1	99.3	99.3
one	1	1	.6	.7	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	143	Missing cases	22
-------------	-----	---------------	----

CHBRPR1 Pregnancy 1: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	143	86.7	100.0	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	143	Missing cases	22
-------------	-----	---------------	----

CHDTSN1 Pregnancy 1: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
bara (dec-apr)	1	22	13.3	15.4	62.9
=obe(may)	2	2	1.2	1.4	64.3
@gum(jun-aug)	3	20	12.1	14.0	78.3
@ga(sep-nov)	4	15	9.1	10.5	88.8
not ascertained	9	16	9.7	11.2	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	143	Missing cases	22
-------------	-----	---------------	----

 CHDTYR1 Pregnancy 1: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	68	41.2	47.6	47.6
	10	1	.6	.7	48.3
	18	1	.6	.7	49.0
	19	1	.6	.7	49.7
	20	1	.6	.7	50.3
	23	1	.6	.7	51.0
	25	1	.6	.7	51.7
	26	3	1.8	2.1	53.8
	27	1	.6	.7	54.5
	30	1	.6	.7	55.2
	31	1	.6	.7	55.9
	32	3	1.8	2.1	58.0
	33	1	.6	.7	58.7
	34	1	.6	.7	59.4
	35	1	.6	.7	60.1
	36	3	1.8	2.1	62.2
	37	3	1.8	2.1	64.3
	38	4	2.4	2.8	67.1
	39	2	1.2	1.4	68.5
	42	1	.6	.7	69.2
	43	1	.6	.7	69.9
	44	1	.6	.7	70.6
	45	1	.6	.7	71.3
	46	3	1.8	2.1	73.4
	47	4	2.4	2.8	76.2
	48	1	.6	.7	76.9
	49	3	1.8	2.1	79.0
	50	1	.6	.7	79.7
	51	1	.6	.7	80.4
	52	3	1.8	2.1	82.5
	53	1	.6	.7	83.2
	54	2	1.2	1.4	84.6
	55	1	.6	.7	85.3
	56	2	1.2	1.4	86.7
	58	2	1.2	1.4	88.1
	61	1	.6	.7	88.8
	63	1	.6	.7	89.5
	64	5	3.0	3.5	93.0
	65	2	1.2	1.4	94.4
	66	2	1.2	1.4	95.8
	67	5	3.0	3.5	99.3
	68	1	.6	.7	100.0
	.	22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

 CHDTER1 Pregnancy 1: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
exact	1	9	5.5	6.3	53.8
within 1 year	2	9	5.5	6.3	60.1
within 5 years	3	46	27.9	32.2	92.3
within 10 years	4	9	5.5	6.3	98.6
wild guess	5	2	1.2	1.4	100.0
.	.	22	13.3	Missing	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

 CHDTAG1 Pregnancy 1: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
early preg wastage	1	6	3.6	4.2	51.7
late abortion	2	7	4.2	4.9	56.6
miscarriage	3	3	1.8	2.1	58.7
day of birth	4	4	2.4	2.8	61.5
within 1 week	5	2	1.2	1.4	62.9
in same season	6	3	1.8	2.1	65.0
following season	7	9	5.5	6.3	71.3
2 seasons after birt	8	9	5.5	6.3	77.6
3 seasons after birt	9	1	.6	.7	78.3
same season next yr	10	1	.6	.7	79.0
1 year+1 season	11	1	.6	.7	79.7
1 year+2 seasons	12	1	.6	.7	80.4
1 to 2 years	19	1	.6	.7	81.1
2 years,same season	20	2	1.2	1.4	82.5
died in 2nd year	29	2	1.2	1.4	83.9
3 years,same season	30	1	.6	.7	84.6
3 years+2 seasons	32	1	.6	.7	85.3
died in 3rd year	39	2	1.2	1.4	86.7
4 years+2 seasons	42	1	.6	.7	87.4
about 5th year	50	3	1.8	2.1	89.5
about 6th year	51	1	.6	.7	90.2
about 7th year	52	1	.6	.7	90.9
about 8th year	53	2	1.2	1.4	92.3
about 10th year	55	1	.6	.7	93.0
aged 11-14	60	3	1.8	2.1	95.1
aged 15-19	61	1	.6	.7	95.8
aged 25-29	63	3	1.8	2.1	97.9
aged 30-34	64	1	.6	.7	98.6

aged 40 or more	66	1	.6	.7	99.3
died in infancy	91	1	.6	.7	100.0
.		22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHNXSR1 Pregnancy 1: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	68	41.2	47.6	47.6
no	1	48	29.1	33.6	81.1
yes,died since	2	16	9.7	11.2	92.3
no following pregnan	3	11	6.7	7.7	100.0
.		22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHDTPL1 Pregnancy 1: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	68	41.2	47.6	47.6
@angwe	10	7	4.2	4.9	52.4
Karuwe	11	1	.6	.7	53.1
Bate	20	3	1.8	2.1	55.2
@gose	30	2	1.2	1.4	56.6
Mahopa	40	1	.6	.7	57.3
@ubi	60	4	2.4	2.8	60.1
	61	1	.6	.7	60.8
@xabi	70	3	1.8	2.1	62.9
/ai/ai waterhole	110	14	8.5	9.8	72.7
/gam-=o//gana gen	201	1	.6	.7	73.4
/gam	210	4	2.4	2.8	76.2
=o//gana	220	1	.6	.7	76.9
Mokudi	420	1	.6	.7	77.6
	421	1	.6	.7	78.3
	430	1	.6	.7	79.0
Dobe SW	470	1	.6	.7	79.7
	492	2	1.2	1.4	81.1
	493	1	.6	.7	81.8
//wan@ai general	501	1	.6	.7	82.5
cum@we	510	2	1.2	1.4	83.9
/gausa	530	2	1.2	1.4	85.3

north - general	601	1	.6	.7	86.0
n@au n@au	610	3	1.8	2.1	88.1
	651	1	.6	.7	88.8
east - general	901	2	1.2	1.4	90.2
Nokaneng	910	2	1.2	1.4	91.6
@gon@a	941	1	.6	.7	92.3
Mahwoehwoe	942	1	.6	.7	93.0
	951	1	.6	.7	93.7
Maun	960	1	.6	.7	94.4
not ascertained	999	8	4.8	5.6	100.0
.		22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHDTCS1 Pregnancy 1: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
prenat,God	1	9	5.5	6.3	53.8
prenat,VD	2	4	2.4	2.8	56.6
prenat,too small	4	3	1.8	2.1	58.7
prenat,NA	9	1	.6	.7	59.4
neonat,God	11	4	2.4	2.8	62.2
neonat,mo sick	13	1	.6	.7	62.9
neonat,no milk	15	1	.6	.7	63.6
neonat,infanticide	18	2	1.2	1.4	65.0
neonat,sick gen	19	16	9.7	11.2	76.2
neonat,sick bird	20	1	.6	.7	76.9
neonat,sick chest	21	3	1.8	2.1	79.0
neonat,sick stomach	22	1	.6	.7	79.7
early,God	31	6	3.6	4.2	83.9
early,sick gen	32	5	3.0	3.5	87.4
early,sick stomach	35	1	.6	.7	88.1
late,God	41	2	1.2	1.4	89.5
late,sick general	42	5	3.0	3.5	93.0
late,sick bird	43	1	.6	.7	93.7
late,sick stomach	45	2	1.2	1.4	95.1
late,accident	47	1	.6	.7	95.8
adult,sick general	52	2	1.2	1.4	97.2
adult,magic	58	2	1.2	1.4	98.6
adult,murder	59	2	1.2	1.4	100.0
.		22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

MOMSDT1 Pregnancy 1: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
died before repr	1	72	43.6	50.3	97.9
1+ pregnancies	2	3	1.8	2.1	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

MORED11 Pregnancy 1: reproductive status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	68	41.2	47.6	47.6
	1	73	44.2	51.0	98.6
	3	2	1.2	1.4	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

MOMGDT1 Pregnancy 1: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	68	41.2	47.6	47.6
lived in area	1	44	26.7	30.8	78.3
lived in periphery	2	28	17.0	19.6	97.9
lived outside periph	3	3	1.8	2.1	100.0
	.	22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

CHRSPL1 Pregnancy 1: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	75	45.5	52.4	52.4
@angwe	10	5	3.0	3.5	55.9
Karuwe	11	2	1.2	1.4	57.3
Bate	20	2	1.2	1.4	58.7
@gose	30	12	7.3	8.4	67.1
Mahopa	40	8	4.8	5.6	72.7
Kasembungu's	41	1	.6	.7	73.4
Dobe	50	8	4.8	5.6	79.0
@ubi	60	5	3.0	3.5	82.5
@xabi	70	4	2.4	2.8	85.3
/ai/ai waterhole	110	12	7.3	8.4	93.7
cum@we	510	3	1.8	2.1	95.8
n@au n@au	610	2	1.2	1.4	97.2
south - general	801	2	1.2	1.4	98.6
Mahwoehwoe	942	1	.6	.7	99.3
Namanyane	943	1	.6	.7	100.0
.		22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

CHRSST1 Pregnancy 1: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	75	45.5	52.4	52.4
a resident	1	57	34.5	39.9	92.3
marginal	2	5	3.0	3.5	95.8
not numbered person	3	6	3.6	4.2	100.0
.		22	13.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 143 Missing cases 22

CHRSRM1 Pregnancy 1: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	75	45.5	52.4	52.4
mother deceased	1	2	1.2	1.4	53.8
lives with R	2	55	33.3	38.5	92.3
lives apart,other ba	3	7	4.2	4.9	97.2
lives apart,out of p	4	4	2.4	2.8	100.0

.	22	13.3	Missing
	-----	-----	-----
Total	165	100.0	100.0

Valid cases 143 Missing cases 22

CHRSRF1 Pregnancy 1: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	75	45.5	52.4	52.4
mother deceased	1	18	10.9	12.6	65.0
lives with R	2	37	22.4	25.9	90.9
lives apart,other ba	3	5	3.0	3.5	94.4
lives apart,out of p	4	8	4.8	5.6	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHMS1 Pregnancy 1: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	75	45.5	52.4	52.4
single	1	40	24.2	28.0	80.4
monogamous w zun/wa	2	19	11.5	13.3	93.7
polygamous w zun/was	3	1	.6	.7	94.4
monogamous w Bantu	4	2	1.2	1.4	95.8
polygamous w Bantu	5	1	.6	.7	96.5
irregular mar,neci	6	1	.6	.7	97.2
divorced	7	4	2.4	2.8	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHRS1 Pregnancy 1: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

deceased	0	75	45.5	52.4	52.4
no activity yet	1	46	27.9	32.2	84.6
1+ pregnancies	2	5	3.0	3.5	88.1
1+ living children	3	17	10.3	11.9	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

CHSMP1 Pregnancy 1: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	75	45.5	52.4	52.4
yes	1	25	15.2	17.5	69.9
no	2	43	26.1	30.1	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

OLDAGE1 Pregnancy 1: oldage [attempt to estimage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	143	86.7	100.0	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

NEWAGE1 Pregnancy 1: newage [attempt to estimage

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	143	86.7	100.0	100.0
.	.	22	13.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 143 Missing cases 22

SEX17 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	116	70.3	100.0	100.0
	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHILDDID2 Pregnancy 2: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	10	6.1	8.6	8.6
	7	1	.6	.9	9.5
	20	1	.6	.9	10.3
	26	1	.6	.9	11.2
	33	1	.6	.9	12.1
	38	1	.6	.9	12.9
	47	1	.6	.9	13.8
	55	1	.6	.9	14.7
	69	1	.6	.9	15.5
	110	1	.6	.9	16.4
	114	1	.6	.9	17.2
	120	1	.6	.9	18.1
	130	1	.6	.9	19.0
	154	1	.6	.9	19.8
	160	1	.6	.9	20.7
	162	1	.6	.9	21.6
	163	1	.6	.9	22.4
	172	1	.6	.9	23.3
	182	1	.6	.9	24.1
	196	1	.6	.9	25.0
	206	1	.6	.9	25.9
	232	1	.6	.9	26.7
	233	1	.6	.9	27.6
	248	1	.6	.9	28.4
	250	1	.6	.9	29.3
	270	1	.6	.9	30.2
	286	1	.6	.9	31.0
	291	1	.6	.9	31.9
	340	1	.6	.9	32.8
	342	1	.6	.9	33.6
	344	1	.6	.9	34.5

	350	1	.6	.9	35.3
	357	1	.6	.9	36.2
	368	1	.6	.9	37.1
	369	1	.6	.9	37.9
	371	1	.6	.9	38.8
	393	1	.6	.9	39.7
	404	1	.6	.9	40.5
	405	1	.6	.9	41.4
	410	1	.6	.9	42.2
	411	1	.6	.9	43.1
	420	1	.6	.9	44.0
	437	1	.6	.9	44.8
	439	1	.6	.9	45.7
	442	1	.6	.9	46.6
	444	1	.6	.9	47.4
	447	1	.6	.9	48.3
	466	1	.6	.9	49.1
	467	1	.6	.9	50.0
	504	1	.6	.9	50.9
	507	1	.6	.9	51.7
	522	1	.6	.9	52.6
	539	1	.6	.9	53.4
	550	1	.6	.9	54.3
	669	1	.6	.9	55.2
	825	1	.6	.9	56.0
unnumbered person	996	5	3.0	4.3	60.3
deceased person	997	44	26.7	37.9	98.3
Bantu person	998	2	1.2	1.7	100.0
.		49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHSEX2 Pregnancy 2: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	63	38.2	54.3	54.3
female	2	50	30.3	43.1	97.4
dont know(aobrtd)	5	3	1.8	2.6	100.0
.		49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHNAME2 Pregnancy 2: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	10	6.1	8.6	8.6
	2	1	.6	.9	9.5
	11	5	3.0	4.3	13.8
	12	3	1.8	2.6	16.4
	13	6	3.6	5.2	21.6
	14	3	1.8	2.6	24.1
	15	1	.6	.9	25.0
	16	3	1.8	2.6	27.6
	17	1	.6	.9	28.4
	18	4	2.4	3.4	31.9
	19	3	1.8	2.6	34.5
	20	11	6.7	9.5	44.0
	21	1	.6	.9	44.8
	23	1	.6	.9	45.7
	24	7	4.2	6.0	51.7
	25	5	3.0	4.3	56.0
	26	1	.6	.9	56.9
	27	6	3.6	5.2	62.1
	31	2	1.2	1.7	63.8
	32	1	.6	.9	64.7
	33	1	.6	.9	65.5
	35	3	1.8	2.6	68.1
	39	2	1.2	1.7	69.8
	40	2	1.2	1.7	71.6
	41	2	1.2	1.7	73.3
	42	1	.6	.9	74.1
	43	2	1.2	1.7	75.9
	44	2	1.2	1.7	77.6
	45	2	1.2	1.7	79.3
	47	2	1.2	1.7	81.0
	49	1	.6	.9	81.9
	55	3	1.8	2.6	84.5
	58	2	1.2	1.7	86.2
	60	1	.6	.9	87.1
	61	11	6.7	9.5	96.6
	64	3	1.8	2.6	99.1
	65	1	.6	.9	100.0
	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

 CHNMFOR2 Pregnancy 2: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	10	6.1	8.6	8.6
fa's father	11	24	14.5	20.7	29.3
fa's o brother	12	1	.6	.9	30.2

fa's yng brother	13	1	.6	.9	31.0
fa's fa's brother	14	3	1.8	2.6	33.6
other patri-kin	15	3	1.8	2.6	36.2
mo's father	21	11	6.7	9.5	45.7
mo's o brother	22	6	3.6	5.2	50.9
other matri-kin	25	2	1.2	1.7	52.6
fa's sisters husband	31	4	2.4	3.4	56.0
other patri-affines	33	1	.6	.9	56.9
fa's mother	51	23	13.9	19.8	76.7
fa's o sister	52	8	4.8	6.9	83.6
fa's yng sister	53	1	.6	.9	84.5
fa's fa's sister	54	2	1.2	1.7	86.2
other patri-kin	55	3	1.8	2.6	88.8
mo's mother	61	7	4.2	6.0	94.8
mo's mo's sister	64	2	1.2	1.7	96.6
other matri-kin	65	2	1.2	1.7	98.3
other patri-affines	73	1	.6	.9	99.1
not ascertained	99	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

 CHFANM2 Pregnancy 2: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	4	2.4	3.4	3.4
dam	12	2	1.2	1.7	5.2
hxome	17	1	.6	.9	6.0
kan//a	18	5	3.0	4.3	10.3
kase	19	5	3.0	4.3	14.7
kau	20	8	4.8	6.9	21.6
	21	1	.6	.9	22.4
ko/un	23	1	.6	.9	23.3
kumsa	24	6	3.6	5.2	28.4
	25	1	.6	.9	29.3
n=n //au	28	1	.6	.9	30.2
n@eise	29	2	1.2	1.7	31.9
n@ani	30	1	.6	.9	32.8
n//au	31	2	1.2	1.7	34.5
n//au-rare	32	2	1.2	1.7	36.2
n//u	34	1	.6	.9	37.1
tsaa	38	2	1.2	1.7	38.8
tsau	40	3	1.8	2.6	41.4
zo /wa	41	1	.6	.9	42.2
/?ase	43	3	1.8	2.6	44.8
gau	44	5	3.0	4.3	49.1
/ise	46	1	.6	.9	50.0
/i@ay	47	7	4.2	6.0	56.0
/n@au	48	2	1.2	1.7	57.8
	49	1	.6	.9	58.6

/ontah	50	1	.6	.9	59.5
/uka	51	3	1.8	2.6	62.1
/wi	55	8	4.8	6.9	69.0
=dau	58	2	1.2	1.7	70.7
=gau	59	3	1.8	2.6	73.3
=oma	61	12	7.3	10.3	83.6
@xem	64	5	3.0	4.3	87.9
	67	2	1.2	1.7	89.7
	70	1	.6	.9	90.5
not zun/wasi name	98	10	6.1	8.6	99.1
not ascertained	99	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHFAID2 Pregnancy 2: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	.9	.9
	7	1	.6	.9	1.7
	9	1	.6	.9	2.6
	11	1	.6	.9	3.4
	18	1	.6	.9	4.3
	23	1	.6	.9	5.2
	27	1	.6	.9	6.0
	34	1	.6	.9	6.9
	45	1	.6	.9	7.8
	53	1	.6	.9	8.6
	72	1	.6	.9	9.5
	74	1	.6	.9	10.3
	82	1	.6	.9	11.2
	84	1	.6	.9	12.1
	88	1	.6	.9	12.9
	95	1	.6	.9	13.8
	98	1	.6	.9	14.7
	101	1	.6	.9	15.5
	107	1	.6	.9	16.4
	117	1	.6	.9	17.2
	123	1	.6	.9	18.1
	140	1	.6	.9	19.0
	152	1	.6	.9	19.8
	163	1	.6	.9	20.7
	169	1	.6	.9	21.6
	204	1	.6	.9	22.4
	208	1	.6	.9	23.3
	230	1	.6	.9	24.1
	233	1	.6	.9	25.0
	234	1	.6	.9	25.9
	239	1	.6	.9	26.7
	252	1	.6	.9	27.6

	261	1	.6	.9	28.4
	265	1	.6	.9	29.3
	283	1	.6	.9	30.2
	288	1	.6	.9	31.0
	309	1	.6	.9	31.9
	312	1	.6	.9	32.8
	318	1	.6	.9	33.6
	324	1	.6	.9	34.5
	328	1	.6	.9	35.3
	348	1	.6	.9	36.2
	355	1	.6	.9	37.1
	357	1	.6	.9	37.9
	359	1	.6	.9	38.8
	367	1	.6	.9	39.7
	370	1	.6	.9	40.5
	374	1	.6	.9	41.4
	375	1	.6	.9	42.2
	394	1	.6	.9	43.1
	395	1	.6	.9	44.0
	412	1	.6	.9	44.8
	414	1	.6	.9	45.7
	419	1	.6	.9	46.6
	423	2	1.2	1.7	48.3
	461	2	1.2	1.7	50.0
	467	1	.6	.9	50.9
	512	2	1.2	1.7	52.6
	520	1	.6	.9	53.4
	568	1	.6	.9	54.3
	666	1	.6	.9	55.2
deceased person	997	41	24.8	35.3	90.5
not zun/wasi	998	10	6.1	8.6	99.1
not ascertained	999	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHFAMR2 Pregnancy 2: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	64	38.8	55.2	55.2
2nd husband	2	35	21.2	30.2	85.3
3rd husband	3	10	6.1	8.6	94.0
4th husband	4	5	3.0	4.3	98.3
pre-marital	6	1	.6	.9	99.1
betw/after marriages	7	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

SOBIFA2 Pregnancy 2: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	106	64.2	91.4	91.4
same, non-zun/wasi	2	2	1.2	1.7	93.1
different, zun/wasi	3	2	1.2	1.7	94.8
different, bi-zun/was	4	1	.6	.9	95.7
different, so-zun/was	5	3	1.8	2.6	98.3
bi-fa only, zun/wasi	7	1	.6	.9	99.1
not ascertained	9	1	.6	.9	100.0
.		49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHCONTT2 Pregnancy 2: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	33	20.0	28.4	28.4
no, fa lives apart	2	5	3.0	4.3	32.8
no, fa out of pop	3	4	2.4	3.4	36.2
yes, one is dead	4	74	44.8	63.8	100.0
.		49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHCONTA2 Pregnancy 2: amount of contact father has

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	16	9.7	13.8	13.8
to 1 year	1	19	11.5	16.4	30.2
to 2 years	2	9	5.5	7.8	37.9
to 5 years	3	22	13.3	19.0	56.9
to 10 years	4	15	9.1	12.9	69.8
to 15 years	5	10	6.1	8.6	78.4
to 20 years	6	12	7.3	10.3	88.8

to 30 years	7	7	4.2	6.0	94.8
> 30 years	8	6	3.6	5.2	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHBRSN2 Pregnancy 2: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	47	28.5	40.5	40.5
=obe(may)	2	4	2.4	3.4	44.0
@gum(jun-aug)	3	47	28.5	40.5	84.5
@ga(sep-nov)	4	17	10.3	14.7	99.1
not ascertained	9	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHYRBR2 Pregnancy 2: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	12	1	.6	.9	.9
	17	3	1.8	2.6	3.4
	19	1	.6	.9	4.3
	21	1	.6	.9	5.2
	22	1	.6	.9	6.0
	23	4	2.4	3.4	9.5
	24	2	1.2	1.7	11.2
	25	1	.6	.9	12.1
	26	1	.6	.9	12.9
	27	2	1.2	1.7	14.7
	28	3	1.8	2.6	17.2
	30	1	.6	.9	18.1
	31	2	1.2	1.7	19.8
	32	2	1.2	1.7	21.6
	33	2	1.2	1.7	23.3
	34	2	1.2	1.7	25.0
	35	2	1.2	1.7	26.7
	36	1	.6	.9	27.6
	37	1	.6	.9	28.4
	38	4	2.4	3.4	31.9
	39	4	2.4	3.4	35.3

40	3	1.8	2.6	37.9
41	3	1.8	2.6	40.5
42	4	2.4	3.4	44.0
44	2	1.2	1.7	45.7
45	1	.6	.9	46.6
47	3	1.8	2.6	49.1
48	4	2.4	3.4	52.6
49	4	2.4	3.4	56.0
50	1	.6	.9	56.9
51	2	1.2	1.7	58.6
52	1	.6	.9	59.5
53	1	.6	.9	60.3
54	2	1.2	1.7	62.1
55	1	.6	.9	62.9
56	5	3.0	4.3	67.2
58	3	1.8	2.6	69.8
60	4	2.4	3.4	73.3
61	5	3.0	4.3	77.6
62	3	1.8	2.6	80.2
63	4	2.4	3.4	83.6
64	3	1.8	2.6	86.2
65	5	3.0	4.3	90.5
66	3	1.8	2.6	93.1
67	4	2.4	3.4	96.6
68	1	.6	.9	97.4
69	2	1.2	1.7	99.1
93	1	.6	.9	100.0
.	49	29.7	Missing	

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 116 Missing cases 49

CHBRER2 Pregnancy 2: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	5	3.0	4.3	4.3
within 1 year	2	5	3.0	4.3	8.6
within 5 years	3	48	29.1	41.4	50.0
within 10 years	4	7	4.2	6.0	56.0
estimated fr age	6	51	30.9	44.0	100.0
.		49	29.7	Missing	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHMOPR2 Pregnancy 2: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
menarch-19	1	21	12.7	18.1	18.1
age 20-24	2	69	41.8	59.5	77.6
age 25-29	3	18	10.9	15.5	93.1
age 30-34	4	7	4.2	6.0	99.1
age 35-39	5	1	.6	.9	100.0
.		49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

 CHPLBR2 Pregnancy 2: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	7	4.2	6.0	6.0
characharaha	12	1	.6	.9	6.9
Bate	20	4	2.4	3.4	10.3
@gose	30	8	4.8	6.9	17.2
	31	1	.6	.9	18.1
Mahopa	40	6	3.6	5.2	23.3
Dobe	50	5	3.0	4.3	27.6
	52	1	.6	.9	28.4
@ubi	60	5	3.0	4.3	32.8
@xabi	70	1	.6	.9	33.6
/ai/ai waterhole	110	21	12.7	18.1	51.7
	116	1	.6	.9	52.6
/wi haba	120	1	.6	.9	53.4
/gam-=o//gana gen	201	1	.6	.9	54.3
/gam	210	3	1.8	2.6	56.9
=o//gana	220	2	1.2	1.7	58.6
	233	1	.6	.9	59.5
	234	1	.6	.9	60.3
@guidum general	401	3	1.8	2.6	62.9
Mokudi	420	2	1.2	1.7	64.7
	430	1	.6	.9	65.5
	431	1	.6	.9	66.4
	440	1	.6	.9	67.2
n/ausa	460	2	1.2	1.7	69.0
Dobe SW	470	1	.6	.9	69.8
	492	1	.6	.9	70.7
	493	2	1.2	1.7	72.4
//wan@ai general	501	1	.6	.9	73.3
cum@we	510	3	1.8	2.6	75.9
/gausa	530	1	.6	.9	76.7
n=ama	540	1	.6	.9	77.6
n@au n@au	610	4	2.4	3.4	81.0
	640	1	.6	.9	81.9
east - general	901	4	2.4	3.4	85.3

Nokaneng	910	2	1.2	1.7	87.1
@gon@a	941	4	2.4	3.4	90.5
	952	1	.6	.9	91.4
not ascertained	999	10	6.1	8.6	100.0
	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHTWN2 Pregnancy 2: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single birth	1	114	69.1	98.3	98.3
twins,preg wastage	2	1	.6	.9	99.1
twins,one named	4	1	.6	.9	100.0
	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHSIB2 Pregnancy 2: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	47	28.5	40.5	40.5
one	1	69	41.8	59.5	100.0
	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHBRPR2 Pregnancy 2: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	.9	.9
deceased	1	48	29.1	41.4	42.2
living,< age 5	2	56	33.9	48.3	90.5
living,age 5-10	3	9	5.5	7.8	98.3

living,> age 10	4	2	1.2	1.7	100.0
.	.	49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHDTSN2 Pregnancy 2: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
bara (dec-apr)	1	24	14.5	20.7	70.7
=obe(may)	2	3	1.8	2.6	73.3
@gum(jun-aug)	3	11	6.7	9.5	82.8
@ga(sep-nov)	4	7	4.2	6.0	88.8
not ascertained	9	13	7.9	11.2	100.0
.	.	49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHDTYR2 Pregnancy 2: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	58	35.2	50.0	50.0
	17	1	.6	.9	50.9
	22	2	1.2	1.7	52.6
	23	1	.6	.9	53.4
	26	2	1.2	1.7	55.2
	27	1	.6	.9	56.0
	28	1	.6	.9	56.9
	30	1	.6	.9	57.8
	32	1	.6	.9	58.6
	34	2	1.2	1.7	60.3
	35	1	.6	.9	61.2
	37	1	.6	.9	62.1
	39	2	1.2	1.7	63.8
	40	5	3.0	4.3	68.1
	41	1	.6	.9	69.0
	42	1	.6	.9	69.8
	44	1	.6	.9	70.7
	45	2	1.2	1.7	72.4
	46	1	.6	.9	73.3
	47	3	1.8	2.6	75.9
	48	4	2.4	3.4	79.3

49	1	.6	.9	80.2
50	1	.6	.9	81.0
53	1	.6	.9	81.9
55	3	1.8	2.6	84.5
57	1	.6	.9	85.3
58	2	1.2	1.7	87.1
59	1	.6	.9	87.9
60	2	1.2	1.7	89.7
61	1	.6	.9	90.5
65	3	1.8	2.6	93.1
66	2	1.2	1.7	94.8
67	3	1.8	2.6	97.4
68	1	.6	.9	98.3
69	2	1.2	1.7	100.0
.	49	29.7	Missing	
Total		165	100.0	100.0

Valid cases 116 Missing cases 49

CHDTER2 Pregnancy 2: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
exact	1	5	3.0	4.3	54.3
within 1 year	2	3	1.8	2.6	56.9
within 5 years	3	45	27.3	38.8	95.7
within 10 years	4	5	3.0	4.3	100.0
.		49	29.7	Missing	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHDTAG2 Pregnancy 2: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
early preg wastage	1	3	1.8	2.6	52.6
late abortion	2	4	2.4	3.4	56.0
miscarriage	3	2	1.2	1.7	57.8
day of birth	4	3	1.8	2.6	60.3
within 1 week	5	4	2.4	3.4	63.8
in same season	6	6	3.6	5.2	69.0
following season	7	3	1.8	2.6	71.6
2 seasons after birt	8	5	3.0	4.3	75.9

3 seasons after birt	9	5	3.0	4.3	80.2
2 years,same season	20	1	.6	.9	81.0
2 years+2 seasons	22	1	.6	.9	81.9
died in 2nd year	29	3	1.8	2.6	84.5
3 years,same season	30	1	.6	.9	85.3
3 years+2 seasons	32	1	.6	.9	86.2
died in 3rd year	39	2	1.2	1.7	87.9
4 years,same season	40	1	.6	.9	88.8
died in 4th year	49	2	1.2	1.7	90.5
about 6th year	51	1	.6	.9	91.4
about 7th year	52	1	.6	.9	92.2
aged 11-14	60	2	1.2	1.7	94.0
aged 15-19	61	2	1.2	1.7	95.7
aged 25-29	63	1	.6	.9	96.6
aged 30-34	64	2	1.2	1.7	98.3
aged 35-39	65	2	1.2	1.7	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHNXSR2 Pregnancy 2: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	58	35.2	50.0	50.0
no	1	38	23.0	32.8	82.8
yes,died since	2	13	7.9	11.2	94.0
no following pregnan	3	7	4.2	6.0	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHDTPL2 Pregnancy 2: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	58	35.2	50.0	50.0
@angwe	10	4	2.4	3.4	53.4
Karuwe	11	1	.6	.9	54.3
characharaha	12	1	.6	.9	55.2
Bate	20	4	2.4	3.4	58.6
@gose	30	5	3.0	4.3	62.9
Mahopa	40	2	1.2	1.7	64.7
Dobe	50	2	1.2	1.7	66.4

	53	1	.6	.9	67.2
@ubi	60	1	.6	.9	68.1
@xabi	70	1	.6	.9	69.0
/ai/ai waterhole	110	10	6.1	8.6	77.6
/gam=-o//gana gen	201	1	.6	.9	78.4
/gam	210	1	.6	.9	79.3
=o//gana	220	1	.6	.9	80.2
	234	1	.6	.9	81.0
	430	1	.6	.9	81.9
	492	1	.6	.9	82.8
cum@we	510	2	1.2	1.7	84.5
/gausa	530	1	.6	.9	85.3
n@au n@au	610	5	3.0	4.3	89.7
	640	2	1.2	1.7	91.4
east - general	901	2	1.2	1.7	93.1
Nokaneng	910	1	.6	.9	94.0
	952	1	.6	.9	94.8
not ascertained	999	6	3.6	5.2	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHDTCS2 Pregnancy 2: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
prenat,God	1	3	1.8	2.6	52.6
prenat,too small	4	1	.6	.9	53.4
prenat,accident	5	1	.6	.9	54.3
prenat,magic	6	1	.6	.9	55.2
prenat,NA	9	3	1.8	2.6	57.8
neonat,God	11	6	3.6	5.2	62.9
neonat,VD	12	2	1.2	1.7	64.7
neonat,no milk	15	1	.6	.9	65.5
neonat,infanticide	18	1	.6	.9	66.4
neonat,sick gen	19	8	4.8	6.9	73.3
neonat,sick chest	21	2	1.2	1.7	75.0
neonat,sick stomach	22	1	.6	.9	75.9
neonat,sick other	23	1	.6	.9	76.7
neonat,other	29	3	1.8	2.6	79.3
early,God	31	4	2.4	3.4	82.8
early,sick gen	32	6	3.6	5.2	87.9
early,sick bird	33	1	.6	.9	88.8
early,sick chest	34	2	1.2	1.7	90.5
late,God	41	2	1.2	1.7	92.2
late,sick general	42	2	1.2	1.7	94.0
adult,God	51	2	1.2	1.7	95.7
adult,sick general	52	3	1.8	2.6	98.3
adult,sick chest	53	2	1.2	1.7	100.0
.		49	29.7	Missing	

		Total	165	100.0	100.0
Valid cases	116	Missing cases	49		

MOMSDT2 Pregnancy 2: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
died before repr	1	51	30.9	44.0	94.0
1+ pregnancies	2	7	4.2	6.0	100.0
.	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases	116	Missing cases	49
-------------	-----	---------------	----

MOREDT2 Pregnancy 2: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	58	35.2	50.0	50.0
	1	55	33.3	47.4	97.4
	2	3	1.8	2.6	100.0
.	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases	116	Missing cases	49
-------------	-----	---------------	----

MOMGDT2 Pregnancy 2: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
lived in area	1	37	22.4	31.9	81.9
lived in periphery	2	19	11.5	16.4	98.3
lived outside periph	3	2	1.2	1.7	100.0
.	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHRSPL2 Pregnancy 2: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	58	35.2	50.0	50.0
@angwe	10	6	3.6	5.2	55.2
Karuwe	11	1	.6	.9	56.0
Bate	20	1	.6	.9	56.9
@gose	30	9	5.5	7.8	64.7
Mahopa	40	8	4.8	6.9	71.6
Dobe	50	6	3.6	5.2	76.7
@ubi	60	5	3.0	4.3	81.0
@xabi	70	2	1.2	1.7	82.8
/ai/ai waterhole	110	14	8.5	12.1	94.8
cum@we	510	1	.6	.9	95.7
n@au n@au	610	3	1.8	2.6	98.3
Mahwoehwoe	942	1	.6	.9	99.1
Maun	960	1	.6	.9	100.0
.	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHRSST2 Pregnancy 2: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	58	35.2	50.0	50.0
a resident	1	50	30.3	43.1	93.1
marginal	2	1	.6	.9	94.0
not numbered person	3	7	4.2	6.0	100.0
.	.	49	29.7	Missing	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHRSRM2 Pregnancy 2: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

child deceased	0	58	35.2	50.0	50.0
mother deceased	1	1	.6	.9	50.9
lives with R	2	46	27.9	39.7	90.5
lives apart,other ba	3	7	4.2	6.0	96.6
lives apart,out of p	4	4	2.4	3.4	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHRSRF2 Pregnancy 2: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	58	35.2	50.0	50.0
mother deceased	1	18	10.9	15.5	65.5
lives with R	2	28	17.0	24.1	89.7
lives apart,other ba	3	6	3.6	5.2	94.8
lives apart,out of p	4	6	3.6	5.2	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHMS2 Pregnancy 2: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	58	35.2	50.0	50.0
single	1	33	20.0	28.4	78.4
monogamous w zun/wa	2	21	12.7	18.1	96.6
monogamous w Bantu	4	2	1.2	1.7	98.3
divorced	7	2	1.2	1.7	100.0
.		49	29.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 116 Missing cases 49

CHRS2 Pregnancy 2: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	58	35.2	50.0	50.0
no activity yet	1	38	23.0	32.8	82.8
1+ pregnancies	2	3	1.8	2.6	85.3
1+ living children	3	17	10.3	14.7	100.0
.	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

CHSMP2 Pregnancy 2: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	58	35.2	50.0	50.0
yes	1	26	15.8	22.4	72.4
no	2	32	19.4	27.6	100.0
.	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

OLDAGE2 Pregnancy 2: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	116	70.3	100.0	100.0
.	.	49	29.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 116 Missing cases 49

NEWAGE2 Pregnancy 2: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	116	70.3	100.0	100.0
.	.	49	29.7	Missing	

		Total	165	100.0	100.0
Valid cases	116	Missing cases	49		

SEX18 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	92	55.8	100.0	100.0
	.	73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases	92	Missing cases	73
-------------	----	---------------	----

CHILDDID3 Pregnancy 3: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	8	4.8	8.7	8.7
	21	1	.6	1.1	9.8
	35	1	.6	1.1	10.9
	48	1	.6	1.1	12.0
	56	1	.6	1.1	13.0
	77	1	.6	1.1	14.1
	91	1	.6	1.1	15.2
	129	1	.6	1.1	16.3
	141	1	.6	1.1	17.4
	143	1	.6	1.1	18.5
	161	1	.6	1.1	19.6
	199	1	.6	1.1	20.7
	207	1	.6	1.1	21.7
	210	1	.6	1.1	22.8
	249	1	.6	1.1	23.9
	265	1	.6	1.1	25.0
	271	1	.6	1.1	26.1
	284	1	.6	1.1	27.2
	287	1	.6	1.1	28.3
	301	1	.6	1.1	29.3
	310	1	.6	1.1	30.4
	314	1	.6	1.1	31.5
	332	1	.6	1.1	32.6
	341	1	.6	1.1	33.7
	365	1	.6	1.1	34.8
	388	1	.6	1.1	35.9
	397	1	.6	1.1	37.0
	415	1	.6	1.1	38.0

	434	1	.6	1.1	39.1
	464	1	.6	1.1	40.2
	469	1	.6	1.1	41.3
	498	1	.6	1.1	42.4
	505	1	.6	1.1	43.5
	514	1	.6	1.1	44.6
	515	1	.6	1.1	45.7
	517	1	.6	1.1	46.7
	520	1	.6	1.1	47.8
	523	1	.6	1.1	48.9
	527	1	.6	1.1	50.0
	536	1	.6	1.1	51.1
	538	1	.6	1.1	52.2
	551	1	.6	1.1	53.3
	561	1	.6	1.1	54.3
	577	1	.6	1.1	55.4
	596	1	.6	1.1	56.5
	617	1	.6	1.1	57.6
	635	1	.6	1.1	58.7
	662	1	.6	1.1	59.8
	670	1	.6	1.1	60.9
	760	1	.6	1.1	62.0
	824	1	.6	1.1	63.0
	847	1	.6	1.1	64.1
unnumbered person	996	2	1.2	2.2	66.3
deceased person	997	31	18.8	33.7	100.0
.		73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHSEX3 Pregnancy 3: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	41	24.8	44.6	44.6
female	2	47	28.5	51.1	95.7
dont know(aobrtd)	5	4	2.4	4.3	100.0
.		73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHNAME3 Pregnancy 3: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

0	8	4.8	8.7	8.7
11	5	3.0	5.4	14.1
12	2	1.2	2.2	16.3
13	2	1.2	2.2	18.5
14	2	1.2	2.2	20.7
15	1	.6	1.1	21.7
16	1	.6	1.1	22.8
18	3	1.8	3.3	26.1
19	2	1.2	2.2	28.3
20	8	4.8	8.7	37.0
21	4	2.4	4.3	41.3
23	2	1.2	2.2	43.5
24	6	3.6	6.5	50.0
25	4	2.4	4.3	54.3
27	4	2.4	4.3	58.7
29	1	.6	1.1	59.8
35	1	.6	1.1	60.9
39	1	.6	1.1	62.0
40	1	.6	1.1	63.0
41	2	1.2	2.2	65.2
42	1	.6	1.1	66.3
43	3	1.8	3.3	69.6
45	4	2.4	4.3	73.9
46	1	.6	1.1	75.0
47	2	1.2	2.2	77.2
49	1	.6	1.1	78.3
51	1	.6	1.1	79.3
55	3	1.8	3.3	82.6
58	1	.6	1.1	83.7
59	2	1.2	2.2	85.9
60	5	3.0	5.4	91.3
61	4	2.4	4.3	95.7
64	2	1.2	2.2	97.8
69	2	1.2	2.2	100.0
.	73	44.2	Missing	
Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

 CHNMFOR3 Pregnancy 3: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	8	4.8	8.7	8.7
fa's father	11	10	6.1	10.9	19.6
fa's o brother	12	5	3.0	5.4	25.0
fa's yng brother	13	2	1.2	2.2	27.2
fa's fa's brother	14	2	1.2	2.2	29.3
other patri-kin	15	4	2.4	4.3	33.7
mo's father	21	9	5.5	9.8	43.5
mo's o brother	22	2	1.2	2.2	45.7

other matri-kin	25	1	.6	1.1	46.7
fa's sisters husband	31	2	1.2	2.2	48.9
other patri-affines	33	2	1.2	2.2	51.1
other matri-affines	34	1	.6	1.1	52.2
fa's mother	51	15	9.1	16.3	68.5
fa's yng sister	53	5	3.0	5.4	73.9
other patri-kin	55	2	1.2	2.2	76.1
mo's mother	61	15	9.1	16.3	92.4
mo's o sister	62	1	.6	1.1	93.5
mo's yng sister	63	1	.6	1.1	94.6
fa's bro's wife	71	1	.6	1.1	95.7
mo's bro's wife	72	1	.6	1.1	96.7
other patri-affines	73	1	.6	1.1	97.8
other matri-affines	74	1	.6	1.1	98.9
not ascertained	99	1	.6	1.1	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHFANM3 Pregnancy 3: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	3	1.8	3.3	3.3
dam	12	4	2.4	4.3	7.6
hhome	17	1	.6	1.1	8.7
kan//a	18	3	1.8	3.3	12.0
kase	19	3	1.8	3.3	15.2
kau	20	4	2.4	4.3	19.6
	21	1	.6	1.1	20.7
ko/un	23	1	.6	1.1	21.7
kumsa	24	5	3.0	5.4	27.2
	25	1	.6	1.1	28.3
n@eise	29	2	1.2	2.2	30.4
n@ani	30	1	.6	1.1	31.5
n//au	31	1	.6	1.1	32.6
n//au-rare	32	2	1.2	2.2	34.8
n//u	34	1	.6	1.1	35.9
tsaa	38	3	1.8	3.3	39.1
tsau	40	1	.6	1.1	40.2
/?ase	43	5	3.0	5.4	45.7
gau	44	5	3.0	5.4	51.1
/ise	46	1	.6	1.1	52.2
/i@ay	47	4	2.4	4.3	56.5
/n@au	48	2	1.2	2.2	58.7
	49	1	.6	1.1	59.8
/uka	51	4	2.4	4.3	64.1
/use	53	1	.6	1.1	65.2
/wi	55	5	3.0	5.4	70.7
=dau	58	2	1.2	2.2	72.8
=gau	59	3	1.8	3.3	76.1

=oma	61	11	6.7	12.0	88.0
@xem	64	5	3.0	5.4	93.5
	67	2	1.2	2.2	95.7
not zun/wasi name	98	4	2.4	4.3	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHFAID3 Pregnancy 3: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	1.1	1.1
	9	1	.6	1.1	2.2
	13	1	.6	1.1	3.3
	18	1	.6	1.1	4.3
	23	1	.6	1.1	5.4
	27	1	.6	1.1	6.5
	34	1	.6	1.1	7.6
	45	1	.6	1.1	8.7
	53	1	.6	1.1	9.8
	55	1	.6	1.1	10.9
	72	1	.6	1.1	12.0
	74	1	.6	1.1	13.0
	82	1	.6	1.1	14.1
	84	1	.6	1.1	15.2
	88	1	.6	1.1	16.3
	101	1	.6	1.1	17.4
	116	1	.6	1.1	18.5
	117	1	.6	1.1	19.6
	140	1	.6	1.1	20.7
	156	1	.6	1.1	21.7
	169	1	.6	1.1	22.8
	192	1	.6	1.1	23.9
	204	1	.6	1.1	25.0
	208	1	.6	1.1	26.1
	230	1	.6	1.1	27.2
	234	1	.6	1.1	28.3
	239	1	.6	1.1	29.3
	261	1	.6	1.1	30.4
	265	1	.6	1.1	31.5
	283	1	.6	1.1	32.6
	288	1	.6	1.1	33.7
	309	1	.6	1.1	34.8
	312	1	.6	1.1	35.9
	328	1	.6	1.1	37.0
	348	1	.6	1.1	38.0
	355	1	.6	1.1	39.1
	357	1	.6	1.1	40.2
	359	1	.6	1.1	41.3
	367	1	.6	1.1	42.4

	370	1	.6	1.1	43.5
	374	1	.6	1.1	44.6
	375	1	.6	1.1	45.7
	395	1	.6	1.1	46.7
	412	1	.6	1.1	47.8
	414	1	.6	1.1	48.9
	419	1	.6	1.1	50.0
	423	1	.6	1.1	51.1
	461	1	.6	1.1	52.2
	467	1	.6	1.1	53.3
	511	1	.6	1.1	54.3
	512	1	.6	1.1	55.4
	526	1	.6	1.1	56.5
	537	1	.6	1.1	57.6
	568	1	.6	1.1	58.7
	666	1	.6	1.1	59.8
deceased person	997	33	20.0	35.9	95.7
not zun/wasi	998	4	2.4	4.3	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHFAMR3 Pregnancy 3: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	46	27.9	50.0	50.0
2nd husband	2	28	17.0	30.4	80.4
3rd husband	3	12	7.3	13.0	93.5
4th husband	4	4	2.4	4.3	97.8
betw/after marriages	7	2	1.2	2.2	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

SOBIFA3 Pregnancy 3: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	87	52.7	94.6	94.6
same, non-zun/wasi	2	1	.6	1.1	95.7
different, zun/wasi	3	1	.6	1.1	96.7
different, so-zun/was	5	1	.6	1.1	97.8
bi-fa only, zun/wasi	7	2	1.2	2.2	100.0

.	73	44.2	Missing

Total	165	100.0	100.0

Valid cases 92 Missing cases 73

CHCONTT3 Pregnancy 3: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	33	20.0	35.9	35.9
no, fa lives apart	2	4	2.4	4.3	40.2
no, fa out of pop	3	1	.6	1.1	41.3
yes, one is dead	4	54	32.7	58.7	100.0
.	.	73	44.2	Missing	
-----				-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHCONTA3 Pregnancy 3: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	9	5.5	9.8	9.8
to 1 year	1	19	11.5	20.7	30.4
to 2 years	2	11	6.7	12.0	42.4
to 5 years	3	22	13.3	23.9	66.3
to 10 years	4	7	4.2	7.6	73.9
to 15 years	5	6	3.6	6.5	80.4
to 20 years	6	8	4.8	8.7	89.1
to 30 years	7	6	3.6	6.5	95.7
> 30 years	8	4	2.4	4.3	100.0
.	.	73	44.2	Missing	
-----				-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHBRSN3 Pregnancy 3: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

bara (dec-apr)	1	37	22.4	40.2	40.2
=obe(may)	2	5	3.0	5.4	45.7
@gum(jun-aug)	3	25	15.2	27.2	72.8
@ga(sep-nov)	4	21	12.7	22.8	95.7
not ascertained	9	4	2.4	4.3	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHYRBR3 Pregnancy 3: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	17	1	.6	1.1	1.1
	19	1	.6	1.1	2.2
	20	1	.6	1.1	3.3
	23	1	.6	1.1	4.3
	24	2	1.2	2.2	6.5
	25	2	1.2	2.2	8.7
	26	2	1.2	2.2	10.9
	27	3	1.8	3.3	14.1
	28	1	.6	1.1	15.2
	29	1	.6	1.1	16.3
	30	1	.6	1.1	17.4
	31	2	1.2	2.2	19.6
	32	1	.6	1.1	20.7
	33	2	1.2	2.2	22.8
	34	1	.6	1.1	23.9
	35	2	1.2	2.2	26.1
	36	3	1.8	3.3	29.3
	37	2	1.2	2.2	31.5
	38	1	.6	1.1	32.6
	39	2	1.2	2.2	34.8
	40	1	.6	1.1	35.9
	41	1	.6	1.1	37.0
	42	2	1.2	2.2	39.1
	43	2	1.2	2.2	41.3
	44	5	3.0	5.4	46.7
	45	1	.6	1.1	47.8
	46	2	1.2	2.2	50.0
	48	3	1.8	3.3	53.3
	49	2	1.2	2.2	55.4
	50	1	.6	1.1	56.5
	51	3	1.8	3.3	59.8
	52	2	1.2	2.2	62.0
	55	1	.6	1.1	63.0
	56	1	.6	1.1	64.1
	57	2	1.2	2.2	66.3
	59	1	.6	1.1	67.4
	60	4	2.4	4.3	71.7
	61	2	1.2	2.2	73.9

64	2	1.2	2.2	76.1
65	6	3.6	6.5	82.6
66	3	1.8	3.3	85.9
67	8	4.8	8.7	94.6
68	3	1.8	3.3	97.8
69	2	1.2	2.2	100.0
.	73	44.2	Missing	

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 92 Missing cases 73

CHBRER3 Pregnancy 3: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	7	4.2	7.6	7.6
within 1 year	2	7	4.2	7.6	15.2
within 5 years	3	31	18.8	33.7	48.9
within 10 years	4	7	4.2	7.6	56.5
estimated fr age	6	40	24.2	43.5	100.0
.		73	44.2	Missing	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHMOPR3 Pregnancy 3: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
menarch-19	1	4	2.4	4.3	4.3
age 20-24	2	39	23.6	42.4	46.7
age 25-29	3	37	22.4	40.2	87.0
age 30-34	4	9	5.5	9.8	96.7
age 35-39	5	3	1.8	3.3	100.0
.		73	44.2	Missing	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHPLBR3 Pregnancy 3: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	5	3.0	5.4	5.4
Bate	20	2	1.2	2.2	7.6
@gose	30	4	2.4	4.3	12.0
Mahopa	40	5	3.0	5.4	17.4
Dobe	50	4	2.4	4.3	21.7
	55	2	1.2	2.2	23.9
@ubi	60	4	2.4	4.3	28.3
	61	1	.6	1.1	29.3
@xabi	70	3	1.8	3.3	32.6
/ai/ai waterhole	110	19	11.5	20.7	53.3
	115	1	.6	1.1	54.3
/wi haba	120	1	.6	1.1	55.4
/gam	210	3	1.8	3.3	58.7
=o//gana	220	5	3.0	5.4	64.1
@guidum general	401	2	1.2	2.2	66.3
Mokudi	420	1	.6	1.1	67.4
	430	1	.6	1.1	68.5
	431	2	1.2	2.2	70.7
n/ausa	460	1	.6	1.1	71.7
	483	1	.6	1.1	72.8
	491	1	.6	1.1	73.9
cum@we	510	2	1.2	2.2	76.1
	512	1	.6	1.1	77.2
n=ama	540	1	.6	1.1	78.3
north - general	601	1	.6	1.1	79.3
n@au n@au	610	3	1.8	3.3	82.6
	640	1	.6	1.1	83.7
east - general	901	3	1.8	3.3	87.0
Nokaneng	910	2	1.2	2.2	89.1
	952	1	.6	1.1	90.2
not ascertained	999	9	5.5	9.8	100.0
.		73	44.2	Missing	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHTWN3 Pregnancy 3: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
early preg wastage	0	3	1.8	3.3	3.3
single birth	1	89	53.9	96.7	100.0
.		73	44.2	Missing	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHSIB3 Pregnancy 3: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	19	11.5	20.7	20.7
one	1	35	21.2	38.0	58.7
two	2	38	23.0	41.3	100.0
.	.	73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHBRPR3 Pregnancy 3: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	1.1	1.1
deceased	1	35	21.2	38.0	39.1
living,< age 5	2	48	29.1	52.2	91.3
living,age 5-10	3	7	4.2	7.6	98.9
living,> age 10	4	1	.6	1.1	100.0
.	.	73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHDTSN3 Pregnancy 3: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
bara (dec-apr)	1	15	9.1	16.3	72.8
=obe(may)	2	2	1.2	2.2	75.0
@gum(jun-aug)	3	8	4.8	8.7	83.7
@ga(sep-nov)	4	7	4.2	7.6	91.3
not ascertained	9	8	4.8	8.7	100.0
.	.	73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHDTYR3 Pregnancy 3: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	52	31.5	56.5	56.5
	20	1	.6	1.1	57.6
	22	1	.6	1.1	58.7
	24	1	.6	1.1	59.8
	26	1	.6	1.1	60.9
	27	2	1.2	2.2	63.0
	28	1	.6	1.1	64.1
	30	2	1.2	2.2	66.3
	32	1	.6	1.1	67.4
	34	2	1.2	2.2	69.6
	35	1	.6	1.1	70.7
	36	1	.6	1.1	71.7
	38	1	.6	1.1	72.8
	42	3	1.8	3.3	76.1
	43	1	.6	1.1	77.2
	44	3	1.8	3.3	80.4
	45	2	1.2	2.2	82.6
	46	1	.6	1.1	83.7
	47	1	.6	1.1	84.8
	48	1	.6	1.1	85.9
	49	2	1.2	2.2	88.0
	51	1	.6	1.1	89.1
	52	1	.6	1.1	90.2
	54	1	.6	1.1	91.3
	59	1	.6	1.1	92.4
	60	1	.6	1.1	93.5
	65	1	.6	1.1	94.6
	66	2	1.2	2.2	96.7
	67	2	1.2	2.2	98.9
	69	1	.6	1.1	100.0
	.	73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHDTER3 Pregnancy 3: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
exact	1	2	1.2	2.2	58.7
within 1 year	2	3	1.8	3.3	62.0
within 5 years	3	31	18.8	33.7	95.7

within 10 years	4	4	2.4	4.3	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHDTAG3 Pregnancy 3: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
early preg wastage	1	4	2.4	4.3	60.9
late abortion	2	3	1.8	3.3	64.1
day of birth	4	1	.6	1.1	65.2
within 1 week	5	1	.6	1.1	66.3
in same season	6	4	2.4	4.3	70.7
following season	7	1	.6	1.1	71.7
2 seasons after birt	8	2	1.2	2.2	73.9
3 seasons after birt	9	1	.6	1.1	75.0
same season next yr	10	2	1.2	2.2	77.2
1 year+2 seasons	12	3	1.8	3.3	80.4
1 to 2 years	19	1	.6	1.1	81.5
2 years+1 season	21	1	.6	1.1	82.6
died in 2nd year	29	5	3.0	5.4	88.0
3 years,same season	30	1	.6	1.1	89.1
3 years+2 seasons	32	3	1.8	3.3	92.4
died in 3rd year	39	1	.6	1.1	93.5
died in 4th year	49	1	.6	1.1	94.6
about 7th year	52	1	.6	1.1	95.7
aged 11-14	60	1	.6	1.1	96.7
aged 15-19	61	1	.6	1.1	97.8
aged 20-24	62	1	.6	1.1	98.9
died in infancy	91	1	.6	1.1	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHNXSR3 Pregnancy 3: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	52	31.5	56.5	56.5
no	1	30	18.2	32.6	89.1
yes,died since	2	5	3.0	5.4	94.6
no following pregnan	3	5	3.0	5.4	100.0

.	73	44.2	Missing
Total	165	100.0	100.0

Valid cases 92 Missing cases 73

CHDTPL3 Pregnancy 3: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	52	31.5	56.5	56.5
@angwe	10	3	1.8	3.3	59.8
Bate	20	2	1.2	2.2	62.0
Mahopa	40	2	1.2	2.2	64.1
@ubi	60	3	1.8	3.3	67.4
@xabi	70	4	2.4	4.3	71.7
/ai/ai waterhole	110	8	4.8	8.7	80.4
=o//gana	220	2	1.2	2.2	82.6
@guidum general	401	2	1.2	2.2	84.8
Mokudi	420	1	.6	1.1	85.9
	430	1	.6	1.1	87.0
cum@we	510	1	.6	1.1	88.0
n@au n@au	610	3	1.8	3.3	91.3
east - general	901	3	1.8	3.3	94.6
Nokaneng	910	1	.6	1.1	95.7
not ascertained	999	4	2.4	4.3	100.0
.		73	44.2	Missing	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

CHDTCS3 Pregnancy 3: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
prenat,God	1	4	2.4	4.3	60.9
prenat,too small	4	1	.6	1.1	62.0
prenat,NA	9	2	1.2	2.2	64.1
neonat,no milk	15	1	.6	1.1	65.2
neonat,sick gen	19	8	4.8	8.7	73.9
neonat,sick chest	21	1	.6	1.1	75.0
neonat,premature	25	1	.6	1.1	76.1
neonat,other	29	3	1.8	3.3	79.3
early,God	31	6	3.6	6.5	85.9
early,sick gen	32	6	3.6	6.5	92.4
early,sick bird	33	2	1.2	2.2	94.6

early, NA	39	1	.6	1.1	95.7
late,sick general	42	2	1.2	2.2	97.8
adult,God	51	1	.6	1.1	98.9
adult,magic	58	1	.6	1.1	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

MOMSDT3 Pregnancy 3: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
died before repr	1	40	24.2	43.5	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

MOREDT3 Pregnancy 3: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	52	31.5	56.5	56.5
	1	40	24.2	43.5	100.0
.		73	44.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 92 Missing cases 73

MOMGDT3 Pregnancy 3: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	52	31.5	56.5	56.5
lived in area	1	26	15.8	28.3	84.8
lived in periphery	2	13	7.9	14.1	98.9
lived outside periph	3	1	.6	1.1	100.0
.		73	44.2	Missing	

		Total	165	100.0	100.0
Valid cases	92	Missing cases	73		

CHRSPL3 Pregnancy 3: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	40	24.2	43.5	43.5
@angwe	10	5	3.0	5.4	48.9
Bate	20	2	1.2	2.2	51.1
@gose	30	8	4.8	8.7	59.8
Mahopa	40	8	4.8	8.7	68.5
Dobe	50	6	3.6	6.5	75.0
@ubi	60	4	2.4	4.3	79.3
/ai/ai waterhole	110	14	8.5	15.2	94.6
cum@we	510	1	.6	1.1	95.7
n@au n@au	610	1	.6	1.1	96.7
east - general	901	2	1.2	2.2	98.9
Mahwoehwoe	942	1	.6	1.1	100.0
.		73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases	92	Missing cases	73
-------------	----	---------------	----

CHRSST3 Pregnancy 3: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	40	24.2	43.5	43.5
a resident	1	47	28.5	51.1	94.6
marginal	2	3	1.8	3.3	97.8
not numbered person	3	2	1.2	2.2	100.0
.		73	44.2	Missing	
	Total	165	100.0	100.0	

Valid cases	92	Missing cases	73
-------------	----	---------------	----

CHRSRM3 Pregnancy 3: residence relative to mothe

Valid	Cum
-------	-----

Value Label	Value	Frequency	Percent	Percent	Percent
child deceased	0	40	24.2	43.5	43.5
mother deceased	1	1	.6	1.1	44.6
lives with R	2	42	25.5	45.7	90.2
lives apart,other ba	3	9	5.5	9.8	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHRSRF3 Pregnancy 3: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	40	24.2	43.5	43.5
mother deceased	1	13	7.9	14.1	57.6
lives with R	2	31	18.8	33.7	91.3
lives apart,other ba	3	5	3.0	5.4	96.7
lives apart,out of p	4	3	1.8	3.3	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHMS3 Pregnancy 3: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	40	24.2	43.5	43.5
single	1	33	20.0	35.9	79.3
monogamous w zun/wa	2	14	8.5	15.2	94.6
polygamous w zun/was	3	1	.6	1.1	95.7
monogamous w Bantu	4	1	.6	1.1	96.7
divorced	7	2	1.2	2.2	98.9
widowed	8	1	.6	1.1	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

CHRS3 Pregnancy 3: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	40	24.2	43.5	43.5
no activity yet	1	37	22.4	40.2	83.7
1+ pregnancies	2	1	.6	1.1	84.8
1+ living children	3	14	8.5	15.2	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

 CHSMP3 Pregnancy 3: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	40	24.2	43.5	43.5
yes	1	20	12.1	21.7	65.2
no	2	32	19.4	34.8	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

 OLDAGE3 Pregnancy 3: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	92	55.8	100.0	100.0
.	.	73	44.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

 NEWAGE3 Pregnancy 3: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent

0	92	55.8	100.0	100.0
.	73	44.2	Missing	
-----		-----	-----	
Total	165	100.0	100.0	

Valid cases 92 Missing cases 73

SEX19 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	72	43.6	100.0	100.0
.	.	93	56.4	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHILDID4 Pregnancy 4: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	5	3.0	6.9	6.9
	15	1	.6	1.4	8.3
	18	1	.6	1.4	9.7
	22	1	.6	1.4	11.1
	29	1	.6	1.4	12.5
	51	1	.6	1.4	13.9
	57	1	.6	1.4	15.3
	75	1	.6	1.4	16.7
	87	1	.6	1.4	18.1
	105	1	.6	1.4	19.4
	121	1	.6	1.4	20.8
	131	1	.6	1.4	22.2
	133	1	.6	1.4	23.6
	144	1	.6	1.4	25.0
	184	1	.6	1.4	26.4
	191	1	.6	1.4	27.8
	235	1	.6	1.4	29.2
	236	1	.6	1.4	30.6
	258	1	.6	1.4	31.9
	259	1	.6	1.4	33.3
	264	1	.6	1.4	34.7
	306	1	.6	1.4	36.1
	316	1	.6	1.4	37.5
	362	1	.6	1.4	38.9
	373	1	.6	1.4	40.3
	407	1	.6	1.4	41.7

	409	1	.6	1.4	43.1
	418	1	.6	1.4	44.4
	419	1	.6	1.4	45.8
	425	1	.6	1.4	47.2
	446	1	.6	1.4	48.6
	470	1	.6	1.4	50.0
	500	1	.6	1.4	51.4
	502	1	.6	1.4	52.8
	516	1	.6	1.4	54.2
	518	1	.6	1.4	55.6
	519	1	.6	1.4	56.9
	524	1	.6	1.4	58.3
	528	1	.6	1.4	59.7
	560	1	.6	1.4	61.1
	562	1	.6	1.4	62.5
	573	1	.6	1.4	63.9
	671	1	.6	1.4	65.3
	675	1	.6	1.4	66.7
	758	1	.6	1.4	68.1
	789	1	.6	1.4	69.4
	826	1	.6	1.4	70.8
	835	1	.6	1.4	72.2
unnumbered person	996	4	2.4	5.6	77.8
deceased person	997	16	9.7	22.2	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHSEX4 Pregnancy 4: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	31	18.8	43.1	43.1
female	2	39	23.6	54.2	97.2
dont know(aobrtd)	5	2	1.2	2.8	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHNAME4 Pregnancy 4: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	3.0	6.9	6.9

11	4	2.4	5.6	12.5
12	2	1.2	2.8	15.3
13	3	1.8	4.2	19.4
14	1	.6	1.4	20.8
16	2	1.2	2.8	23.6
18	1	.6	1.4	25.0
19	2	1.2	2.8	27.8
20	5	3.0	6.9	34.7
24	7	4.2	9.7	44.4
25	4	2.4	5.6	50.0
27	5	3.0	6.9	56.9
29	2	1.2	2.8	59.7
31	1	.6	1.4	61.1
32	1	.6	1.4	62.5
33	1	.6	1.4	63.9
40	1	.6	1.4	65.3
42	2	1.2	2.8	68.1
43	1	.6	1.4	69.4
44	3	1.8	4.2	73.6
45	4	2.4	5.6	79.2
47	2	1.2	2.8	81.9
49	1	.6	1.4	83.3
50	1	.6	1.4	84.7
51	1	.6	1.4	86.1
55	1	.6	1.4	87.5
58	2	1.2	2.8	90.3
59	1	.6	1.4	91.7
60	1	.6	1.4	93.1
61	3	1.8	4.2	97.2
63	1	.6	1.4	98.6
67	1	.6	1.4	100.0
.	93	56.4	Missing	
Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHNMFOR4 Pregnancy 4: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	5	3.0	6.9	6.9
fa's father	11	6	3.6	8.3	15.3
fa's o brother	12	2	1.2	2.8	18.1
fa's yng brother	13	1	.6	1.4	19.4
fa's fa's brother	14	2	1.2	2.8	22.2
other patri-kin	15	2	1.2	2.8	25.0
mo's father	21	10	6.1	13.9	38.9
mo's o brother	22	3	1.8	4.2	43.1
other matri-kin	25	2	1.2	2.8	45.8
fa's sisters husband	31	1	.6	1.4	47.2
mo's sisters husband	32	1	.6	1.4	48.6
other patri-affines	33	1	.6	1.4	50.0

fa's mother	51	11	6.7	15.3	65.3
fa's o sister	52	5	3.0	6.9	72.2
fa's yng sister	53	4	2.4	5.6	77.8
other patri-kin	55	1	.6	1.4	79.2
mo's mother	61	5	3.0	6.9	86.1
mo's o sister	62	2	1.2	2.8	88.9
mo's yng sister	63	3	1.8	4.2	93.1
other matri-kin	65	1	.6	1.4	94.4
fa's bro's wife	71	1	.6	1.4	95.8
other patri-affines	73	1	.6	1.4	97.2
other matri-affines	74	1	.6	1.4	98.6
not ascertained	99	1	.6	1.4	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHFANM4 Pregnancy 4: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	2	1.2	2.8	2.8
dam	12	3	1.8	4.2	6.9
hhome	17	1	.6	1.4	8.3
kan//a	18	2	1.2	2.8	11.1
kase	19	3	1.8	4.2	15.3
kau	20	3	1.8	4.2	19.4
	21	1	.6	1.4	20.8
ko/un	23	1	.6	1.4	22.2
kumsa	24	3	1.8	4.2	26.4
	25	1	.6	1.4	27.8
n@eise	29	2	1.2	2.8	30.6
n@ani	30	1	.6	1.4	31.9
n//au	31	1	.6	1.4	33.3
n//u	34	1	.6	1.4	34.7
tsaa	38	2	1.2	2.8	37.5
tsau	40	1	.6	1.4	38.9
/?ase	43	3	1.8	4.2	43.1
gau	44	4	2.4	5.6	48.6
/i@ay	47	3	1.8	4.2	52.8
/n@au	48	1	.6	1.4	54.2
	49	1	.6	1.4	55.6
/uka	51	3	1.8	4.2	59.7
/wi	55	4	2.4	5.6	65.3
=dau	58	2	1.2	2.8	68.1
=gau	59	3	1.8	4.2	72.2
=oma	61	7	4.2	9.7	81.9
@xem	64	5	3.0	6.9	88.9
	67	2	1.2	2.8	91.7
not zun/wasi name	98	6	3.6	8.3	100.0
.		93	56.4	Missing	
		-----	-----	-----	

		Total	165	100.0	100.0
Valid cases	72	Missing cases	93		

CHFAID4 Pregnancy 4: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	1.4	1.4
	9	1	.6	1.4	2.8
	13	1	.6	1.4	4.2
	18	1	.6	1.4	5.6
	23	1	.6	1.4	6.9
	27	1	.6	1.4	8.3
	45	1	.6	1.4	9.7
	53	1	.6	1.4	11.1
	82	1	.6	1.4	12.5
	84	1	.6	1.4	13.9
	88	1	.6	1.4	15.3
	101	1	.6	1.4	16.7
	111	1	.6	1.4	18.1
	117	1	.6	1.4	19.4
	128	1	.6	1.4	20.8
	140	1	.6	1.4	22.2
	169	1	.6	1.4	23.6
	192	1	.6	1.4	25.0
	204	1	.6	1.4	26.4
	208	1	.6	1.4	27.8
	234	1	.6	1.4	29.2
	261	1	.6	1.4	30.6
	265	1	.6	1.4	31.9
	283	1	.6	1.4	33.3
	312	1	.6	1.4	34.7
	328	1	.6	1.4	36.1
	348	1	.6	1.4	37.5
	355	1	.6	1.4	38.9
	359	1	.6	1.4	40.3
	370	1	.6	1.4	41.7
	374	1	.6	1.4	43.1
	375	1	.6	1.4	44.4
	395	1	.6	1.4	45.8
	412	1	.6	1.4	47.2
	414	1	.6	1.4	48.6
	423	1	.6	1.4	50.0
	461	1	.6	1.4	51.4
	467	1	.6	1.4	52.8
	511	1	.6	1.4	54.2
	512	1	.6	1.4	55.6
	665	1	.6	1.4	56.9
deceased person	997	25	15.2	34.7	91.7
not zun/wasi	998	6	3.6	8.3	100.0
.		93	56.4	Missing	

Total 165 100.0 100.0

Valid cases 72 Missing cases 93

CHFAMR4 Pregnancy 4: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	31	18.8	43.1	43.1
2nd husband	2	26	15.8	36.1	79.2
3rd husband	3	8	4.8	11.1	90.3
4th husband	4	5	3.0	6.9	97.2
betw/after marriages	7	2	1.2	2.8	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

SOBIFA4 Pregnancy 4: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	70	42.4	97.2	97.2
bi-fa only, Bantu	8	2	1.2	2.8	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHCONTT4 Pregnancy 4: contact between father-chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	27	16.4	37.5	37.5
no, fa lives apart	2	2	1.2	2.8	40.3
no, fa out of pop	3	1	.6	1.4	41.7
yes, one is dead	4	42	25.5	58.3	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHCONTA4 Pregnancy 4: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	5	3.0	6.9	6.9
to 1 year	1	12	7.3	16.7	23.6
to 2 years	2	11	6.7	15.3	38.9
to 5 years	3	12	7.3	16.7	55.6
to 10 years	4	7	4.2	9.7	65.3
to 15 years	5	9	5.5	12.5	77.8
to 20 years	6	6	3.6	8.3	86.1
to 30 years	7	5	3.0	6.9	93.1
> 30 years	8	5	3.0	6.9	100.0
.	.	93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHBRSN4 Pregnancy 4: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	31	18.8	43.1	43.1
=obe(may)	2	5	3.0	6.9	50.0
@gum(jun-aug)	3	21	12.7	29.2	79.2
@ga(sep-nov)	4	12	7.3	16.7	95.8
not ascertained	9	3	1.8	4.2	100.0
.	.	93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHYRBR4 Pregnancy 4: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	23	2	1.2	2.8	2.8
	24	1	.6	1.4	4.2
	27	3	1.8	4.2	8.3

29	2	1.2	2.8	11.1
30	1	.6	1.4	12.5
31	2	1.2	2.8	15.3
32	1	.6	1.4	16.7
34	2	1.2	2.8	19.4
35	1	.6	1.4	20.8
37	3	1.8	4.2	25.0
38	1	.6	1.4	26.4
39	1	.6	1.4	27.8
40	3	1.8	4.2	31.9
41	1	.6	1.4	33.3
42	1	.6	1.4	34.7
43	2	1.2	2.8	37.5
46	2	1.2	2.8	40.3
47	2	1.2	2.8	43.1
48	2	1.2	2.8	45.8
49	5	3.0	6.9	52.8
50	2	1.2	2.8	55.6
51	1	.6	1.4	56.9
52	2	1.2	2.8	59.7
53	1	.6	1.4	61.1
54	3	1.8	4.2	65.3
55	2	1.2	2.8	68.1
56	1	.6	1.4	69.4
59	1	.6	1.4	70.8
60	2	1.2	2.8	73.6
61	2	1.2	2.8	76.4
62	3	1.8	4.2	80.6
63	2	1.2	2.8	83.3
65	1	.6	1.4	84.7
67	8	4.8	11.1	95.8
68	1	.6	1.4	97.2
69	2	1.2	2.8	100.0
.	93	56.4	Missing	
Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHBRER4 Pregnancy 4: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	5	3.0	6.9	6.9
within 1 year	2	1	.6	1.4	8.3
within 5 years	3	23	13.9	31.9	40.3
within 10 years	4	2	1.2	2.8	43.1
estimated fr age	6	41	24.8	56.9	100.0
.		93	56.4	Missing	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHMOPR4 Pregnancy 4: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
menarch-19	1	1	.6	1.4	1.4
age 20-24	2	8	4.8	11.1	12.5
age 25-29	3	33	20.0	45.8	58.3
age 30-34	4	23	13.9	31.9	90.3
age 35-39	5	5	3.0	6.9	97.2
age 40 or over	6	2	1.2	2.8	100.0
.	.	93	56.4	Missing	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHPLBR4 Pregnancy 4: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	7	4.2	9.7	9.7
Bate	20	2	1.2	2.8	12.5
@gose	30	3	1.8	4.2	16.7
	31	1	.6	1.4	18.1
Mahopa	40	2	1.2	2.8	20.8
Dobe	50	2	1.2	2.8	23.6
	55	4	2.4	5.6	29.2
@ubi	60	3	1.8	4.2	33.3
	61	1	.6	1.4	34.7
/ai/ai waterhole	110	13	7.9	18.1	52.8
	116	1	.6	1.4	54.2
	124	1	.6	1.4	55.6
/gam	210	4	2.4	5.6	61.1
=o//gana	220	1	.6	1.4	62.5
@guidum general	401	2	1.2	2.8	65.3
Baraka	410	1	.6	1.4	66.7
Mokudi	420	3	1.8	4.2	70.8
	492	1	.6	1.4	72.2
cum@we	510	4	2.4	5.6	77.8
/gausa	530	1	.6	1.4	79.2
n@au n@au	610	3	1.8	4.2	83.3
east - general	901	3	1.8	4.2	87.5
Nokaneng	910	1	.6	1.4	88.9
not ascertained	999	8	4.8	11.1	100.0
.	.	93	56.4	Missing	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHTWN4 Pregnancy 4: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
early preg wastage	0	2	1.2	2.8	2.8
single birth	1	70	42.4	97.2	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHSIB4 Pregnancy 4: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	12	7.3	16.7	16.7
one	1	17	10.3	23.6	40.3
two	2	25	15.2	34.7	75.0
three	3	18	10.9	25.0	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHBRPR4 Pregnancy 4: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	1.4	1.4
deceased	1	29	17.6	40.3	41.7
living,< age 5	2	36	21.8	50.0	91.7
living,age 5-10	3	5	3.0	6.9	98.6
living,> age 10	4	1	.6	1.4	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHDTSN4 Pregnancy 4: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
bara (dec-apr)	1	3	1.8	4.2	69.4
=obe(may)	2	2	1.2	2.8	72.2
@gum(jun-aug)	3	8	4.8	11.1	83.3
@ga(sep-nov)	4	3	1.8	4.2	87.5
not ascertained	9	9	5.5	12.5	100.0
.		93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHDTYR4 Pregnancy 4: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	47	28.5	65.3	65.3
	27	1	.6	1.4	66.7
	29	1	.6	1.4	68.1
	31	1	.6	1.4	69.4
	32	1	.6	1.4	70.8
	34	1	.6	1.4	72.2
	37	2	1.2	2.8	75.0
	38	1	.6	1.4	76.4
	39	1	.6	1.4	77.8
	40	2	1.2	2.8	80.6
	44	1	.6	1.4	81.9
	47	1	.6	1.4	83.3
	49	1	.6	1.4	84.7
	51	2	1.2	2.8	87.5
	60	2	1.2	2.8	90.3
	61	1	.6	1.4	91.7
	64	1	.6	1.4	93.1
	66	1	.6	1.4	94.4
	67	3	1.8	4.2	98.6
	69	1	.6	1.4	100.0
.		93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHDTER4 Pregnancy 4: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
exact	1	4	2.4	5.6	70.8
within 1 year	2	2	1.2	2.8	73.6
within 5 years	3	19	11.5	26.4	100.0
.	.	93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHDTAG4 Pregnancy 4: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
early preg wastage	1	2	1.2	2.8	68.1
late abortion	2	2	1.2	2.8	70.8
day of birth	4	1	.6	1.4	72.2
in same season	6	4	2.4	5.6	77.8
following season	7	2	1.2	2.8	80.6
same season next yr	10	1	.6	1.4	81.9
1 year+2 seasons	12	1	.6	1.4	83.3
2 years+1 season	21	1	.6	1.4	84.7
died in 2nd year	29	2	1.2	2.8	87.5
died in 3rd year	39	2	1.2	2.8	90.3
4 years,same season	40	1	.6	1.4	91.7
about 5th year	50	2	1.2	2.8	94.4
about 6th year	51	2	1.2	2.8	97.2
aged 15-19	61	1	.6	1.4	98.6
died in infancy	91	1	.6	1.4	100.0
.	.	93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHNXSR4 Pregnancy 4: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

not deceased	0	47	28.5	65.3	65.3
no	1	18	10.9	25.0	90.3
yes,died since	2	4	2.4	5.6	95.8
no following pregnan	3	3	1.8	4.2	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHDTPL4 Pregnancy 4: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	47	28.5	65.3	65.3
@angwe	10	3	1.8	4.2	69.4
@gose	30	1	.6	1.4	70.8
Dobe	50	1	.6	1.4	72.2
	55	2	1.2	2.8	75.0
@ubi	60	2	1.2	2.8	77.8
	61	1	.6	1.4	79.2
/ai/ai waterhole	110	2	1.2	2.8	81.9
/gam	210	1	.6	1.4	83.3
=o//gana	220	1	.6	1.4	84.7
cum@we	510	3	1.8	4.2	88.9
n@au n@au	610	1	.6	1.4	90.3
east - general	901	1	.6	1.4	91.7
Makakun	945	1	.6	1.4	93.1
not ascertained	999	5	3.0	6.9	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

CHDTCS4 Pregnancy 4: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
prenat,God	1	3	1.8	4.2	69.4
prenat,NA	9	1	.6	1.4	70.8
neonat,no milk	15	1	.6	1.4	72.2
neonat,sick gen	19	6	3.6	8.3	80.6
neonat,sick chest	21	2	1.2	2.8	83.3
neonat,other	29	1	.6	1.4	84.7
early,God	31	4	2.4	5.6	90.3
early,sick gen	32	3	1.8	4.2	94.4

late,God	41	2	1.2	2.8	97.2
late,sick general	42	1	.6	1.4	98.6
adult,sick stomach	54	1	.6	1.4	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

MOMSDT4 Pregnancy 4: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
died before repr	1	25	15.2	34.7	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

MOREDT4 Pregnancy 4: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	47	28.5	65.3	65.3
	1	25	15.2	34.7	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

MOMGDT4 Pregnancy 4: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	47	28.5	65.3	65.3
lived in area	1	17	10.3	23.6	88.9
lived in periphery	2	8	4.8	11.1	100.0
.		93	56.4	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHRSP44 Pregnancy 4: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	25	15.2	34.7	34.7
@angwe	10	2	1.2	2.8	37.5
Karuwe	11	2	1.2	2.8	40.3
Bate	20	2	1.2	2.8	43.1
@gose	30	9	5.5	12.5	55.6
Mahopa	40	6	3.6	8.3	63.9
Dobe	50	6	3.6	8.3	72.2
@ubi	60	2	1.2	2.8	75.0
@xabi	70	1	.6	1.4	76.4
/ai/ai waterhole	110	11	6.7	15.3	91.7
cum@we	510	1	.6	1.4	93.1
	651	1	.6	1.4	94.4
Mace	810	1	.6	1.4	95.8
Mahwoehwoe	942	2	1.2	2.8	98.6
Maun	960	1	.6	1.4	100.0
.		93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHRST44 Pregnancy 4: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	25	15.2	34.7	34.7
a resident	1	41	24.8	56.9	91.7
marginal	2	2	1.2	2.8	94.4
not numbered person	3	4	2.4	5.6	100.0
.		93	56.4	Missing	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

 CHRSRM4 Pregnancy 4: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	25	15.2	34.7	34.7
mother deceased	1	1	.6	1.4	36.1
lives with R	2	36	21.8	50.0	86.1
lives apart,other ba	3	7	4.2	9.7	95.8
lives apart,out of p	4	3	1.8	4.2	100.0
.	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHRSRF4 Pregnancy 4: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	25	15.2	34.7	34.7
mother deceased	1	16	9.7	22.2	56.9
lives with R	2	26	15.8	36.1	93.1
lives apart,other ba	3	4	2.4	5.6	98.6
lives apart,out of p	4	1	.6	1.4	100.0
.	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHMS4 Pregnancy 4: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	25	15.2	34.7	34.7
single	1	27	16.4	37.5	72.2
monogamous w zun/wa	2	15	9.1	20.8	93.1
polygamous w zun/was	3	2	1.2	2.8	95.8
irregular mar,neci	6	1	.6	1.4	97.2
divorced	7	1	.6	1.4	98.6
not ascertained	9	1	.6	1.4	100.0
.	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHRS4 Pregnancy 4: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	25	15.2	34.7	34.7
no activity yet	1	33	20.0	45.8	80.6
1+ pregnancies	2	3	1.8	4.2	84.7
1+ living children	3	10	6.1	13.9	98.6
not ascertained	9	1	.6	1.4	100.0
.		93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

CHSMP4 Pregnancy 4: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	25	15.2	34.7	34.7
yes	1	18	10.9	25.0	59.7
no	2	29	17.6	40.3	100.0
.		93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

OLDAGE4 Pregnancy 4: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	72	43.6	100.0	100.0
.		93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

NEWAGE4 Pregnancy 4: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	72	43.6	100.0	100.0
	.	93	56.4	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 72 Missing cases 93

SEX20 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	54	32.7	100.0	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHILDID5 Pregnancy 5: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	7	4.2	13.0	13.0
	23	1	.6	1.9	14.8
	30	1	.6	1.9	16.7
	49	1	.6	1.9	18.5
	58	1	.6	1.9	20.4
	65	1	.6	1.9	22.2
	122	1	.6	1.9	24.1
	166	1	.6	1.9	25.9
	168	1	.6	1.9	27.8
	170	1	.6	1.9	29.6
	197	1	.6	1.9	31.5
	211	1	.6	1.9	33.3
	230	1	.6	1.9	35.2
	237	1	.6	1.9	37.0
	307	1	.6	1.9	38.9
	315	1	.6	1.9	40.7
	330	1	.6	1.9	42.6
	367	1	.6	1.9	44.4
	377	1	.6	1.9	46.3
	394	1	.6	1.9	48.1
	408	1	.6	1.9	50.0
	428	1	.6	1.9	51.9
	436	1	.6	1.9	53.7

	450	1	.6	1.9	55.6
	471	1	.6	1.9	57.4
	483	1	.6	1.9	59.3
	548	1	.6	1.9	61.1
	594	1	.6	1.9	63.0
	646	1	.6	1.9	64.8
	661	1	.6	1.9	66.7
	672	1	.6	1.9	68.5
	677	1	.6	1.9	70.4
	767	1	.6	1.9	72.2
unnumbered person	996	1	.6	1.9	74.1
deceased person	997	14	8.5	25.9	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHSEX5 Pregnancy 5: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	21	12.7	38.9	38.9
female	2	30	18.2	55.6	94.4
dont know(aobrtd)	5	3	1.8	5.6	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHNAME5 Pregnancy 5: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	7	4.2	13.0	13.0
	11	1	.6	1.9	14.8
	13	2	1.2	3.7	18.5
	14	2	1.2	3.7	22.2
	15	1	.6	1.9	24.1
	16	1	.6	1.9	25.9
	18	3	1.8	5.6	31.5
	20	3	1.8	5.6	37.0
	21	1	.6	1.9	38.9
	22	1	.6	1.9	40.7
	24	1	.6	1.9	42.6
	25	2	1.2	3.7	46.3
	27	4	2.4	7.4	53.7

30	1	.6	1.9	55.6
32	1	.6	1.9	57.4
33	2	1.2	3.7	61.1
35	1	.6	1.9	63.0
38	2	1.2	3.7	66.7
39	3	1.8	5.6	72.2
42	1	.6	1.9	74.1
45	2	1.2	3.7	77.8
46	2	1.2	3.7	81.5
47	2	1.2	3.7	85.2
55	2	1.2	3.7	88.9
59	1	.6	1.9	90.7
60	2	1.2	3.7	94.4
61	3	1.8	5.6	100.0
.	111	67.3	Missing	

Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHNMFOR5 Pregnancy 5: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	7	4.2	13.0	13.0
fa's father	11	4	2.4	7.4	20.4
fa's o brother	12	2	1.2	3.7	24.1
fa's fa's brother	14	3	1.8	5.6	29.6
other patri-kin	15	1	.6	1.9	31.5
mo's father	21	3	1.8	5.6	37.0
mo's o brother	22	1	.6	1.9	38.9
mo's yng brother	23	1	.6	1.9	40.7
fa's sisters husband	31	2	1.2	3.7	44.4
other patri-affines	33	1	.6	1.9	46.3
other matri-affines	34	1	.6	1.9	48.1
fa's mother	51	4	2.4	7.4	55.6
fa's o sister	52	5	3.0	9.3	64.8
fa's yng sister	53	4	2.4	7.4	72.2
fa's fa's sister	54	2	1.2	3.7	75.9
other patri-kin	55	1	.6	1.9	77.8
mo's mother	61	8	4.8	14.8	92.6
mo's o sister	62	2	1.2	3.7	96.3
fa's bro's wife	71	2	1.2	3.7	100.0
.		111	67.3	Missing	

Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHFANM5 Pregnancy 5: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	1	.6	1.9	1.9
dam	12	2	1.2	3.7	5.6
kan//a	18	2	1.2	3.7	9.3
kase	19	2	1.2	3.7	13.0
kau	20	2	1.2	3.7	16.7
ko/un	23	1	.6	1.9	18.5
kumsa	24	3	1.8	5.6	24.1
	25	1	.6	1.9	25.9
n@eise	29	2	1.2	3.7	29.6
n@ani	30	1	.6	1.9	31.5
n//au	31	1	.6	1.9	33.3
n//u	34	1	.6	1.9	35.2
tsaa	38	2	1.2	3.7	38.9
/?ase	43	2	1.2	3.7	42.6
gau	44	4	2.4	7.4	50.0
/i@ay	47	3	1.8	5.6	55.6
/n@au	48	2	1.2	3.7	59.3
	49	1	.6	1.9	61.1
/uka	51	2	1.2	3.7	64.8
/wi	55	3	1.8	5.6	70.4
=dau	58	2	1.2	3.7	74.1
=gau	59	1	.6	1.9	75.9
=oma	61	4	2.4	7.4	83.3
@xem	64	6	3.6	11.1	94.4
@xoma	65	1	.6	1.9	96.3
	67	2	1.2	3.7	100.0
.		111	67.3	Missing	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

 CHFAID5 Pregnancy 5: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	1	.6	1.9	1.9
	9	1	.6	1.9	3.7
	13	1	.6	1.9	5.6
	18	1	.6	1.9	7.4
	27	1	.6	1.9	9.3
	45	1	.6	1.9	11.1
	53	1	.6	1.9	13.0
	82	1	.6	1.9	14.8
	84	1	.6	1.9	16.7
	88	1	.6	1.9	18.5
	101	1	.6	1.9	20.4
	117	1	.6	1.9	22.2

	128	1	.6	1.9	24.1
	158	1	.6	1.9	25.9
	164	1	.6	1.9	27.8
	192	1	.6	1.9	29.6
	204	1	.6	1.9	31.5
	208	1	.6	1.9	33.3
	234	1	.6	1.9	35.2
	261	1	.6	1.9	37.0
	283	1	.6	1.9	38.9
	312	1	.6	1.9	40.7
	328	1	.6	1.9	42.6
	359	1	.6	1.9	44.4
	375	1	.6	1.9	46.3
	395	1	.6	1.9	48.1
	412	1	.6	1.9	50.0
	414	1	.6	1.9	51.9
	423	1	.6	1.9	53.7
	461	1	.6	1.9	55.6
	467	1	.6	1.9	57.4
	592	1	.6	1.9	59.3
	665	1	.6	1.9	61.1
deceased person	997	21	12.7	38.9	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHFAMR5 Pregnancy 5: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	22	13.3	40.7	40.7
2nd husband	2	20	12.1	37.0	77.8
3rd husband	3	9	5.5	16.7	94.4
4th husband	4	3	1.8	5.6	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

SOBIFA5 Pregnancy 5: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	54	32.7	100.0	100.0
	.	111	67.3	Missing	

		Total	165	100.0	100.0
Valid cases	54	Missing cases	111		

CHCONTT5 Pregnancy 5: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	22	13.3	40.7	40.7
no, fa lives apart	2	1	.6	1.9	42.6
yes, one is dead	4	31	18.8	57.4	100.0
.	.	111	67.3	Missing	
	Total	165	100.0	100.0	

Valid cases	54	Missing cases	111
-------------	----	---------------	-----

CHCONTA5 Pregnancy 5: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	7	4.2	13.0	13.0
to 1 year	1	9	5.5	16.7	29.6
to 2 years	2	6	3.6	11.1	40.7
to 5 years	3	11	6.7	20.4	61.1
to 10 years	4	8	4.8	14.8	75.9
to 15 years	5	2	1.2	3.7	79.6
to 20 years	6	5	3.0	9.3	88.9
to 30 years	7	3	1.8	5.6	94.4
> 30 years	8	3	1.8	5.6	100.0
.	.	111	67.3	Missing	
	Total	165	100.0	100.0	

Valid cases	54	Missing cases	111
-------------	----	---------------	-----

CHBRSN5 Pregnancy 5: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	24	14.5	44.4	44.4
=obe(may)	2	5	3.0	9.3	53.7

@gum(jun-aug)	3	10	6.1	18.5	72.2
@ga(sep-nov)	4	12	7.3	22.2	94.4
not ascertained	9	3	1.8	5.6	100.0
.		111	67.3	Missing	

Total 165 100.0 100.0

Valid cases 54 Missing cases 111

CHYRBR5 Pregnancy 5: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	27	2	1.2	3.7	3.7
	29	2	1.2	3.7	7.4
	31	2	1.2	3.7	11.1
	33	1	.6	1.9	13.0
	34	1	.6	1.9	14.8
	35	1	.6	1.9	16.7
	36	1	.6	1.9	18.5
	37	1	.6	1.9	20.4
	38	1	.6	1.9	22.2
	39	2	1.2	3.7	25.9
	40	2	1.2	3.7	29.6
	41	1	.6	1.9	31.5
	42	2	1.2	3.7	35.2
	44	2	1.2	3.7	38.9
	46	3	1.8	5.6	44.4
	47	1	.6	1.9	46.3
	48	1	.6	1.9	48.1
	51	2	1.2	3.7	51.9
	52	1	.6	1.9	53.7
	53	3	1.8	5.6	59.3
	54	1	.6	1.9	61.1
	56	1	.6	1.9	63.0
	57	3	1.8	5.6	68.5
	59	2	1.2	3.7	72.2
	60	1	.6	1.9	74.1
	61	1	.6	1.9	75.9
	63	4	2.4	7.4	83.3
	65	1	.6	1.9	85.2
	66	2	1.2	3.7	88.9
	67	2	1.2	3.7	92.6
	68	4	2.4	7.4	100.0
	.	111	67.3	Missing	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHBRER5 Pregnancy 5: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	3	1.8	5.6	5.6
within 1 year	2	1	.6	1.9	7.4
within 5 years	3	19	11.5	35.2	42.6
within 10 years	4	2	1.2	3.7	46.3
estimated fr age	6	29	17.6	53.7	100.0
.	.	111	67.3	Missing	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHMOPR5 Pregnancy 5: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
menarch-19	1	1	.6	1.9	1.9
age 20-24	2	2	1.2	3.7	5.6
age 25-29	3	10	6.1	18.5	24.1
age 30-34	4	19	11.5	35.2	59.3
age 35-39	5	16	9.7	29.6	88.9
age 40 or over	6	6	3.6	11.1	100.0
.	.	111	67.3	Missing	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHPLBR5 Pregnancy 5: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	3	1.8	5.6	5.6
Bate	20	3	1.8	5.6	11.1
@gose	30	2	1.2	3.7	14.8
	31	1	.6	1.9	16.7
Mahopa	40	1	.6	1.9	18.5
Dobe	50	2	1.2	3.7	22.2
	52	1	.6	1.9	24.1
	55	2	1.2	3.7	27.8
@ubi	60	5	3.0	9.3	37.0
/ai/ai waterhole	110	8	4.8	14.8	51.9
	116	1	.6	1.9	53.7

/gam=o//gana gen	201	1	.6	1.9	55.6
/gam	210	2	1.2	3.7	59.3
=o//gana	220	2	1.2	3.7	63.0
@guidum general	401	1	.6	1.9	64.8
n/ausa	460	1	.6	1.9	66.7
Dobe SW	470	1	.6	1.9	68.5
cum@we	510	5	3.0	9.3	77.8
	514	1	.6	1.9	79.6
due	560	1	.6	1.9	81.5
north - general	601	1	.6	1.9	83.3
n@au n@au	610	1	.6	1.9	85.2
east - general	901	1	.6	1.9	87.0
Nokaneng	910	3	1.8	5.6	92.6
not ascertained	999	4	2.4	7.4	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHTWN5 Pregnancy 5: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
early preg wastage	0	1	.6	1.9	1.9
single birth	1	53	32.1	98.1	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHSIB5 Pregnancy 5: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	5	3.0	9.3	9.3
one	1	9	5.5	16.7	25.9
two	2	17	10.3	31.5	57.4
three	3	13	7.9	24.1	81.5
four	4	10	6.1	18.5	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHBRPR5 Pregnancy 5: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	17	10.3	31.5	31.5
living,< age 5	2	24	14.5	44.4	75.9
living,age 5-10	3	12	7.3	22.2	98.1
living,> age 10	4	1	.6	1.9	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTSN5 Pregnancy 5: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	31	18.8	57.4	57.4
bara (dec-apr)	1	8	4.8	14.8	72.2
@gum(jun-aug)	3	4	2.4	7.4	79.6
@ga(sep-nov)	4	4	2.4	7.4	87.0
not ascertained	9	7	4.2	13.0	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTYR5 Pregnancy 5: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	32	19.4	59.3	59.3
	27	1	.6	1.9	61.1
	35	1	.6	1.9	63.0
	36	1	.6	1.9	64.8
	37	2	1.2	3.7	68.5
	38	1	.6	1.9	70.4
	39	1	.6	1.9	72.2
	45	1	.6	1.9	74.1
	46	2	1.2	3.7	77.8
	47	2	1.2	3.7	81.5
	48	2	1.2	3.7	85.2

53	1	.6	1.9	87.0
54	1	.6	1.9	88.9
56	1	.6	1.9	90.7
57	1	.6	1.9	92.6
62	1	.6	1.9	94.4
65	1	.6	1.9	96.3
67	1	.6	1.9	98.1
68	1	.6	1.9	100.0
.	111	67.3	Missing	

Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTER5 Pregnancy 5: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	32	19.4	59.3	59.3
exact	1	1	.6	1.9	61.1
within 1 year	2	1	.6	1.9	63.0
within 5 years	3	18	10.9	33.3	96.3
within 10 years	4	2	1.2	3.7	100.0
.		111	67.3	Missing	

Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTAG5 Pregnancy 5: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	32	19.4	59.3	59.3
early preg wastage	1	2	1.2	3.7	63.0
late abortion	2	2	1.2	3.7	66.7
miscarriage	3	2	1.2	3.7	70.4
day of birth	4	1	.6	1.9	72.2
in same season	6	2	1.2	3.7	75.9
following season	7	1	.6	1.9	77.8
2 seasons after birt	8	1	.6	1.9	79.6
2 years,same season	20	1	.6	1.9	81.5
died in 2nd year	29	4	2.4	7.4	88.9
died in 3rd year	39	1	.6	1.9	90.7
about 5th year	50	4	2.4	7.4	98.1
about 10th year	55	1	.6	1.9	100.0
.		111	67.3	Missing	

Total 165 100.0 100.0

Valid cases 54 Missing cases 111

CHNXSR5 Pregnancy 5: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	32	19.4	59.3	59.3
no	1	15	9.1	27.8	87.0
yes,died since	2	4	2.4	7.4	94.4
no following pregnan	3	3	1.8	5.6	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTPL5 Pregnancy 5: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	32	19.4	59.3	59.3
@angwe	10	1	.6	1.9	61.1
Bate	20	1	.6	1.9	63.0
Dobe	50	1	.6	1.9	64.8
@ubi	60	2	1.2	3.7	68.5
/ai/ai waterhole	110	6	3.6	11.1	79.6
=o//gana	220	1	.6	1.9	81.5
@guidum general	401	1	.6	1.9	83.3
cum@we	510	3	1.8	5.6	88.9
north - general	601	1	.6	1.9	90.7
Nokaneng	910	2	1.2	3.7	94.4
not ascertained	999	3	1.8	5.6	100.0
.		111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHDTCS5 Pregnancy 5: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

not applicable	0	32	19.4	59.3	59.3
prenat,God	1	3	1.8	5.6	64.8
prenat,too small	4	2	1.2	3.7	68.5
neonat,God	11	2	1.2	3.7	72.2
neonat,VD	12	1	.6	1.9	74.1
neonat,infanticide	18	1	.6	1.9	75.9
neonat,sick gen	19	1	.6	1.9	77.8
neonat,sick other	23	1	.6	1.9	79.6
early,God	31	3	1.8	5.6	85.2
early,sick gen	32	3	1.8	5.6	90.7
early,sick stomach	35	2	1.2	3.7	94.4
late,sick general	42	3	1.8	5.6	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

MOMSDT5 Pregnancy 5: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	32	19.4	59.3	59.3
died before repr	1	22	13.3	40.7	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

MORED5T5 Pregnancy 5: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	32	19.4	59.3	59.3
	1	22	13.3	40.7	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

MOMGDT5 Pregnancy 5: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	32	19.4	59.3	59.3
lived in area	1	14	8.5	25.9	85.2
lived in periphery	2	8	4.8	14.8	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHRSPL5 Pregnancy 5: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	22	13.3	40.7	40.7
Karuwe	11	1	.6	1.9	42.6
Bate	20	1	.6	1.9	44.4
@gose	30	5	3.0	9.3	53.7
Mahopa	40	2	1.2	3.7	57.4
Kasembungu's	41	1	.6	1.9	59.3
Dobe	50	6	3.6	11.1	70.4
@ubi	60	4	2.4	7.4	77.8
/ai/ai waterhole	110	7	4.2	13.0	90.7
/du/da	310	1	.6	1.9	92.6
cum@we	510	2	1.2	3.7	96.3
Namanyane	943	1	.6	1.9	98.1
Makakun	945	1	.6	1.9	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHRSST5 Pregnancy 5: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	22	13.3	40.7	40.7
a resident	1	27	16.4	50.0	90.7
marginal	2	4	2.4	7.4	98.1
not numbered person	3	1	.6	1.9	100.0
.		111	67.3	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 54 Missing cases 111

CHRSRM5 Pregnancy 5: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	22	13.3	40.7	40.7
lives with R	2	29	17.6	53.7	94.4
lives apart,other ba	3	2	1.2	3.7	98.1
lives apart,out of p	4	1	.6	1.9	100.0
.	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHRSRF5 Pregnancy 5: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	22	13.3	40.7	40.7
mother deceased	1	9	5.5	16.7	57.4
lives with R	2	23	13.9	42.6	100.0
.	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

CHMS5 Pregnancy 5: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	22	13.3	40.7	40.7
single	1	22	13.3	40.7	81.5
monogamous w zun/wa	2	9	5.5	16.7	98.1
divorced	7	1	.6	1.9	100.0
.	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

 CHR55 Pregnancy 5: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	22	13.3	40.7	40.7
no activity yet	1	24	14.5	44.4	85.2
1+ living children	3	8	4.8	14.8	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

 CHSMP5 Pregnancy 5: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	22	13.3	40.7	40.7
yes	1	12	7.3	22.2	63.0
no	2	20	12.1	37.0	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

 OLDAGE5 Pregnancy 5: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	54	32.7	100.0	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

 NEWAGE5 Pregnancy 5: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	54	32.7	100.0	100.0
	.	111	67.3	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 54 Missing cases 111

SEX21 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	38	23.0	100.0	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHILDDID6 Pregnancy 6: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	4	2.4	10.5	10.5
	17	1	.6	2.6	13.2
	31	1	.6	2.6	15.8
	42	1	.6	2.6	18.4
	59	1	.6	2.6	21.1
	81	1	.6	2.6	23.7
	198	1	.6	2.6	26.3
	215	1	.6	2.6	28.9
	240	1	.6	2.6	31.6
	279	1	.6	2.6	34.2
	324	1	.6	2.6	36.8
	334	1	.6	2.6	39.5
	378	1	.6	2.6	42.1
	391	1	.6	2.6	44.7
	416	1	.6	2.6	47.4
	488	1	.6	2.6	50.0
	506	1	.6	2.6	52.6
	529	1	.6	2.6	55.3
	571	1	.6	2.6	57.9
	574	1	.6	2.6	60.5
	647	1	.6	2.6	63.2
	673	1	.6	2.6	65.8
	678	1	.6	2.6	68.4

		764	1	.6	2.6	71.1
		785	1	.6	2.6	73.7
unnumbered person		996	1	.6	2.6	76.3
deceased person		997	9	5.5	23.7	100.0
		.	127	77.0	Missing	
			-----	-----	-----	
		Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHSEX6 Pregnancy 6: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	20	12.1	52.6	52.6
female	2	17	10.3	44.7	97.4
dont know(aobrtd)	5	1	.6	2.6	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
		Total	165	100.0	100.0

Valid cases 38 Missing cases 127

CHNAME6 Pregnancy 6: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	4	2.4	10.5	10.5
	11	1	.6	2.6	13.2
	14	1	.6	2.6	15.8
	15	1	.6	2.6	18.4
	18	1	.6	2.6	21.1
	19	3	1.8	7.9	28.9
	20	1	.6	2.6	31.6
	21	1	.6	2.6	34.2
	23	1	.6	2.6	36.8
	24	2	1.2	5.3	42.1
	25	1	.6	2.6	44.7
	27	1	.6	2.6	47.4
	29	2	1.2	5.3	52.6
	31	1	.6	2.6	55.3
	35	1	.6	2.6	57.9
	38	1	.6	2.6	60.5
	39	2	1.2	5.3	65.8
	42	1	.6	2.6	68.4
	43	1	.6	2.6	71.1
	45	3	1.8	7.9	78.9
	47	1	.6	2.6	81.6

50	1	.6	2.6	84.2
55	1	.6	2.6	86.8
56	1	.6	2.6	89.5
59	1	.6	2.6	92.1
61	3	1.8	7.9	100.0
.	127	77.0	Missing	

Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHNMFOR6 Pregnancy 6: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	4	2.4	10.5	10.5
fa's father	11	5	3.0	13.2	23.7
fa's fa's brother	14	1	.6	2.6	26.3
other patri-kin	15	4	2.4	10.5	36.8
mo's father	21	3	1.8	7.9	44.7
mo's o brother	22	1	.6	2.6	47.4
mo's yng brother	23	3	1.8	7.9	55.3
other matri-kin	25	1	.6	2.6	57.9
fa's mother	51	3	1.8	7.9	65.8
fa's o sister	52	2	1.2	5.3	71.1
fa's yng sister	53	3	1.8	7.9	78.9
other patri-kin	55	4	2.4	10.5	89.5
mo's mother	61	1	.6	2.6	92.1
mo's mo's sister	64	1	.6	2.6	94.7
other matri-kin	65	1	.6	2.6	97.4
other patri-affines	73	1	.6	2.6	100.0
.		127	77.0	Missing	

Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHFANM6 Pregnancy 6: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	1	.6	2.6	2.6
dam	12	2	1.2	5.3	7.9
kan//a	18	1	.6	2.6	10.5
kase	19	3	1.8	7.9	18.4
kau	20	4	2.4	10.5	28.9
kumsa	24	2	1.2	5.3	34.2
n@ani	30	1	.6	2.6	36.8

n//au	31	1	.6	2.6	39.5
n//u	34	1	.6	2.6	42.1
tsaa	38	2	1.2	5.3	47.4
/?ase	43	1	.6	2.6	50.0
gau	44	3	1.8	7.9	57.9
/i@ay	47	3	1.8	7.9	65.8
/n@au	48	1	.6	2.6	68.4
	49	1	.6	2.6	71.1
/wi	55	2	1.2	5.3	76.3
=dau	58	2	1.2	5.3	81.6
=gau	59	1	.6	2.6	84.2
=oma	61	1	.6	2.6	86.8
@xem	64	3	1.8	7.9	94.7
@xoma	65	1	.6	2.6	97.4
	67	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

 CHFAID6 Pregnancy 6: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	13	1	.6	2.6	2.6
	27	1	.6	2.6	5.3
	45	1	.6	2.6	7.9
	53	1	.6	2.6	10.5
	82	1	.6	2.6	13.2
	84	1	.6	2.6	15.8
	88	1	.6	2.6	18.4
	101	1	.6	2.6	21.1
	128	1	.6	2.6	23.7
	158	1	.6	2.6	26.3
	164	1	.6	2.6	28.9
	192	1	.6	2.6	31.6
	208	1	.6	2.6	34.2
	261	1	.6	2.6	36.8
	292	1	.6	2.6	39.5
	312	1	.6	2.6	42.1
	328	1	.6	2.6	44.7
	359	1	.6	2.6	47.4
	375	1	.6	2.6	50.0
	385	1	.6	2.6	52.6
	395	1	.6	2.6	55.3
	412	1	.6	2.6	57.9
	414	1	.6	2.6	60.5
	461	1	.6	2.6	63.2
	618	1	.6	2.6	65.8
	665	1	.6	2.6	68.4
deceased person	997	12	7.3	31.6	100.0
.		127	77.0	Missing	

			-----	-----	-----
		Total	165	100.0	100.0
Valid cases	38	Missing cases	127		

CHFAMR6 Pregnancy 6: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	14	8.5	36.8	36.8
2nd husband	2	14	8.5	36.8	73.7
3rd husband	3	8	4.8	21.1	94.7
4th husband	4	2	1.2	5.3	100.0
	.	127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases	38	Missing cases	127
-------------	----	---------------	-----

SOBIFA6 Pregnancy 6: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	38	23.0	100.0	100.0
	.	127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases	38	Missing cases	127
-------------	----	---------------	-----

CHCONTT6 Pregnancy 6: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	15	9.1	39.5	39.5
no, fa lives apart	2	2	1.2	5.3	44.7
yes, one is dead	4	21	12.7	55.3	100.0
	.	127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases	38	Missing cases	127
-------------	----	---------------	-----

CHCONTA6 Pregnancy 6: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	4	2.4	10.5	10.5
to 1 year	1	8	4.8	21.1	31.6
to 2 years	2	6	3.6	15.8	47.4
to 5 years	3	4	2.4	10.5	57.9
to 10 years	4	3	1.8	7.9	65.8
to 15 years	5	3	1.8	7.9	73.7
to 20 years	6	4	2.4	10.5	84.2
to 30 years	7	3	1.8	7.9	92.1
> 30 years	8	3	1.8	7.9	100.0
.		127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHBRSN6 Pregnancy 6: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	16	9.7	42.1	42.1
=obe(may)	2	1	.6	2.6	44.7
@gum(jun-aug)	3	10	6.1	26.3	71.1
@ga(sep-nov)	4	9	5.5	23.7	94.7
not ascertained	9	2	1.2	5.3	100.0
.		127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHYRBR6 Pregnancy 6: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	30	2	1.2	5.3	5.3
	32	1	.6	2.6	7.9
	35	1	.6	2.6	10.5
	36	1	.6	2.6	13.2
	37	2	1.2	5.3	18.4

38	1	.6	2.6	21.1
40	2	1.2	5.3	26.3
41	1	.6	2.6	28.9
42	2	1.2	5.3	34.2
43	1	.6	2.6	36.8
44	1	.6	2.6	39.5
46	1	.6	2.6	42.1
48	1	.6	2.6	44.7
50	4	2.4	10.5	55.3
51	1	.6	2.6	57.9
52	1	.6	2.6	60.5
53	1	.6	2.6	63.2
56	2	1.2	5.3	68.4
57	1	.6	2.6	71.1
60	1	.6	2.6	73.7
62	1	.6	2.6	76.3
63	1	.6	2.6	78.9
65	2	1.2	5.3	84.2
67	3	1.8	7.9	92.1
68	2	1.2	5.3	97.4
69	1	.6	2.6	100.0
.	127	77.0	Missing	
Total		165	100.0	100.0

Valid cases 38 Missing cases 127

CHBRER6 Pregnancy 6: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	3	1.8	7.9	7.9
within 5 years	3	13	7.9	34.2	42.1
within 10 years	4	1	.6	2.6	44.7
estimated fr age	6	21	12.7	55.3	100.0
.		127	77.0	Missing	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHMOPR6 Pregnancy 6: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
age 25-29	3	4	2.4	10.5	10.5
age 30-34	4	11	6.7	28.9	39.5
age 35-39	5	16	9.7	42.1	81.6

age 40 or over	6	7	4.2	18.4	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHPLBR6 Pregnancy 6: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	1	.6	2.6	2.6
Bate	20	3	1.8	7.9	10.5
@gose	30	3	1.8	7.9	18.4
Mahopa	40	1	.6	2.6	21.1
	55	1	.6	2.6	23.7
@ubi	60	6	3.6	15.8	39.5
	61	1	.6	2.6	42.1
/ai/ai waterhole	110	6	3.6	15.8	57.9
	124	1	.6	2.6	60.5
/gam==o//gana gen	201	1	.6	2.6	63.2
/gam	210	2	1.2	5.3	68.4
co/ana	480	1	.6	2.6	71.1
cum@we	510	3	1.8	7.9	78.9
n=ama	540	1	.6	2.6	81.6
	591	1	.6	2.6	84.2
east - general	901	2	1.2	5.3	89.5
Nokaneng	910	2	1.2	5.3	94.7
not ascertained	999	2	1.2	5.3	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHTWN6 Pregnancy 6: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single birth	1	38	23.0	100.0	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHSIB6 Pregnancy 6: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	2.6	2.6
one	1	5	3.0	13.2	15.8
two	2	11	6.7	28.9	44.7
three	3	11	6.7	28.9	73.7
four	4	3	1.8	7.9	81.6
five	5	7	4.2	18.4	100.0
.	.	127	77.0	Missing	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHBRPR6 Pregnancy 6: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	13	7.9	34.2	34.2
living,< age 5	2	22	13.3	57.9	92.1
living,age 5-10	3	3	1.8	7.9	100.0
.	.	127	77.0	Missing	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHDTSN6 Pregnancy 6: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2
bara (dec-apr)	1	3	1.8	7.9	71.1
=obe(may)	2	1	.6	2.6	73.7
@gum(jun-aug)	3	5	3.0	13.2	86.8
@ga(sep-nov)	4	2	1.2	5.3	92.1
not ascertained	9	3	1.8	7.9	100.0
.	.	127	77.0	Missing	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHD TYR6 Pregnancy 6: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	24	14.5	63.2	63.2
	36	1	.6	2.6	65.8
	39	1	.6	2.6	68.4
	40	1	.6	2.6	71.1
	42	2	1.2	5.3	76.3
	43	1	.6	2.6	78.9
	46	1	.6	2.6	81.6
	48	1	.6	2.6	84.2
	50	1	.6	2.6	86.8
	54	1	.6	2.6	89.5
	60	1	.6	2.6	92.1
	62	1	.6	2.6	94.7
	63	1	.6	2.6	97.4
	64	1	.6	2.6	100.0
	.	127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHD TER6 Pregnancy 6: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2
exact	1	1	.6	2.6	65.8
within 5 years	3	12	7.3	31.6	97.4
within 10 years	4	1	.6	2.6	100.0
	.	127	77.0	Missing	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

CHD TAG6 Pregnancy 6: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2

early preg wastage	1	1	.6	2.6	65.8
late abortion	2	1	.6	2.6	68.4
miscarriage	3	2	1.2	5.3	73.7
day of birth	4	1	.6	2.6	76.3
in same season	6	1	.6	2.6	78.9
following season	7	1	.6	2.6	81.6
2 seasons after birt	8	2	1.2	5.3	86.8
2 years+2 seasons	22	1	.6	2.6	89.5
died in 2nd year	29	2	1.2	5.3	94.7
about 8th year	53	1	.6	2.6	97.4
aged 25-29	63	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHNXSR6 Pregnancy 6: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	24	14.5	63.2	63.2
no	1	11	6.7	28.9	92.1
yes,died since	2	2	1.2	5.3	97.4
no following pregnan	3	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHDTPL6 Pregnancy 6: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	24	14.5	63.2	63.2
Bate	20	1	.6	2.6	65.8
@gose	30	1	.6	2.6	68.4
Dobe	50	1	.6	2.6	71.1
@ubi	60	3	1.8	7.9	78.9
/ai/ai waterhole	110	4	2.4	10.5	89.5
/gam-=o//gana gen	201	1	.6	2.6	92.1
=o//gana	220	1	.6	2.6	94.7
cum@we	430	1	.6	2.6	97.4
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

 CHDTCS6 Pregnancy 6: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2
prenat,God	1	3	1.8	7.9	71.1
prenat,NA	9	1	.6	2.6	73.7
neonat,God	11	1	.6	2.6	76.3
neonat,sick gen	19	4	2.4	10.5	86.8
neonat,sick stomach	22	1	.6	2.6	89.5
early,God	31	2	1.2	5.3	94.7
late,sick general	42	1	.6	2.6	97.4
adult,sick general	52	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

 MOMSDT6 Pregnancy 6: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2
died before repr	1	14	8.5	36.8	100.0
.		127	77.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

 MOREDT6 Pregnancy 6: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	24	14.5	63.2	63.2
	1	14	8.5	36.8	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

MOMGDT6 Pregnancy 6: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	24	14.5	63.2	63.2
lived in area	1	9	5.5	23.7	86.8
lived in periphery	2	5	3.0	13.2	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHRSPL6 Pregnancy 6: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	14	8.5	36.8	36.8
@angwe	10	1	.6	2.6	39.5
Bate	20	2	1.2	5.3	44.7
@gose	30	4	2.4	10.5	55.3
Mahopa	40	2	1.2	5.3	60.5
Dobe	50	4	2.4	10.5	71.1
@ubi	60	3	1.8	7.9	78.9
/ai/ai waterhole	110	6	3.6	15.8	94.7
cum@we	510	1	.6	2.6	97.4
east - general	901	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHRSST6 Pregnancy 6: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	14	8.5	36.8	36.8
a resident	1	22	13.3	57.9	94.7
marginal	2	1	.6	2.6	97.4

not numbered person	3	1	.6	2.6	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHRSRM6 Pregnancy 6: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	14	8.5	36.8	36.8
lives with R	2	22	13.3	57.9	94.7
lives apart,other ba	3	1	.6	2.6	97.4
lives apart,out of p	4	1	.6	2.6	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHRSRF6 Pregnancy 6: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	14	8.5	36.8	36.8
mother deceased	1	8	4.8	21.1	57.9
lives with R	2	14	8.5	36.8	94.7
lives apart,other ba	3	2	1.2	5.3	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHMS6 Pregnancy 6: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	14	8.5	36.8	36.8
single	1	16	9.7	42.1	78.9
monogamous w zun/wa	2	6	3.6	15.8	94.7
polygamous w zun/was	3	1	.6	2.6	97.4

monogamous w Bantu	4	1	.6	2.6	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHRS6 Pregnancy 6: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	14	8.5	36.8	36.8
no activity yet	1	20	12.1	52.6	89.5
1+ pregnancies	2	1	.6	2.6	92.1
1+ living children	3	3	1.8	7.9	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

CHSMP6 Pregnancy 6: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	14	8.5	36.8	36.8
yes	1	10	6.1	26.3	63.2
no	2	14	8.5	36.8	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

OLDAGE6 Pregnancy 6: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	38	23.0	100.0	100.0
.		127	77.0	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 38 Missing cases 127

NEWAGE6 Pregnancy 6: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	38	23.0	100.0	100.0
	.	127	77.0	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 38 Missing cases 127

19 Sep 00 Bushman demography./ N. Howell
Page 3
18:44:24 Revised ed

Preceding task required 22.00 seconds CPU time; .21 seconds elapsed.

7 0 frequencies variables=sex22 to newage9

Memory allows a total of 18,724 values accumulated across all variables.
There may be up to 2,340 value labels for each variable.

19 Sep 00 Bushman demography./ N. Howell
Page 4
18:44:24 Revised ed

SEX22 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	26	15.8	100.0	100.0
	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHILDID7 Pregnancy 7: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	5	3.0	19.2	19.2
	32	1	.6	3.8	23.1
	52	1	.6	3.8	26.9
	103	1	.6	3.8	30.8
	361	1	.6	3.8	34.6
	389	1	.6	3.8	38.5
	417	1	.6	3.8	42.3
	576	1	.6	3.8	46.2
	620	1	.6	3.8	50.0
	763	1	.6	3.8	53.8
	771	1	.6	3.8	57.7
	833	1	.6	3.8	61.5
	unnumbered person	996	2	1.2	7.7
deceased person	997	8	4.8	30.8	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHSEX7 Pregnancy 7: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	17	10.3	65.4	65.4
female	2	9	5.5	34.6	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHNAME7 Pregnancy 7: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	3.0	19.2	19.2
	12	1	.6	3.8	23.1
	13	1	.6	3.8	26.9
	15	1	.6	3.8	30.8
	16	2	1.2	7.7	38.5
	17	1	.6	3.8	42.3
	18	1	.6	3.8	46.2
	19	2	1.2	7.7	53.8

20	1	.6	3.8	57.7
24	3	1.8	11.5	69.2
25	1	.6	3.8	73.1
27	1	.6	3.8	76.9
40	1	.6	3.8	80.8
41	1	.6	3.8	84.6
51	1	.6	3.8	88.5
56	1	.6	3.8	92.3
61	2	1.2	7.7	100.0
.	139	84.2	Missing	

Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHNMFOR7 Pregnancy 7: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	5	3.0	19.2	19.2
fa's father	11	2	1.2	7.7	26.9
fa's yng brother	13	1	.6	3.8	30.8
other patri-kin	15	3	1.8	11.5	42.3
mo's father	21	1	.6	3.8	46.2
mo's o brother	22	1	.6	3.8	50.0
other matri-kin	25	2	1.2	7.7	57.7
fa's mother	51	1	.6	3.8	61.5
fa's yng sister	53	2	1.2	7.7	69.2
other patri-kin	55	1	.6	3.8	73.1
mo's mother	61	2	1.2	7.7	80.8
mo's mo's sister	64	1	.6	3.8	84.6
other matri-kin	65	1	.6	3.8	88.5
other patri-affines	73	2	1.2	7.7	96.2
not ascertained	99	1	.6	3.8	100.0
.		139	84.2	Missing	

Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHFANM7 Pregnancy 7: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	1	.6	3.8	3.8
dam	12	3	1.8	11.5	15.4
kase	19	3	1.8	11.5	26.9
kau	20	2	1.2	7.7	34.6

tsaa	38	1	.6	3.8	38.5
gau	44	1	.6	3.8	42.3
/i@ay	47	3	1.8	11.5	53.8
/n@au	48	1	.6	3.8	57.7
	49	1	.6	3.8	61.5
/wi	55	1	.6	3.8	65.4
=dau	58	2	1.2	7.7	73.1
=gau	59	1	.6	3.8	76.9
=oma	61	1	.6	3.8	80.8
@xem	64	3	1.8	11.5	92.3
@xoma	65	1	.6	3.8	96.2
	67	1	.6	3.8	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHFAID7 Pregnancy 7: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	1	.6	3.8	3.8
	27	1	.6	3.8	7.7
	45	1	.6	3.8	11.5
	53	1	.6	3.8	15.4
	82	1	.6	3.8	19.2
	101	1	.6	3.8	23.1
	158	1	.6	3.8	26.9
	179	1	.6	3.8	30.8
	261	1	.6	3.8	34.6
	312	1	.6	3.8	38.5
	328	1	.6	3.8	42.3
	359	1	.6	3.8	46.2
	375	1	.6	3.8	50.0
	395	1	.6	3.8	53.8
	412	1	.6	3.8	57.7
	414	1	.6	3.8	61.5
	461	1	.6	3.8	65.4
	618	1	.6	3.8	69.2
	665	1	.6	3.8	73.1
deceased person	997	7	4.2	26.9	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHFAMR7 Pregnancy 7: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	11	6.7	42.3	42.3
2nd husband	2	8	4.8	30.8	73.1
3rd husband	3	4	2.4	15.4	88.5
4th husband	4	3	1.8	11.5	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

 SOBIFA7 Pregnancy 7: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	26	15.8	100.0	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

 CHCONTT7 Pregnancy 7: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	8	4.8	30.8	30.8
no, fa lives apart	2	1	.6	3.8	34.6
no, fa out of pop	3	1	.6	3.8	38.5
yes, one is dead	4	16	9.7	61.5	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

 CHCONTA7 Pregnancy 7: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

none	0	5	3.0	19.2	19.2
to 1 year	1	7	4.2	26.9	46.2
to 2 years	2	3	1.8	11.5	57.7
to 5 years	3	1	.6	3.8	61.5
to 10 years	4	2	1.2	7.7	69.2
to 15 years	5	1	.6	3.8	73.1
to 20 years	6	3	1.8	11.5	84.6
to 30 years	7	4	2.4	15.4	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHBRSN7 Pregnancy 7: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	10	6.1	38.5	38.5
=obe(may)	2	1	.6	3.8	42.3
@gum(jun-aug)	3	11	6.7	42.3	84.6
@ga(sep-nov)	4	2	1.2	7.7	92.3
not ascertained	9	2	1.2	7.7	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHYRBR7 Pregnancy 7: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	32	1	.6	3.8	3.8
	38	3	1.8	11.5	15.4
	40	1	.6	3.8	19.2
	41	1	.6	3.8	23.1
	44	3	1.8	11.5	34.6
	47	1	.6	3.8	38.5
	48	2	1.2	7.7	46.2
	50	1	.6	3.8	50.0
	51	2	1.2	7.7	57.7
	52	1	.6	3.8	61.5
	53	1	.6	3.8	65.4
	55	1	.6	3.8	69.2
	57	1	.6	3.8	73.1
	59	1	.6	3.8	76.9
	60	1	.6	3.8	80.8

63	2	1.2	7.7	88.5
67	1	.6	3.8	92.3
69	2	1.2	7.7	100.0
.	139	84.2	Missing	

Total 165 100.0 100.0

Valid cases 26 Missing cases 139

CHBRER7 Pregnancy 7: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
exact	1	1	.6	3.8	3.8
within 1 year	2	1	.6	3.8	7.7
within 5 years	3	13	7.9	50.0	57.7
within 10 years	4	1	.6	3.8	61.5
estimated fr age	6	10	6.1	38.5	100.0
.		139	84.2	Missing	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHMOPR7 Pregnancy 7: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
age 25-29	3	1	.6	3.8	3.8
age 30-34	4	2	1.2	7.7	11.5
age 35-39	5	12	7.3	46.2	57.7
age 40 or over	6	11	6.7	42.3	100.0
.		139	84.2	Missing	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHPLBR7 Pregnancy 7: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	7.7	7.7

Bate	20	1	.6	3.8	11.5
@gose	30	1	.6	3.8	15.4
Mahopa	40	3	1.8	11.5	26.9
Dobe	50	2	1.2	7.7	34.6
@ubi	60	2	1.2	7.7	42.3
/ai/ai waterhole	110	4	2.4	15.4	57.7
	124	1	.6	3.8	61.5
/gam-=o//gana gen	201	1	.6	3.8	65.4
/gam	210	1	.6	3.8	69.2
=o//gana	220	1	.6	3.8	73.1
/du/da	310	1	.6	3.8	76.9
	430	1	.6	3.8	80.8
	492	1	.6	3.8	84.6
n@au n@au	610	1	.6	3.8	88.5
not ascertained	999	3	1.8	11.5	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHTWN7 Pregnancy 7: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single birth	1	26	15.8	100.0	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHSIB7 Pregnancy 7: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	3.8	3.8
one	1	2	1.2	7.7	11.5
two	2	6	3.6	23.1	34.6
three	3	4	2.4	15.4	50.0
four	4	7	4.2	26.9	76.9
five	5	2	1.2	7.7	84.6
six	6	4	2.4	15.4	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHBRPR7 Pregnancy 7: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	11	6.7	42.3	42.3
living,< age 5	2	12	7.3	46.2	88.5
living,age 5-10	3	3	1.8	11.5	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHDTSN7 Pregnancy 7: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
bara (dec-apr)	1	5	3.0	19.2	69.2
@gum(jun-aug)	3	5	3.0	19.2	88.5
not ascertained	9	3	1.8	11.5	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHDTYR7 Pregnancy 7: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	13	7.9	50.0	50.0
	32	1	.6	3.8	53.8
	40	1	.6	3.8	57.7
	43	1	.6	3.8	61.5
	44	1	.6	3.8	65.4
	47	1	.6	3.8	69.2
	48	2	1.2	7.7	76.9
	50	1	.6	3.8	80.8
	52	1	.6	3.8	84.6
	59	2	1.2	7.7	92.3
	63	1	.6	3.8	96.2

67	1	.6	3.8	100.0
.	139	84.2	Missing	
-----		-----	-----	
Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHDTER7 Pregnancy 7: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
within 1 year	2	1	.6	3.8	53.8
within 5 years	3	10	6.1	38.5	92.3
within 10 years	4	2	1.2	7.7	100.0
.		139	84.2	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHDTAG7 Pregnancy 7: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
late abortion	2	3	1.8	11.5	61.5
miscarriage	3	2	1.2	7.7	69.2
in same season	6	2	1.2	7.7	76.9
following season	7	1	.6	3.8	80.8
2 years,same season	20	1	.6	3.8	84.6
died in 2nd year	29	1	.6	3.8	88.5
3 years+2 seasons	32	1	.6	3.8	92.3
aged 20-24	62	1	.6	3.8	96.2
died in infancy	91	1	.6	3.8	100.0
.		139	84.2	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHNXSR7 Pregnancy 7: this child alive at next te

Valid Cum

Value Label	Value	Frequency	Percent	Percent	Percent
not deceased	0	13	7.9	50.0	50.0
no	1	8	4.8	30.8	80.8
yes,died since	2	1	.6	3.8	84.6
no following pregnan	3	4	2.4	15.4	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	
Valid cases	26	Missing cases	139		

CHDTPL7 Pregnancy 7: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	13	7.9	50.0	50.0
@angwe	10	1	.6	3.8	53.8
Mahopa	40	2	1.2	7.7	61.5
Dobe	50	1	.6	3.8	65.4
@ubi	60	2	1.2	7.7	73.1
/wi haba	120	1	.6	3.8	76.9
=o//gana	220	1	.6	3.8	80.8
/du/da general	301	1	.6	3.8	84.6
	430	1	.6	3.8	88.5
	492	1	.6	3.8	92.3
n@au n@au	610	1	.6	3.8	96.2
not ascertained	999	1	.6	3.8	100.0
.		139	84.2	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	
Valid cases	26	Missing cases	139		

CHDTCS7 Pregnancy 7: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
prenat,God	1	1	.6	3.8	53.8
prenat,too small	4	1	.6	3.8	57.7
prenat,NA	9	2	1.2	7.7	65.4
neonat,God	11	1	.6	3.8	69.2
neonat,sick gen	19	4	2.4	15.4	84.6
neonat,other	29	1	.6	3.8	88.5
early,God	31	1	.6	3.8	92.3
early,sick gen	32	1	.6	3.8	96.2
adult,sick general	52	1	.6	3.8	100.0

.	139	84.2	Missing

Total	165	100.0	100.0

Valid cases 26 Missing cases 139

MOMSDT7 Pregnancy 7: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
died before repr	1	13	7.9	50.0	100.0
.	.	139	84.2	Missing	
-----				-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

MOREDT7 Pregnancy 7: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	13	7.9	50.0	50.0
	1	13	7.9	50.0	100.0
.	.	139	84.2	Missing	
-----				-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

MOMGDT7 Pregnancy 7: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
lived in area	1	8	4.8	30.8	80.8
lived in periphery	2	5	3.0	19.2	100.0
.	.	139	84.2	Missing	
-----				-----	
Total		165	100.0	100.0	

Valid cases 26 Missing cases 139

CHRSPL7 Pregnancy 7: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	13	7.9	50.0	50.0
@angwe	10	1	.6	3.8	53.8
@gose	30	1	.6	3.8	57.7
Dobe	50	2	1.2	7.7	65.4
/ai/ai waterhole	110	5	3.0	19.2	84.6
cum@we	510	2	1.2	7.7	92.3
east - general	901	1	.6	3.8	96.2
Maun	960	1	.6	3.8	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHRSST7 Pregnancy 7: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	13	7.9	50.0	50.0
a resident	1	9	5.5	34.6	84.6
marginal	2	2	1.2	7.7	92.3
not numbered person	3	2	1.2	7.7	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHRSRM7 Pregnancy 7: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	13	7.9	50.0	50.0
lives with R	2	10	6.1	38.5	88.5
lives apart,other ba	3	1	.6	3.8	92.3
lives apart,out of p	4	2	1.2	7.7	100.0
.		139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHRSRF7 Pregnancy 7: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	13	7.9	50.0	50.0
mother deceased	1	3	1.8	11.5	61.5
lives with R	2	8	4.8	30.8	92.3
lives apart,other ba	3	1	.6	3.8	96.2
lives apart,out of p	4	1	.6	3.8	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHMS7 Pregnancy 7: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	13	7.9	50.0	50.0
single	1	10	6.1	38.5	88.5
monogamous w zun/wa	2	3	1.8	11.5	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHRS7 Pregnancy 7: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	13	7.9	50.0	50.0
no activity yet	1	11	6.7	42.3	92.3
1+ living children	3	2	1.2	7.7	100.0
.	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

CHSMP7 Pregnancy 7: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	13	7.9	50.0	50.0
yes	1	2	1.2	7.7	57.7
no	2	11	6.7	42.3	100.0
	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

OLDAGE7 Pregnancy 7: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	26	15.8	100.0	100.0
	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

NEWAGE7 Pregnancy 7: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	26	15.8	100.0	100.0
	.	139	84.2	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 26 Missing cases 139

SEX23 Sex

Valid Cum

Value Label	Value	Frequency	Percent	Percent	Percent
female	2	12	7.3	100.0	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHILDID8 Pregnancy 8: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	4	2.4	33.3	33.3
	85	1	.6	8.3	41.7
	104	1	.6	8.3	50.0
	263	1	.6	8.3	58.3
	525	1	.6	8.3	66.7
	572	1	.6	8.3	75.0
deceased person	997	3	1.8	25.0	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHSEX8 Pregnancy 8: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
male	1	6	3.6	50.0	50.0
female	2	5	3.0	41.7	91.7
dont know(aobrtd)	5	1	.6	8.3	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHNAME8 Pregnancy 8: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

0	4	2.4	33.3	33.3
12	1	.6	8.3	41.7
13	1	.6	8.3	50.0
18	2	1.2	16.7	66.7
24	1	.6	8.3	75.0
43	1	.6	8.3	83.3
44	1	.6	8.3	91.7
58	1	.6	8.3	100.0
.	153	92.7	Missing	
-----		-----	-----	
Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHNMFOR8 Pregnancy 8: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	4	2.4	33.3	33.3
fa's yng brother	13	1	.6	8.3	41.7
other patri-kin	15	1	.6	8.3	50.0
mo's yng brother	23	2	1.2	16.7	66.7
fa's mother	51	1	.6	8.3	75.0
fa's o sister	52	1	.6	8.3	83.3
other patri-kin	55	1	.6	8.3	91.7
mo's o sister	62	1	.6	8.3	100.0
.		153	92.7	Missing	
-----		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHFANM8 Pregnancy 8: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	1	.6	8.3	8.3
dam	12	1	.6	8.3	16.7
kase	19	1	.6	8.3	25.0
/i@ay	47	1	.6	8.3	33.3
/n@au	48	1	.6	8.3	41.7
/wi	55	1	.6	8.3	50.0
=dau	58	1	.6	8.3	58.3
=gau	59	1	.6	8.3	66.7
=oma	61	1	.6	8.3	75.0
@xem	64	1	.6	8.3	83.3
@xoma	65	1	.6	8.3	91.7
	67	1	.6	8.3	100.0

	.	153	92.7	Missing
		-----	-----	-----
	Total	165	100.0	100.0
Valid cases	12	Missing cases	153	

CHFAID8 Pregnancy 8: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	5	1	.6	8.3	8.3
	82	1	.6	8.3	16.7
	101	1	.6	8.3	25.0
	158	1	.6	8.3	33.3
	261	1	.6	8.3	41.7
	328	1	.6	8.3	50.0
	375	1	.6	8.3	58.3
	412	1	.6	8.3	66.7
	461	1	.6	8.3	75.0
	618	1	.6	8.3	83.3
deceased person	997	2	1.2	16.7	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHFAMR8 Pregnancy 8: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
1st husband	1	2	1.2	16.7	16.7
2nd husband	2	6	3.6	50.0	66.7
3rd husband	3	2	1.2	16.7	83.3
4th husband	4	2	1.2	16.7	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

SOBIFA8 Pregnancy 8: sociological father=biologi

Valid Cum

Value Label	Value	Frequency	Percent	Percent	Percent
same, zun/wasi	1	12	7.3	100.0	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHCONTT8 Pregnancy 8: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no, live same band	1	3	1.8	25.0	25.0
yes, one is dead	4	9	5.5	75.0	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHCONTA8 Pregnancy 8: amount of contact father ha

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	4	2.4	33.3	33.3
to 1 year	1	2	1.2	16.7	50.0
to 2 years	2	1	.6	8.3	58.3
to 5 years	3	1	.6	8.3	66.7
to 10 years	4	1	.6	8.3	75.0
to 15 years	5	1	.6	8.3	83.3
to 30 years	7	2	1.2	16.7	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHBRSN8 Pregnancy 8: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	4	2.4	33.3	33.3

@gum(jun-aug)	3	2	1.2	16.7	50.0
@ga(sep-nov)	4	5	3.0	41.7	91.7
not ascertained	9	1	.6	8.3	100.0
.		153	92.7	Missing	

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 12 Missing cases 153

CHYRBR8 Pregnancy 8: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	40	1	.6	8.3	8.3
	41	1	.6	8.3	16.7
	46	2	1.2	16.7	33.3
	47	1	.6	8.3	41.7
	48	1	.6	8.3	50.0
	50	1	.6	8.3	58.3
	53	1	.6	8.3	66.7
	54	1	.6	8.3	75.0
	56	1	.6	8.3	83.3
	61	1	.6	8.3	91.7
	67	1	.6	8.3	100.0
	.	153	92.7	Missing	

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 12 Missing cases 153

CHBRER8 Pregnancy 8: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
within 5 years	3	6	3.6	50.0	50.0
within 10 years	4	1	.6	8.3	58.3
estimated fr age	6	5	3.0	41.7	100.0
	.	153	92.7	Missing	

Total	165	100.0	100.0
-------	-----	-------	-------

Valid cases 12 Missing cases 153

CHMOPR8 Pregnancy 8: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
age 30-34	4	1	.6	8.3	8.3
age 35-39	5	2	1.2	16.7	25.0
age 40 or over	6	9	5.5	75.0	100.0
.	.	153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHPLBR8 Pregnancy 8: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	2	1.2	16.7	16.7
Mahopa	40	2	1.2	16.7	33.3
@ubi	60	1	.6	8.3	41.7
/ai/ai waterhole	110	3	1.8	25.0	66.7
/gam-=o//gana gen	201	1	.6	8.3	75.0
cum@we	510	1	.6	8.3	83.3
n@au n@au	610	1	.6	8.3	91.7
not ascertained	999	1	.6	8.3	100.0
.	.	153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHTWN8 Pregnancy 8: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single birth	1	12	7.3	100.0	100.0
.	.	153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHSIB8 Pregnancy 8: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	8.3	8.3
one	1	1	.6	8.3	16.7
two	2	2	1.2	16.7	33.3
three	3	2	1.2	16.7	50.0
four	4	4	2.4	33.3	83.3
six	6	2	1.2	16.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHBRPR8 Pregnancy 8: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	7	4.2	58.3	58.3
living,< age 5	2	4	2.4	33.3	91.7
living,age 5-10	3	1	.6	8.3	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTSN8 Pregnancy 8: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	3.0	41.7	41.7
	1	3	1.8	25.0	66.7
	4	2	1.2	16.7	83.3
	9	2	1.2	16.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTYR8 Pregnancy 8: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	3.0	41.7	41.7
	40	1	.6	8.3	50.0
	46	1	.6	8.3	58.3
	50	1	.6	8.3	66.7
	51	1	.6	8.3	75.0
	54	2	1.2	16.7	91.7
	61	1	.6	8.3	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTER8 Pregnancy 8: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	41.7	41.7
within 5 years	3	5	3.0	41.7	83.3
within 10 years	4	2	1.2	16.7	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTAG8 Pregnancy 8: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	41.7	41.7
early preg wastage	1	1	.6	8.3	50.0
late abortion	2	2	1.2	16.7	66.7
day of birth	4	1	.6	8.3	75.0
following season	7	1	.6	8.3	83.3
died in 3rd year	39	1	.6	8.3	91.7
died in infancy	91	1	.6	8.3	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHNXSR8 Pregnancy 8: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not deceased	0	5	3.0	41.7	41.7
no	1	4	2.4	33.3	75.0
no following pregnan	3	3	1.8	25.0	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTPL8 Pregnancy 8: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	5	3.0	41.7	41.7
Mahopa	40	1	.6	8.3	50.0
@ubi	60	1	.6	8.3	58.3
/ai/ai waterhole	110	2	1.2	16.7	75.0
/gam-=o//gana gen	201	1	.6	8.3	83.3
n/ausa	460	1	.6	8.3	91.7
cum@we	510	1	.6	8.3	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHDTCS8 Pregnancy 8: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	41.7	41.7
prenat,God	1	2	1.2	16.7	58.3
prenat,NA	9	1	.6	8.3	66.7
neonat,God	11	1	.6	8.3	75.0
neonat,infanticide	18	1	.6	8.3	83.3
neonat,sick gen	19	2	1.2	16.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

MOMSDT8 Pregnancy 8: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	41.7	41.7
died before repr	1	7	4.2	58.3	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

MOREDT8 Pregnancy 8: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	5	3.0	41.7	41.7
	1	7	4.2	58.3	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

MOMGDT8 Pregnancy 8: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	5	3.0	41.7	41.7
lived in area	1	5	3.0	41.7	83.3
lived in periphery	2	2	1.2	16.7	100.0
	.	153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHRSPL8 Pregnancy 8: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	7	4.2	58.3	58.3
@angwe	10	1	.6	8.3	66.7
@gose	30	1	.6	8.3	75.0
Mahopa	40	1	.6	8.3	83.3
/ai/ai waterhole	110	2	1.2	16.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHRSST8 Pregnancy 8: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	7	4.2	58.3	58.3
a resident	1	5	3.0	41.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHRSRM8 Pregnancy 8: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	7	4.2	58.3	58.3
lives with R	2	5	3.0	41.7	100.0
.		153	92.7	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 12 Missing cases 153

CHRSRF8 Pregnancy 8: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
-------------	-------	-----------	---------	---------------	-------------

child deceased	0	7	4.2	58.3	58.3
mother deceased	1	2	1.2	16.7	75.0
lives with R	2	3	1.8	25.0	100.0
.		153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHMS8 Pregnancy 8: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	7	4.2	58.3	58.3
single	1	4	2.4	33.3	91.7
monogamous w zun/wa	2	1	.6	8.3	100.0
.		153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHRS8 Pregnancy 8: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	7	4.2	58.3	58.3
no activity yet	1	4	2.4	33.3	91.7
1+ living children	3	1	.6	8.3	100.0
.		153	92.7	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 12 Missing cases 153

CHSMP8 Pregnancy 8: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	7	4.2	58.3	58.3
yes	1	3	1.8	25.0	83.3
no	2	2	1.2	16.7	100.0
.		153	92.7	Missing	

		Total	165	100.0	100.0
Valid cases	12	Missing cases	153		

OLDAGE8 Pregnancy 8: oldage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	12	7.3	100.0	100.0
	.	153	92.7	Missing	
	Total	165	100.0	100.0	

Valid cases	12	Missing cases	153
-------------	----	---------------	-----

NEWAGE8 Pregnancy 8: newage????????????????????

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	12	7.3	100.0	100.0
	.	153	92.7	Missing	
	Total	165	100.0	100.0	

Valid cases	12	Missing cases	153
-------------	----	---------------	-----

SEX24 Sex

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	2	1.2	100.0	100.0
	.	163	98.8	Missing	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

CHILDDID9 Pregnancy 9: ID number of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no such person	0	1	.6	50.0	50.0
deceased person	997	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHSEX9 Pregnancy 9: sex of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
female	2	1	.6	50.0	50.0
dont know(aobrtd)	5	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHNAME9 Pregnancy 9: name of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	1	.6	50.0	50.0
	24	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHNMFOR9 Pregnancy 9: who was child named for?

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child not named	0	1	.6	50.0	50.0
other matri-affines	34	1	.6	50.0	100.0
	.	163	98.8	Missing	

		Total	165	100.0	100.0
Valid cases	2	Missing cases	163		

CHFANM9 Pregnancy 9: father's name

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bo	11	1	.6	50.0	50.0
kase	19	1	.6	50.0	100.0
	.	163	98.8	Missing	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

CHFAID9 Pregnancy 9: father's id number

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	101	1	.6	50.0	50.0
	618	1	.6	50.0	100.0
	.	163	98.8	Missing	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

CHFAMR9 Pregnancy 9: marriage number of father o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
2nd husband	2	1	.6	50.0	50.0
4th husband	4	1	.6	50.0	100.0
	.	163	98.8	Missing	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

SOBIFA9 Pregnancy 9: sociological father=biologi

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
same, zun/wasi	1	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHCONTT9 Pregnancy 9: contact between father-child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
yes, one is dead	4	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHCONTA9 Pregnancy 9: amount of contact father has

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none	0	1	.6	50.0	50.0
to 1 year	1	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHBRSN9 Pregnancy 9: season of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	1	.6	50.0	50.0
@gum(jun-aug)	3	1	.6	50.0	100.0

		.	163	98.8	Missing
			-----	-----	-----
		Total	165	100.0	100.0
Valid cases	2	Missing cases	163		

CHYRBR9 Pregnancy 9: year of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	48	1	.6	50.0	50.0
	61	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHBRER9 Pregnancy 9: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
within 5 years	3	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHMOPR9 Pregnancy 9: period of life of mother wh

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
age 35-39	5	1	.6	50.0	50.0
age 40 or over	6	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHPLBR9 Pregnancy 9: place of birth of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	1	.6	50.0	50.0
/gam-=o//gana gen	201	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHTWN9 Pregnancy 9: twins or other multiple bir

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
single birth	1	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHSIB9 Pregnancy 9: number of living siblings

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
four	4	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHBRPR9 Pregnancy 9: status of previous pregnanc

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	1	1	.6	50.0	50.0
living, age 5-10	3	1	.6	50.0	100.0

.	163	98.8	Missing
Total		165	100.0

Valid cases 2 Missing cases 163

CHDTSN9 Pregnancy 9: season of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
bara (dec-apr)	1	1	.6	50.0	50.0
@gum(jun-aug)	3	1	.6	50.0	100.0
.		163	98.8	Missing	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

CHDTYR9 Pregnancy 9: year of death of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	48	1	.6	50.0	50.0
	61	1	.6	50.0	100.0
.		163	98.8	Missing	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

CHDTER9 Pregnancy 9: error of estimate of year o

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
within 5 years	3	2	1.2	100.0	100.0
.		163	98.8	Missing	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

CHDTAG9 Pregnancy 9: age at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
early preg wastage	1	1	.6	50.0	50.0
in same season	6	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHNXSR9 Pregnancy 9: this child alive at next te

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
no following pregnan	3	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHDTPL9 Pregnancy 9: place of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
@angwe	10	1	.6	50.0	50.0
/gam=-o//gana gen	201	1	.6	50.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

CHDTCS9 Pregnancy 9: cause of death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
prenat,God	1	1	.6	50.0	50.0

neonat,sick chest	21	1	.6	50.0	100.0
.		163	98.8	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

MOMSDT9 Pregnancy 9: marital status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
died before repr	1	2	1.2	100.0	100.0
.		163	98.8	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

MOREDT9 Pregnancy 9: reproductive status at deat

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	1	2	1.2	100.0	100.0
.		163	98.8	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

MOMGDT9 Pregnancy 9: migration status at death

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
lived in area	1	1	.6	50.0	50.0
lived in periphery	2	1	.6	50.0	100.0
.		163	98.8	Missing	
		-----	-----	-----	
Total		165	100.0	100.0	

Valid cases 2 Missing cases 163

CHRSPL9 Pregnancy 9: place of residence of child

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
none,no such place	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHRSST9 Pregnancy 9: residence status

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHRSRM9 Pregnancy 9: residence relative to mothe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	
Valid cases	2	Missing cases	163		

CHRSRF9 Pregnancy 9: residence relative to fathe

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
child deceased	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	

		Total	165	100.0	100.0
Valid cases	2	Missing cases	163		

CHMS9 Pregnancy 9: current marital status of c

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

CHRS9 Pregnancy 9: reproductive status of chil

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
deceased	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

CHSMP9 Pregnancy 9: included in mens and womens

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
not applicable	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases	2	Missing cases	163
-------------	---	---------------	-----

OLDAGE9

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

NEWAGE9

Value Label	Value	Frequency	Percent	Valid Percent	Cum Percent
	0	2	1.2	100.0	100.0
	.	163	98.8	Missing	
		-----	-----	-----	
	Total	165	100.0	100.0	

Valid cases 2 Missing cases 163

19 Sep 00 Bushman demography./ N. Howell
Page 5
18:44:24 Revised ed

Preceding task required 5.00 seconds CPU time; .04 seconds elapsed.

8 0 descriptives variables=caseid
9 0 comment write outfile='dobehtwt.dat' table / caseid to armcirc

76 bytes of memory required for the DESCRIPTIVES procedure.
4 bytes have already been acquired.
72 bytes remain to be acquired.

19 Sep 00 Bushman demography./ N. Howell
Page 6
18:44:24 Revised ed

Number of valid observations (listwise) = 165.00

Variable	Mean	Std Dev	Minimum	Maximum	Valid N	Label
CASEID	272.64	184.68	2	762	165	I.D. Number

19 Sep 00 Bushman demography./ N. Howell
Page 7
18:44:24 Revised ed

Preceding task required 2.00 seconds CPU time; .03 seconds elapsed.

10 0 execute

Preceding task required .00 seconds CPU time; .00 seconds elapsed.

11 0 finish

11 command lines read.
0 errors detected.
0 warnings issued.
45 seconds CPU time.
1 seconds elapsed time.
End of job.